NVLAB CODE: 100108-0

TEST REPORT

CLIENT:	Shaw Contract	REPORT NUMBER:	58300C
	PO Drawer 2128	LAB TEST NUMBER:	2539-6668
	Dalton, GA 30722-2128	DATE:	June 14, 2013

SAMPLE ID:

Ī	Test #	MTR/XR #	Style	MO#	Roll #	Backing
	060413-15	5T065	Hype Tile	D9806	QE03XYP	EcoWorx

Subject: Testing Services Inc was instructed by the client to determine the flammability of finished

textile floor covering materials when exposed to an ignition source under controlled laboratory

conditions.

<u>Test Method:</u> ASTM D-2859: Standard Test Method for Flammability of Finished Textile Floor

Covering Materials

Code of Federal Regulations: 16 CFR 1631 (FF2-70) < 6ft & 24 ft² Code of Federal Regulations: 16CFR 1630 (FF1-70) > 6ft & 24 ft²

<u>Test Scope:</u> This test method is part of the standards for the surface flammability of carpets and rugs of the

U.S. Consumer Product Safety Commission. The acceptance criteria of this standard calls for the charred portion of at least seven out of eight individual specimens not extend to within 1" of the steel frame placed on top of the sample when exposed to a centrically placed

methenamine pill tablet.

Test Data:

Specimen Number	Un-charred Area
01	> 3"
02	> 3"
03	> 3"
04	> 3"
05	> 3"
06	> 3"
07	> 3"
08	> 3"

Test Summary

Testing Services Inc.

Pass	Failure	Status
8	0	Passes

Approved By:	
Erlo Milos Ir VD	

OUR LETTERS AND REPORTS APPLY ONLY TO THE SAMPLE TESTED AND ARE NOT NECESSARILY INDICATIVE OF THE QUALITIES OF APPARENTLY IDENTICAL OR SIMILAR PRODUCTS, THESE LETTERS AND REPORTS ARE FOR THE USE ONLY OF THE CLIENT TO WHOM THEY ARE ADDRESSED AND THEIR COMMUNICATION TO ANY OTHERS OR THE USE OF THE NAME TESTING SERVICES, Inc. MUST RECEIVE OUR PRIOR WRITTEN APPROVAL. THE REPORTS AND LETTERS, AND OUR NAME, OUR SEALS, OR OUR INSIGNIA ARE NOT UNDER ANY CIRCUMSTANCES TO BE USED IN ADVERTISING TO THE GENERAL PUBLIC.

VISIT OUR WEBSITE AT www.tsiofdalton.com