

## Inlet

Style Number	<b>1026V</b>	
Product Type	<b>Heavy Commercial Luxury Vinyl Tile With Fiberglass</b>	
Collection	<b>Unite</b>	
Construction	Standard	Data + Performance
Classification	<b>ISO 10874</b>	<b>33 commercial heavy</b>
Total Mass	<b>EN ISO 23997</b>	<b>8.04 kg/m<sup>2</sup></b>
Total Thickness	<b>EN ISO 24346</b>	<b>5.04 mm</b>
Finish	<b>ExoGuard™ quartz enhanced urethane</b>	
Dimensions	<b>EN 994</b>	<b>25.00 cm x 100.00 cm   10 tiles (2.5 sq m) per box</b>
Weight per Box	<b>14.44 kg</b>	




## Performance


Flammability	<b>EN 13501-1</b>	<b>Bfl-S1 (unadhered testing)</b>
Thermal Resistance m <sup>2</sup> K/W	<b>ISO 8302</b>	<b>0.048 m<sup>2</sup> K/W</b>
Electrostatic Propensity	<b>EN 1815</b>	<b>≤ 2.0 kV (stroll test)</b>
Slip Resistance	<b>BS 7976-2</b>	
	<b>DIN 51130</b>	<b>R9 (shod ramp)</b>
Dimensional Stability	<b>EN ISO 23999</b>	<b>≤ 0.15%</b>
Castor Chair	<b>EN 425, ISO 4918</b>	<b>continuous use</b>
Residual Indentation	<b>EN ISO 24343-1</b>	<b>0.9 mm</b>
Impact Sound Reduction	<b>BS EN ISO 10140</b>	<b>ΔLw 9dB/18dB with 2mm underlay</b>
Sound Absorption	<b>ISO 354</b>	
Colour Fastness to Light	<b>BS EN ISO 105-BO2</b>	<b>7</b>

15 Year Commercial Limited Warranty, [Commercial 15 Year Underbed Bond Warranty](#) subject to installation in full accordance with manufacturer's instructions and a regular effective cleaning and maintenance programme.

## Recommended Installation Method




### colour and visual variation index



## Coordinating Products


LVT: Cove



ΔLw 9dB/18dB with 2mm underlay

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | Latin America (Miami) +1 305 827 5912 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Santiago +562 2431 5000 x 550 | São Paulo +55 11 3071 1702 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +1 800 556 302

© 2024 Shaw Industries Group, Inc., a Berkshire Hathaway Company  
July 27, 2024



Product Transparency

Shaw Contract is dedicated to providing clients with a building chemistry that's safe and dependable. Working together, we will help you meet your goals as they pertain to material health. Luxury Vinyl Tile products are UL Certified with an Industry-Wide EPD and are assessed for impacts on human health and the environment.

Material Health & Environmental Certifications

Environmental Product Declaration (EPD)	<a href="#">3rd Party Certified in Accordance with ISO 14025, EN 15804, &amp; ISO 21930:2017</a>
FloorScore®	<a href="#">Certified</a>
Total Recycled Content	0% (Pre-Consumer 0%   Post-Consumer 0%)
Country of Origin	South Korea

WELL V2 Contribution Credit

X01 Fundamental Material Precautions Part 1: (C): Restrict Asbestos Precondition	Absence of Asbestos
X08 Hazardous Material Reduction Part 1: Limit Hazardous Materials Optimization	Absence of Heavy Metals
X10 Volatile Compound Reduction Part 1 (A): Manage Volatile Organic Compounds (VOCs) Optimization	Absence of Halogenated Flame Retardants
X10 Volatile Compound Reduction Part 2: Manage Semi-Volatile Organic Compounds (SVOCs) Optimization	Ortho-Phthalates
X11 Long Term Emissions Control Part 2: Flooring Optimization	FloorScore Certificate

Leed v4 Contribution Credits

MR Credit: Building Product Disclosure and Optimization Environmental Product Declarations - Option 1: Environmental Product Declaration (EPD)	3rd Party Certified in Accordance with ISO 14025, EN 15804, & ISO 21930:2017
EQ Credit: Low Emitting Materials Option 1: Product Category Calculations	FloorScore Certified








[Installation Guidelines](#)  
[Maintenance Guidelines](#)

Please visit [www.shawcontract.com](http://www.shawcontract.com) for the most current warranty information. Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit [shawcontract.com/testing](http://shawcontract.com/testing) for more information.

Light Reflectance Value

					
Nestle 26120	Spindle 26140 LRV 38.3	Refuge 26155 LRV 20.9	Beech 26502 LRV 36.8	Shade 26506 LRV 29	Thistle 26535 LRV 25.5
					
Raw 26549 LRV 8.2	Coarse 26595 LRV 14.5	Thatch 26720 LRV 17.5	Brew 26740 LRV 14.8		