

Naturelife Wood II


스타일 번호	0002V	
용접봉 스타일 번호	353VS	
구성	유리 섬유가있는 상업용 이중 시트	
수업	Type I, Grade 1, Class B	
후원 수업	4-플라이 퓨즈 장착 바닥면 시스템	
끝	ExoGuard®	
	미국	미터법
마모 층 두께	20 mil (0.02 in)	0.51 mm
전체 제품 두께	0.087 in	2.2 mm
권장 접착제	S150-95 Resilient Tile Spray, 4200 Resilient Sheet 1 Gallon, 4200 Resilient Sheet 4 Gallon, 2200 Semi-Wet Resilient 4 Gallon Pail, or 4151 Multi-Use Premium 4 Gallon	

포장

실제 롤 크기	6.00 ft w x 75.00 ft l	1.83 m w x 22.86 m l
롤당 면적	50 sy/roll	41.81 sq m/roll
롤 당 무게	282.2 lbs	128 kg



권장 설치 방법



공연 + 테스트

정적 하중 (Astm F970)	Passes (Modified), *1500 lbs
잔차 들어 쓰기 (Astm F1914)	Passes
유연성 (Astm F137)	Passes
내열성 (Astm F1514)	Passes
내광성 (Astm F1515)	Passes
화학 물질에 대한 내성 (Astm F925)	Passes
복사 패닐 (Astm E648)	Passes, Class I
마찰 계수(astm D2407, 미끄러짐 저항)	≥0.5, meets the recommended static coefficient of friction for ADA walking surfaces

이 테스트는 다양한 스타일과 구성의 상대적인 속성을 비교하기위한 것입니다. 결과는 실험실 테스트를 기반으로하며 비교 목적으로 사용됩니다. 실제 하중 한계는 다를 수 있습니다.

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

보증

15년 상용 제한  
[Commercial 15 Year Underbed Bond Warranty](#)

## Diversity &amp; Inclusion

We believe all humans are equal. Individually and collectively, we need to proactively create and promote opportunities that give everybody an equal footing in life. We nurture an environment where every voice and perspective can be heard, and proactively promote accessibility and inclusivity inside our network and beyond. One proof point is our ability to meet the criteria of the Social Fairness pillar of the Cradle to Cradle Product Standard. At Shaw Industries, we promote supplier participation that is reflective of Shaw's diverse customer base and local community. More than 42% of our spend\*\*\*\*\* is with small and diverse businesses. We believe having a strong Supplier Diversity Program is strategic for bringing more innovation to our businesses and opening new markets for growth.

## 속성 + 인증

## Health &amp; Wellbeing

Material Ingredient Transparency  
Indoor Air Quality

Health Product Declaration (HPD) | 1000 ppm Disclosure  
FloorScore® | 인증

## Climate Impact

Environmental Product Declaration (EPD)  
Total Recycled Content

ISO 14025, EN 15804 및 ISO 21930:2017에 따라 타사 인증 획득  
0% (Pre-Consumer 0% | Post-Consumer 0%)

## Global Product Assessment

CE Marking (EN 14041) | 타사 인증 획득  
Country of Origin | Imported

## 녹색의 공헌 기여 크레딧

MR 크레딧 : 제품 공개 및 최적화 구축  
환경 제품 선언-옵션 1 : 환경 제품 선언 (EPD)

EQ 크레딧 : 저 발광 재료  
옵션 1 : 제품 범주 계산

[Installation Guidelines](#)

[Maintenance Guidelines](#)

**3rd Party Certified in Accordance with ISO 14025, EN 15804, & ISO 21930:2017**

**FloorScore Certified**

Please visit [www.shawcontract.com](http://www.shawcontract.com) for the most current warranty information.  
Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.


This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit [shawcontract.com/testing](http://shawcontract.com/testing) for more information.


## Available Colorways



Fumed Wenge 02421  
V3 - Moderate Variation  
Weldrod 12595




Traditional Cherry 05301  
V2 - Slight Variation  
Weldrod 05301




American Cherry 05303  
V3 - Moderate Variation  
Weldrod 05303



Light Maple 05304  
V2 - Slight Variation  
Weldrod 05304



Brazilian Cherry 05306  
V2 - Slight Variation  
Weldrod 09446




Chocolate Cherry 07716  
V2 - Slight Variation  
Weldrod 09446



Weathered Cherry 07717  
V2 - Slight Variation  
Weldrod 06303




Japanese Oak-Green 07720  
V2 - Slight Variation  
Weldrod 05254



Teak 08265  
V3 - Moderate Variation  
Weldrod 08127



Grey Teak 08266  
V2 - Slight Variation  
Weldrod 07329




Apple 08311  
V4 - Substantial Variation  
Weldrod 05301




Raw Ash 08316  
V2 - Slight Variation  
Weldrod 02027



Antique Mahogany 09446  
V3 - Moderate Variation  
Weldrod 09446



Rosewood 09561  
V2 - Slight Variation  
Weldrod 02023



Stained Walnut 09572  
V4 - Substantial Variation  
Weldrod 01823



Natural Walnut 09573  
V4 - Substantial Variation  
Weldrod 02026



Bleached Walnut 09574  
V4 - Substantial Variation  
Weldrod 02019



Reclaimed Hickory 09633  
V2 - Slight Variation  
Weldrod 09633



Young Hickory 09634  
V3 - Moderate Variation  
Weldrod 09634



Vintage Hickory 09635  
V3 - Moderate Variation  
Weldrod 09635

### Color and Visual Variation Index

Shade and texture variation is inherent in all resilient products and can vary significantly from piece to piece. Samples should be used to assess color.

V1



Uniform Appearance

V2



Slight Variation

V3



Moderate Variation

V4



Substantial Variation

