

Naturelife Wood II


스타일 번호	0002V	
용접봉 스타일 번호	353VS	
구성	유리 섬유가있는 상업용 이중 시트	
수업	Type I, Grade 1, Class B	
후원 수업	4-플라이 퓨즈 장착 바닥면 시스템	
끝	ExoGuard®	
	미국	미터법
마모 층 두께	20 mil (0.02 in)	0.51 mm
전체 제품 두께	0.087 in	2.2 mm
권장 접착제	S150-95 Resilient Tile Spray, 4200 Resilient Sheet 1 Gallon, 4200 Resilient Sheet 4 Gallon, 2200 Resilient Tile 4 Gallon or 4151 Multi-Use Premium 4 Gallon	

포장

실제 롤 크기	6.00 ft w x 75.00 ft l	1.83 m w x 22.86 m l
롤당 면적	50 sy/roll	41.81 sq m/roll
롤 당 무게	282.2 lbs	128 kg



권장 설치 방법



공연 + 테스트

잔차 들어 쓰기 (Astm F1914)	Passes
유연성 (Astm F137)	Passes
내열성 (Astm F1514)	Passes
내광성 (Astm F1515)	Passes
화학 물질에 대한 내성 (Astm F925)	Passes
마찰 계수(astm D2407, 미끄러짐 저항)	≥0.5, meets the recommended static coefficient of friction for ADA walking surfaces

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

보증

15년 상용 제한
[Commercial 15 Year Underbed Bond Warranty](#)

Diversity, Equity & Inclusion

We believe all humans are equal. Individually and collectively, we need to proactively create and promote opportunities that give everybody an equal footing in life. We nurture an environment where every voice and perspective can be heard, and proactively promote accessibility and inclusivity inside our network and beyond. One proof point is our ability to meet the criteria of the Social Fairness pillar of the Cradle to Cradle Product Standard. At Shaw Industries, we promote supplier participation that is reflective of Shaw's diverse customer base and local community. More than 42% of our spend***** is with small and diverse businesses. We believe having a strong Supplier Diversity Program is strategic for bringing more innovation to our businesses and opening new markets for growth.

속성 + 인증

Climate Impact

Environmental Product Declaration (EPD)
Total Recycled Content

ISO 14025, EN 15804 및 ISO 21930:2017에 따라 타사 인증 획득
0% (Pre-Consumer 0% | Post-Consumer 0%)

Global Product Assessment

FloorScore® | 인증
CE Marking (EN 14041) | 타사 인증 획득
Country of Origin | Imported

녹색의 공헌 기여 크레딧

MR 크레딧 : 제품 공개 및 최적화 구축
환경 제품 선언-옵션 1 : 환경 제품 선언 (EPD)

EQ 크레딧 : 저 발광 재료
옵션 1 : 제품 범주 계산

[Installation Guidelines](#)

[Maintenance Guidelines](#)

3rd Party Certified in Accordance with ISO 14025, EN 15804, & ISO 21930:2017
FloorScore Certified

Please visit www.shawcontract.com for the most current warranty information.
Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.


This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.
*****Allowable spend is domestic (US) spend in categories in which we have diverse suppliers from which to choose. Compared to non-allowable spend which includes categories in which we do not have domestic, small or diverse suppliers available to meet our needs.

Visit shawcontract.com/testing for more information.


Available Colorways



Fumed Wenge 02421
V3 - Moderate Variation
Weldrod 12595




Traditional Cherry 05301
V2 - Slight Variation
Weldrod 05301




American Cherry 05303
V3 - Moderate Variation
Weldrod 05303



Light Maple 05304
V2 - Slight Variation
Weldrod 05304




Brazilian Cherry 05306
V2 - Slight Variation
Weldrod 09446




Chocolate Cherry 07716
V2 - Slight Variation
Weldrod 09446




Weathered Cherry 07717
V2 - Slight Variation
Weldrod 06303




Japanese Oak-Green 07720
V2 - Slight Variation
Weldrod 05254




Teak 08265
V3 - Moderate Variation
Weldrod 08127




Grey Teak 08266
V2 - Slight Variation
Weldrod 07329




Apple 08311
V4 - Substantial Variation
Weldrod 05301




Raw Ash 08316
V2 - Slight Variation
Weldrod 02027




Antique Mahogany 09446
V3 - Moderate Variation
Weldrod 09446




Rosewood 09561
V2 - Slight Variation
Weldrod 02023




Stained Walnut 09572
V4 - Substantial Variation
Weldrod 01823




Natural Walnut 09573
V4 - Substantial Variation
Weldrod 02026



Bleached Walnut 09574
V4 - Substantial Variation
Weldrod 02019



Reclaimed Hickory 09633
V2 - Slight Variation
Weldrod 09633



Young Hickory 09634
V3 - Moderate Variation
Weldrod 09634



Vintage Hickory 09635
V3 - Moderate Variation
Weldrod 09635

Color and Visual Variation Index

Shade and texture variation is inherent in all resilient products and can vary significantly from piece to piece. Samples should be used to assess color.

V1



Uniform Appearance

V2



Slight Variation

V3



Moderate Variation

V4



Substantial Variation

