

## Rexcourt Sheet


スタイルナンバー	0004V	
溶接棒スタイル番号	021VS	
建設	グラスファイバー入りの商業用異種シート	
クラス		
バックイングクラス	クローズド セル フォーム	
仕上げ	UV Urethane	
	米国	メートル法
摩耗層の厚さ	39 mil (0.039 in)	0.99 mm
製品全体の厚さ	0.256 in	6.5 mm
Installation Type	Dry Back	
推奨接着剤	4200 Resilient Sheet 1 Gallon, 4200 Resilient Sheet 4 Gallon, 2200 Resilient Tile 4 Gallon or 4151 Multi-Use Premium 4 Gallon	

### 包装

実際のロールサイズ	5.91 ft w x 49.20 ft l	1.80 m w x 15.00 m l
ロールあたりの面積	32.22 sy/roll	26.94 sq m/roll
ロールごとの重量	253.6 lbs	115.03 kg



### 推奨インストール方法



### パフォーマンス + テスト

柔軟性 (astm F137)	Passes
耐熱性 (astm F1514)	Passes
耐光性 (astm F1515)	Passes
耐薬品性 (astm F925)	Passes
摩擦係数(astm D2407、滑り抵抗)	>0.6, meets the recommended static coefficient of friction for ADA walking surfaces and accessible routes

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

### 保証

10年間の商用限定保証

### Diversity, Equity & Inclusion

We believe all humans are equal. Individually and collectively, we need to proactively create and promote opportunities that give everybody an equal footing in life. We nurture an environment where every voice and perspective can be heard, and proactively promote accessibility and inclusivity inside our network and beyond. One proof point is our ability to meet the criteria of the Social Fairness pillar of the Cradle to Cradle Product Standard. At Shaw Industries, we promote supplier participation that is reflective of Shaw's diverse customer base and local community. More than 42% of our spend\*\*\*\*\* is with small and diverse businesses. We believe having a strong Supplier Diversity Program is strategic for bringing more innovation to our businesses and opening new markets for growth.

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | Latin America (Miami) +1 305 827 5912 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Santiago +562 2431 5000 x 550 | São Paulo +55 11 3071 1702 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +1 800 556 302

## 属性+認定

## Climate Impact

Environmental Product Declaration (EPD)

ISO 14025、EN 15804 および ISO 21930:2017 に基づく第三者認証取得

Total Recycled Content

0% (Pre-Consumer 0% | Post-Consumer 0%)

## Global Product Assessment

FloorScore® | 認証取得

CE Marking (EN 14041) | 第三者認証取得

Country of Origin | Imported









## グリーンリード貢献クレジット


MRクレジット：製品の開示と最適化の構築  
環境製品宣言-オプション1：環境製品宣言 (EPD)EQクレジット：低排出材料  
オプション1：製品カテゴリの計算[Installation Guidelines](#)[Maintenance Guidelines](#)**3rd Party Certified in Accordance with ISO 14025, EN 15804, & ISO 21930:2017****FloorScore Certified**Please visit [www.shawcontract.com](http://www.shawcontract.com) for the most current warranty information.  
Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.


Visit [shawcontract.com/testing](http://shawcontract.com/testing) for more information.

## Available Colorways


Golden Cherry 01451  
V3 - Moderate Variation  
Weldrod 01451Indian Cherry 01452  
V3 - Moderate Variation  
Weldrod 01425Noble Zelkova 01811  
V3 - Moderate Variation  
Weldrod 01811Tiger Oak 01821  
V3 - Moderate Variation  
Weldrod 01821Windsor Oak 01822  
V3 - Moderate Variation  
Weldrod 01452Antique Oak 01823  
V3 - Moderate Variation  
Weldrod 01823Grand Maple 02001  
V3 - Moderate Variation  
Weldrod 02001Red 06200  
V1 - Uniform Appearance  
Weldrod 06200Beige 06301  
V1 - Uniform Appearance  
Weldrod 06301Gray 06303  
V1 - Uniform Appearance  
Weldrod 06303Dark Blue 06400  
V1 - Uniform Appearance  
Weldrod 06400Blue 06402  
V1 - Uniform Appearance  
Weldrod 06402




Sky Blue 06403  
V1 - Uniform Appearance  
Weldrod 06403



Yellow 06500  
V1 - Uniform Appearance  
Weldrod 06500



Dark Green 06606  
V1 - Uniform Appearance  
Weldrod 06606



Orange 06901  
V1 - Uniform Appearance  
Weldrod 06901

Color and Visual Variation Index


Shade and texture variation is inherent in all resilient products and can vary significantly from piece to piece. Samples should be used to assess color.

V1




Uniform Appearance

V2




Slight Variation

V3



Moderate Variation

V4



Substantial Variation

