

## Stratum Eiris


Coleção	<b>Stratum</b>	
Número Do Produto	<b>053UV</b>	
Construção	<b>WPC Multicamada Com Camada De Cortiça Anexada</b>	
classe	<b>Class III, Type B</b>	
Manta Inferior Adicional	<b>Cortiça</b>	
Acabamento	<b>ExoGuard®</b>	
	U.S.	Metric
Dimensões Nominais	<b>7 in w x 59 in l</b>	<b>18 cm w x 150 cm l</b>
Dimensões Reais	<b>7.09 in w x 59.06 in l</b>	<b>18.01 cm w x 150.01 cm l</b>
Espessura Da Camada De Uso	<b>30 mil (0.03 in)</b>	<b>0.76 mm</b>
Espessura Total Do Produto	<b>0.335 in</b>	<b>8.5 mm</b>
Perfil De Borda	<b>Micro-Chanfrado</b>	
Installation Type	<b>Click</b>	
Instalação	<b>Floating Or Direct Glue</b>	
Adesivo Recomendado	<b>4200 1 Gallon, 4200 4 Gallon, 2200 4 Gallon, 2200 1 Gallon or 4151</b>	



### Empacotamento

Peças Por Caixa	<b>6 pcs</b>	
Área Por Caixa	<b>17.43 sq ft</b>	<b>1.62 sq m</b>
Peso Por Caixa	<b>33.95 lbs</b>	<b>15.4 kg</b>

### Método De Instalação Recomendado



### Produtos Coordenados

COREtec: Stratum 500, Stratum 700, Stratum XI, Defined

### desempenho + teste

recoo residual (ASTM F1914)	<b>Passes</b>
resistência ao calor (ASTM F1514)	<b>Passes</b>
resistência à luz (ASTM F1515)	<b>Passes</b>
resistência a produtos químicos (ASTM F925)	<b>Passes</b>
painel radiante (ASTM E648)	<b>Passes, Class I</b>

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Garantias

15 Anos Comercial Limitada

Atributos + Certificações

Health & Wellbeing

Material Ingredient Transparency  
Indoor Air Quality

Health Product Declaration (HPD) | 1000 ppm Disclosure  
FloorScore® | Certificado  
Greenguard Gold | Certificado

Climate Impact

Environmental Product Declaration (EPD)  
  
Embodied Carbon (Cradle to Gate)  
Total Recycled Content

3rd Party Certified De Acordo Com ISO 14025, EN 15804, & ISO 21930:2017  
11.5 Kg Co<sub>2</sub>/M<sup>2</sup>  
41% (Pre-Consumer 41% | Post-Consumer 0%)

Global Product Assessment

Country of Origin | China

WELL V2 Contribution Credit

X01 Fundamental Material Precautions Part 1: (C): Restrict Asbestos Precondition  
X08 Hazardous Material Reduction Part 1: Limit Hazardous Materials Optimization – 1 pt  
X10 Volatile Compound Reduction Part 1 (A): Manage Volatile Organic Compounds (VOCs) Optimization – 1 pt  
Part 2: Manage Semi-Volatile Organic Compounds (SVOCs) Optimization – 1 pt  
X11 Long Term Emissions Control Part 2: Flooring Optimization – 1 pt

**Absence of Asbestos**  
**Absence of Heavy Metals**  
**Absence of Halogenated Flame Retardants**  
  
**Ortho-Phthalates**  
**Greenguard Gold Certificate**

Crédito De Contribuição

MR Credit: Divulgação e otimização de produtos de construção  
Ingredientes materiais - Opção 1: Relatório de ingredientes materiais  
MR Credit: Divulgação e otimização de produtos de construção  
Declarações ambientais do produto - Opção 1: Declaração ambiental do produto (EPD)  
Crédito de EQ: Materiais de baixa emissão  
Opção 1: cálculos de categoria de produto

**Health Product Declaration (HPD) | 100 Ppm Disclosure**  
  
**3rd Party Certified in Accordance with ISO 14025, EN 15804, & ISO 21930:2017**  
**FloorScore & Greenguard Gold Certified**

Installation Guidelines

Maintenance Guidelines

Please visit [www.shawcontract.com](http://www.shawcontract.com) for the most current warranty information.  
Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit [shawcontract.com/testing](http://shawcontract.com/testing) for more information.

## Available Colorways



Cinnamon 06001  
LRV 14.9 | L\* 45.47  
V3 - Moderate Variation



Tannery Brown 06002  
LRV 10.3 | L\* 38.4  
V2 - Slight Variation



Summer Truffle 06003  
LRV 9.2 | L\* 36.34  
V2 - Slight Variation



Abyss 06004  
LRV 6.6 | L\* 30.97  
V3 - Moderate Variation



Ivory 06005  
LRV 25.4 | L\* 57.48  
V2 - Slight Variation



Bone 06006  
LRV 23 | L\* 55.05  
V4 - Substantial Variation



Morchella 06007  
LRV 9.5 | L\* 36.84  
V2 - Slight Variation



Cremini 06008  
LRV 35.6 | L\* 66.23  
V3 - Moderate Variation

## Color and Visual Variation Index

Shade and texture variation is inherent in all resilient products and can vary significantly from piece to piece. Samples should be used to assess color.

V1



Uniform Appearance

V2



Slight Variation

V3



Moderate Variation

V4



Substantial Variation

