

Inlet

수집	Unite	
스타일 번호	0926V	
구성	섬유 유리를 가진 헤비급 상업적인 고급 비닐 도와	
수업	Class III, Type B	
끝	ExoGuard®	
	미국	미터법
공칭 치수	9 in w x 48 in l	23 cm w x 122 cm l
실제 치수	9.00 in w x 48.00 in l	22.86 cm w x 121.92 cm l
마모 층 두께	20 mil (0.02 in)	0.51 mm
전체 제품 두께	0.197 in	5 mm
가장자리 프로파일	사각형 모서리	
Installation Type	Loose Lay	
설치	Direct Glue Or Perimeter Glue	
권장 접착제	S150-95 Resilient Tile Spray, , 4200 Resilient Tile 4 Gallon, 2200 Semi-Wet Resilient 4 Gallon Pail, 2200 Semi-Wet Resilient 1 Gallon Pail, or 4151 Multi-Use Premium 4 Gallon	

포장

상자 당 조각	8 pcs	
상자 당 면적	24 sq ft	2.23 sq m
상자 당 무게	41.75 lbs	18.94 kg



권장 설치 방법



공연 + 테스트

잔차 들어 쓰기 (Astm F1914)
내열성 (Astm F1514)
내광성 (Astm F1515)
화학 물질에 대한 내성 (Astm F925)
복사 패널 (Astm E648)
마찰 계수(astm D2407, 미끄러짐 저항)

Passes
Passes
Passes
Passes
Passes, Class I
≥0.5, meets the recommended static coefficient of friction for ADA walking surfaces

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

보증

[15년 상용 제한](#)
[Commercial 15 Year Underbed Bond Warranty](#)

Diversity & Inclusion

We believe all humans are equal. Individually and collectively, we need to proactively create and promote opportunities that give everybody an equal footing in life. We nurture an environment where every voice and perspective can be heard, and proactively promote accessibility and inclusivity inside our network and beyond. One proof point is our ability to meet the criteria of the Social Fairness pillar of the Cradle to Cradle Product Standard. At Shaw Industries, we promote supplier participation that is reflective of Shaw's diverse customer base and local community. More than 42% of our spend***** is with small and diverse businesses. We believe having a strong Supplier Diversity Program is strategic for bringing more innovation to our businesses and openingnew markets for growth.

속성 + 인증

Health & Wellbeing

Material Ingredient Transparency
Indoor Air Quality

[Health Product Declaration \(HPD\) | 1000 ppm Disclosure](#)
[FloorScore® | 인증](#)

Climate Impact

Environmental Product Declaration (EPD)
Total Recycled Content

[ISO 14025, EN 15804 및 ISO 21930:2017에 따라 타사 인증 획득](#)
0% (Pre-Consumer 0% | Post-Consumer 0%)

Global Product Assessment

[Country of Origin | Imported](#)

녹색의 공헌 기여 크레딧

MR 크레딧 : 제품 공개 및 최적화 구축
재료 성분-옵션 1 : 재료 성분보고
MR 크레딧 : 제품 공개 및 최적화 구축
환경 제품 선언-옵션 1 : 환경 제품 선언 (EPD)
EQ 크레딧 : 저 발광 재료
옵션 1 : 제품 범주 계산

[Installation Guidelines](#)
[Maintenance Guidelines](#)

[Health Product Declaration \(HPD\) | 100 Ppm Disclosure](#)

3rd Party Certified in Accordance with ISO 14025, EN 15804, & ISO 21930:2017
FloorScore Certified

Please visit www.shawcontract.com for the most current warranty information.
Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.
This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.
[Visit shawcontract.com/testing](http://www.shawcontract.com/testing) for more information.

Available Colorways

 <div>Nestle 26120 V3 - Moderate Variation</div>	 <div>Spindle 26140 LRV 38.3 L* 68.26 V2 - Slight Variation</div>	 <div>Refuge 26155 LRV 20.9 L* 52.79 V3 - Moderate Variation</div>	 <div>Beech 26502 LRV 36.8 L* 67.16 V3 - Moderate Variation</div>	 <div>Shade 26506 LRV 29 L* 60.79 V3 - Moderate Variation</div>	 <div>Thistle 26535 LRV 25.5 L* 57.58 V3 - Moderate Variation</div>
 <div>Raw 26549 LRV 8.2 L* 34.3 V2 - Slight Variation</div>	 <div>Coarse 26595 LRV 14.5 L* 44.97 V3 - Moderate Variation</div>	 <div>Thatch 26720 LRV 17.5 L* 48.89 V3 - Moderate Variation</div>	 <div>Brew 26740 LRV 14.8 L* 45.36 V3 - Moderate Variation</div>		

Color and Visual Variation Index

Shade and texture variation is inherent in all resilient products and can vary significantly from piece to piece. Samples should be used to assess color.

