

In Tandem

수집	Innate + In Tandem	
스타일 번호	0896V	
구성	상업용 바이오 기반 폴리 우레탄 이중 타일	
수업	ASTM F06 (In Development)	
끝	ExoGuard+®	
	미국	미터법
공칭 치수	10 in w x 59 in l	25 cm w x 150 cm l
실제 치수	9.84 in w x 59.05 in l	24.99 cm w x 149.99 cm l
전체 제품 두께	0.098 in	2.5 mm
가장자리 프로파일	사각형 모서리	
Installation Type	Dry Back	
설치	Direct Glue	
권장 접착제	4200 Resilient Tile 4 Gallon	


포장

상자 당 조각	12 pcs	
상자 당 면적	48.44 sq ft	4.5 sq m
상자 당 무게	35.27 lbs	16 kg

Packaging can vary by color, contact 800.257.7429 to confirm packaging information prior to ordering.



권장 설치 방법



코디네이팅 제품

PVC-Free: Innate, In Tandem Sheet

공연 + 테스트

정적 하중 (Astm F970)	Passes (Modified), *1500 lbs	이 테스트는 다양한 스타일과 구성의 상대적인 속성을 비교하기위한 것입니다. 결과는 실험실 테스트를 기반으로하며 비교 목적으로 사용됩니다. 실제 하중 한계는 다를 수 있습니다.
잔차 들어 쓰기 (Astm F1914)	Passes	
유연성 (Astm F137)	Passes	
내열성 (Astm F1514)	Passes	
내광성 (Astm F1515)	Passes	
화학 물질에 대한 내성 (Astm F925)	Passes	
복사 패널 (Astm E648)	Passes, Class I	
마찰 계수(asm D2407, 미끄러짐 저항)	≥0.5, meets the recommended static coefficient of friction for ADA walking surfaces	
Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.		

보증

15년 상용 제한
Commercial 15 Year Underbed Bond Warranty.

Diversity & Inclusion

We believe all humans are equal. Individually and collectively, we need to proactively create and promote opportunities that give everybody an equal footing in life. We nurture an environment where every voice and perspective can be heard, and proactively promote accessibility and inclusivity inside our network and beyond. One proof point is our ability to meet the criteria of the Social Fairness pillar of the Cradle to Cradle Product Standard. At Shaw Industries, we promote supplier participation that is reflective of Shaw's diverse customer base and local community. More than 42% of our spend***** is with small and diverse businesses. We believe having a strong Supplier Diversity Program is strategic for bringing more innovation to our businesses and openingnew markets for growth.

속성 + 인증

Health & Wellbeing	
Material Ingredient Transparency	Greenhealth Approved Yes Cradle to Cradle Certified™ Silver 레벨(버전 3.1) Health Product Declaration (HPD) 1000 ppm Disclosure Declare LBC 규격
Indoor Air Quality	FloorScore® 인증
Climate Impact	
Environmental Product Declaration (EPD)	EN 15804, ISO 14025에 따라 타사 인증 획득
Embodied Carbon (Cradle to Gate)	4.31 Kg Co ₂ /M ²
Life-Cycle Carbon Emissions	Carbon Neutral
Total Recycled Content	0% (Pre-Consumer 0% Post-Consumer 0%)
Global Product Assessment	CE Marking (EN 14041) 타사 인증 획득 Country of Origin Imported

녹색의 공헌 기여 크레딧

MR 크레딧 : 제품 공개 및 최적화 구축
재료 성분-옵션 1 : 재료 성분보고

MR 크레딧 : 제품 공개 및 최적화 구축
재료 성분-옵션 2 : 재료 성분 최적화

MR 크레딧 : 제품 공개 및 최적화 구축
환경 제품 선언-옵션 1 : 환경 제품 선언 (EPD)

MR Credit: Building Product Disclosure and Optimization
Sourcing of Raw Materials - Option 2: Leadership Extraction Practices

EQ 크레딧 : 저 발광 재료
옵션 1 : 제품 범주 계산

추가 정보

**Meets or exceeds all local and national regulations in country of manufacture.

[Installation Guidelines](#)
[Maintenance Guidelines](#)

Health Product Declaration (HPD) | 100 Ppm Disclosure

C2C Silver Level (Version 3.1)

3rd Party Certified in Accordance with EN 15804, ISO 14025

Bio-Based Materials - Meets Astm D6866 And ISO 16620-2

FloorScore Certified

Please visit www.shawcontract.com for the most current warranty information.
Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit shawcontract.com/testing for more information.


Available Colorways

					
Buff 96105 LRV 43.9 L* 72.13 V2 - Slight Variation	Pane 96130 LRV 33 L* 64.17 V2 - Slight Variation	Spry 96250 LRV 36.4 L* 66.84 V2 - Slight Variation	Bough 96510 LRV 34.2 L* 65.15 V2 - Slight Variation	Winnow 96560 LRV 16.5 L* 47.69 V2 - Slight Variation	Link 96580 LRV 13.1 L* 42.96 V2 - Slight Variation
					
Groove 96590 LRV 9.1 L* 36.08 V2 - Slight Variation	Laurel 96600 LRV 19.5 L* 51.23 V2 - Slight Variation	Twain 96650 LRV 13.6 L* 43.63 V2 - Slight Variation	Raffia 96710 LRV 24.2 L* 56.31 V2 - Slight Variation	Burl 96760 LRV 19 L* 50.73 V2 - Slight Variation	Linden 96790 LRV 13.6 L* 43.68 V2 - Slight Variation

Color and Visual Variation Index


Shade and texture variation is inherent in all resilient products and can vary significantly from piece to piece. Samples should be used to assess color.

V1




Uniform Appearance

V2




Slight Variation

V3



Moderate Variation

V4



Substantial Variation

