


Innate


수집	Innate + In Tandem	
스타일 번호	0895V	
구성	상업용 바이오 기반 폴리 우레탄 이중 타일	
수업	ASTM F06 (In Development)	
끝	ExoGuard+®	
	미국	미터법
공칭 치수	13 in w x 26 in l	33 cm w x 67 cm l
실제 치수	13.18 in w x 26.38 in l	33.48 cm w x 67.01 cm l
전체 제품 두께	0.098 in	2.5 mm
가장자리 프로파일	사각형 모서리	
Installation Type	Dry Back	
설치	Direct Glue	
권장 접착제	4200 Resilient Tile 4 Gallon	

포장

상자 당 조각	16 pcs	
상자 당 면적	38.64 sq ft	3.59 sq m
상자 당 무게	28 lbs	12.7 kg



권장 설치 방법



코디네이팅 제품

PVC-Free: In Tandem Sheet, In Tandem

공연 + 테스트

정적 하중 (Astm F970)
 잔차 들어 쓰기 (Astm F1914)
 내열성 (Astm F1514)
 내광성 (Astm F1515)
 화학 물질에 대한 내성 (Astm F925)
 복사 패널 (Astm E648)
 마찰 계수 (astm D2407, 미끄러짐 저항)

Passes (Modified), *1500 lbs**Passes****Passes****Passes****Passes****Passes, Class I****≥0.5, meets the recommended static coefficient of friction for ADA walking surfaces**

이 테스트는 다양한 스타일과 구성의 상대적인 속성을 비교하기 위한 것입니다.
 결과는 실험실 테스트를 기반으로 하며 비교 목적으로 사용됩니다. 실제 하중
 한계는 다를 수 있습니다.

Test Reports may be included or listed by the manufacturing/inventory style
 number as opposed to the noted selling style number.

보증

[15년 상용 제한](#)
[Commercial 15 Year Underbed Bond Warranty](#)

Diversity & Inclusion

We believe all humans are equal. Individually and collectively, we need to proactively create and promote opportunities that give everybody an equal footing in life. We nurture an environment where every voice and perspective can be heard, and proactively promote accessibility and inclusivity inside our network and beyond. One proof point is our ability to meet the criteria of the Social Fairness pillar of the Cradle to Cradle Product Standard. At Shaw Industries, we promote supplier participation that is reflective of Shaw's diverse customer base and local community. More than 42% of our spend***** is with small and diverse businesses. We believe having a strong Supplier Diversity Program is strategic for bringing more innovation to our businesses and openingnew markets for growth.

속성 + 인증

Health & Wellbeing

Material Ingredient Transparency

[Greenhealth Approved | Yes](#)
[Cradle to Cradle Certified™ | Silver 레벨\(버전 3.1\)](#)
[Health Product Declaration \(HPD\) | 1000 ppm Disclosure](#)
[Declare | LBC 규격](#)
[FloorScore® | 인증](#)

Indoor Air Quality

Climate Impact

Environmental Product Declaration (EPD)
Embodied Carbon (Cradle to Gate)
Life-Cycle Carbon Emissions
Total Recycled Content

[EN 15804, ISO 14025에 따라 타사 인증 획득](#)
4.31 Kg Co₂/M²
Carbon Neutral
0% (Pre-Consumer 0% | Post-Consumer 0%)

Global Product Assessment

[CE Marking \(EN 14041\) | 타사 인증 획득](#)
[Country of Origin | Imported](#)

녹색의 공헌 기여 크레딧

MR 크레딧 : 제품 공개 및 최적화 구축
재료 성분-옵션 1 : 재료 성분보고

MR 크레딧 : 제품 공개 및 최적화 구축
재료 성분-옵션 2 : 재료 성분 최적화

MR 크레딧 : 제품 공개 및 최적화 구축
환경 제품 선언-옵션 1 : 환경 제품 선언 (EPD)

MR Credit: Building Product Disclosure and Optimization
Sourcing of Raw Materials - Option 2: Leadership Extraction Practices

EQ 크레딧트 : 저 발광 재료
옵션 1 : 제품 범주 계산

Health Product Declaration (HPD) | 100 Ppm Disclosure

C2C Silver Level (Version 3.1)

3rd Party Certified in Accordance with EN 15804, ISO 14025

Bio-Based Materials - Meets Astm D6866 And ISO 16620-2

FloorScore Certified

추가 정보

**Meets or exceeds all local and national regulations in country of manufacture.

[Installation Guidelines](#)


[Maintenance Guidelines](#)

Please visit www.shawcontract.com for the most current warranty information.
Specifications are subject to nominal manufacturing variance. Material supply
and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of
this design in the creation of another product design is also strictly prohibited.

Visit shawcontract.com/testing for more information.

Available Colorways



Color and Visual Variation Index

Shade and texture variation is inherent in all resilient products and can vary significantly from piece to piece. Samples should be used to assess color.

