

Innate


수집	Innate + In Tandem	
스타일 번호	0895V	
구성	상업용 바이오 기반 폴리 우레탄 이중 타일	
수업	ASTM F06 (In Development)	
끝	ExoGuard+®	
	미국	미터법
공칭 치수	13 in w x 26 in l	33 cm w x 67 cm l
실제 치수	13.18 in w x 26.38 in l	33.48 cm w x 67.01 cm l
전체 제품 두께	0.098 in	2.5 mm
가장자리 프로파일	사각형 모서리	
Installation Type	Dry Back	
설치	Direct Glue	
권장 접착제	4200 Resilient Tile 4 Gallon	

포장

상자 당 조각	16 pcs	
상자 당 면적	38.64 sq ft	3.59 sq m
상자 당 무게	28 lbs	12.7 kg



권장 설치 방법



코디네이팅 제품

None: In Tandem Sheet, In Tandem

공연 + 테스트

- 잔차 들어 쓰기 (Astm F1914)
- 내열성 (Astm F1514)
- 내광성 (Astm F1515)
- 화학 물질에 대한 내성 (Astm F925)
- 마찰 계수(astm D2407, 미끄러짐 저항)

**Passes**  
**Passes**  
**Passes**  
**Passes**  
**≥0.5, meets the recommended static coefficient of friction for ADA walking surfaces**

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

## 보증

[15년 상용 제한](#)[Commercial 15 Year Underbed Bond Warranty](#)

## Diversity, Equity &amp; Inclusion

We believe all humans are equal. Individually and collectively, we need to proactively create and promote opportunities that give everybody an equal footing in life. We nurture an environment where every voice and perspective can be heard, and proactively promote accessibility and inclusivity inside our network and beyond. One proof point is our ability to meet the criteria of the Social Fairness pillar of the Cradle to Cradle Product Standard. At Shaw Industries, we promote supplier participation that is reflective of Shaw's diverse customer base and local community. More than 42% of our spend\*\*\*\*\* is with small and diverse businesses. We believe having a strong Supplier Diversity Program is strategic for bringing more innovation to our businesses and opening new markets for growth.

## 속성 + 인증

## Health &amp; Wellbeing

Material Ingredient Transparency

[Cradle to Cradle Certified™ | Silver 레벨\(버전 3.1\)](#)  
[Health Product Declaration \(HPD\) | 1000 ppm Disclosure](#)  
[Declare | LBC 규격](#)

## Climate Impact

Environmental Product Declaration (EPD)

Embodied Carbon (Cradle to Gate)

Life-Cycle Carbon Emissions

Total Recycled Content

[EN 15804, ISO 14025에 따라 타사 인증 획득](#)4.31 Kg CO<sub>2</sub>/M<sup>2</sup>

Carbon Neutral

0% (Pre-Consumer 0% | Post-Consumer 0%)

## Global Product Assessment

[FloorScore® | 인증](#)

CE Marking (EN 14041) | 타사 인증 획득

Greenguard (Certification, Gold, Private Label) | 인증

Country of Origin | Imported

## 녹색의 공헌 기여 크레딧

MR 크레딧 : 제품 공개 및 최적화 구축  
재료 성분-옵션 1 : 재료 성분보고MR 크레딧 : 제품 공개 및 최적화 구축  
재료 성분-옵션 2 : 재료 성분 최적화MR 크레딧 : 제품 공개 및 최적화 구축  
환경 제품 선언-옵션 1 : 환경 제품 선언 (EPD)MR Credit: Building Product Disclosure and Optimization  
Sourcing of Raw Materials - Option 2: Leadership Extraction PracticesEQ 크레딧 : 저 발광 재료  
옵션 1 : 제품 범주 계산**Health Product Declaration (HPD) | 100 Ppm Disclosure****C2C Silver Level (Version 3.1)****3rd Party Certified in Accordance with EN 15804, ISO 14025****Bio-Based Materials - Meets Astm D6866 And ISO 16620-2****FloorScore & Greenguard Gold Certified**

## 추가 정보

\*\*Meets or exceeds all local and national regulations in country of manufacture.

[Installation Guidelines](#)[Maintenance Guidelines](#)


Please visit [www.shawcontract.com](http://www.shawcontract.com) for the most current warranty information. Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

\*\*\*\*\*Allowable spend is domestic (US) spend in categories in which we have diverse suppliers from which to choose. Compared to non-allowable spend which includes categories in which we do not have domestic, small or diverse suppliers available to meet our needs.

Visit [shawcontract.com/testing](http://shawcontract.com/testing) for more information.

## Available Colorways



### Color and Visual Variation Index

Shade and texture variation is inherent in all resilient products and can vary significantly from piece to piece. Samples should be used to assess color.



**Declare.**



**PVC-Free**

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | Latin America (Miami) +1 305 827 5912 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Santiago +562 2431 5000 x 550 | São Paulo +55 11 3071 1702 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +1 800 556 302