


Gradient Tile

Product Type	Carpet Tile
Collection	Shade
Style Number	59534
Construction	Graphic Loop
Dye Method	100% Solution Dyed
Primary Backing	Synthetic
Secondary Backing	Ecoworx® Tile
Protective Treatments	SSP® Shaw Soil Protection
Recommended Adhesive	LokDots, 3000 Carpet Tile 4 Gallon, 3000 Carpet Tile 1 Gallon, 4151 Multi-Use Carpet Tile 4 Gallon, 5000 Carpet Tile 1 Gallon, LokWorx Adhesive Tabs, 3800 Indoor Outdoor Carpet Tile 4 Gallon or 5000 Carpet Tile 4 Gallon

	u.s.	metric
Product Size	24 in x 24 in	61 cm x 61 cm
Area Per Box	48 ft²	4.46 m²
Pieces Per Box	12 pcs	
Gauge	1/8 in	31.5 per 10 cm
Stitches	10.5 per in	41.0 per 10 cm
Finished Pile Thickness	0.097 in	2.46 mm
Average Density	7423 oz/yd³	0.275 g/cm³
Kilotex		11.72
Total Thickness	0.238 in	6.05 mm
Tufted Weight	20 oz/yd²	678.1 g/m²



Recommended Installation Method



Monolithic

Quarter Turn

Data + Testing

Radiant Panel (Astm E648)	Class I
Nbs Smoke	Less Than 450
Electrostatic Propensity	Less Than 3.5 kv
Cri Green Label Plus (Glp)	GLP9968
Pill Test	Pass*
Ada Compliance	>0.6, Meets the recommended static coefficient of friction for ADA walking surfaces and accessible routes***

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Warranties

Lifetime Commercial Limited

Coordinating Products

Broadloom: **Tint, Tone, Gradient**

Attributes + Certifications

Certifications Below Apply Exclusively To The Carpet Tile Rug Itself And Not The Lokworx Tabs Adhesive

Health & Wellbeing

Material Ingredient Transparency

**Cradle to Cradle Certified® | Silver Level (Version 4.0)**  
**Health Product Declaration (HPD) | 1,000 ppm Disclosure**  
**Living Building Challenge (LBC) | Free of Red List Chemicals**  
**Declare | LBC Compliant**  
**NSF 140 | Gold**  
**CRI Green Label Plus (GLP) | GLP9968**

Indoor Air Quality

Climate Impact

Environmental Product Declaration (EPD)

**3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804**

Embodied Carbon (Cradle to Gate)

**3.75 kg CO<sub>2</sub>/m<sup>2</sup>**

Life-Cycle Carbon Emissions

**Carbon Neutral**

Total Recycled Content

**57% (Pre-Consumer 57% | Post-Consumer 0%)**

Product Packaging

**100% Recyclable**

Global Product Assessment

**Singapore Green Label | Certified**  
**CE Marking (EN 14041) | 3rd Party Certified**  
**Environmental Guarantee\* | Re[turn] Reclamation Program\* | Through Our Environmental Guarantee, Shaw Pledges to Transport And Recycle Any Ecoworx Carpet.**  
**Country of Origin\*\* | USA**

Well V2 Contribution Credit

X08 Hazardous Material Reduction Part 1: Limit Hazardous Materials Optimization – 1 pt

**C2C Silver Level (Version 4.0)**

X10 Volatile Compound Reduction Part 1 (A): Manage Volatile Organic Compounds (VOCs) Optimization – 1 pt

**C2C Silver Level (Version 4.0)**

X11 Long Term Emissions Control Part 2: Flooring Optimization – 1 pt

**Green Label Plus Certification: GLP9968**

X13 Enhanced Material Precaution Part 1: Select Optimized Materials Optimization – max 2 pts

**C2C Silver Level (Version 4.0)**

X14 Material Transparency Part 1: Promote Ingredient Disclosure Optimization – max 2 pts

**C2C Silver Level (Version 4.0)**

Green Leed Contribution Credit

MR Credit: Building Product Disclosure and Optimization  
Environmental Product Declarations - Option 1: Environmental Product Declaration (EPD)

**3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804**

MR Credit: Building Product Disclosure and Optimization  
Material Ingredients - Option 1: Material Ingredient Reporting

**C2C Silver Level (Version 4.0) or HPD (Version 2.1)**

MR Credit: Building Product Disclosure and Optimization  
Material Ingredients - Option 2: Material Ingredient Optimization

**C2C Silver Level (Version 4.0)**

MR Credit: Building Product Disclosure and Optimization  
Sourcing of Raw Materials - Option 2: Leadership Extraction Practices

**Environmental Guarantee: Re[turn] Reclamation Program\* | Through Our Environmental Guarantee, Shaw Pledges to Transport And Recycle Any Ecoworx® Carpet.**

EQ Credit: Low Emitting Materials  
Option 1: Product Category Calculations

**Green Label Plus Certification: GLP9968**

MR Credit: Interiors Life-Cycle Impact Reduction  
Option 3: Design for Flexibility

**Ecoworx® Tile with Lokdots Installation System**




Available Colorways


 <div>Beige 34100 LRV 33.9   L* 64.88</div>	 <div>Straw 34103 LRV 26.3   L* 58.29</div>	 <div>Greige 34105 LRV 24.9   L* 57</div>	 <div>Ceramic Glaze 34110 LRV 19.5   L* 51.24</div>	 <div>Sandstone 34111 LRV 17.8   L* 49.31</div>	 <div>French Silver 34150 LRV 17.5   L* 48.92</div>
 <div>Bronze Sheen 34156 LRV 16.2   L* 47.26</div>	 <div>Topaz 34170 LRV 14.1   L* 44.44</div>	 <div>Blissful Yellow 34220 LRV 26.3   L* 58.35</div>	 <div>Limelight 34328 LRV 17.3   L* 48.64</div>	 <div>Essential 34330 LRV 10.7   L* 39.09</div>	 <div>Blue Haze 34402 LRV 9.5   L* 36.91</div>
 <div>Waterside 34456 LRV 9.7   L* 37.3</div>	 <div>Deep Teal 34481 LRV 5.6   L* 28.27</div>	 <div>Sapphire Blue 34485 LRV 4.7   L* 25.72</div>	 <div>Charcoal 34500 LRV 4.5   L* 25.2</div>	 <div>Total Eclipse 34505 LRV 3.5   L* 21.9</div>	 <div>Adrift 34512 LRV 16.3   L* 47.33</div>
 <div>Warm Grey 34518 LRV 19.3   L* 50.98</div>	 <div>Cool Grey 34535 LRV 17.1   L* 48.32</div>	 <div>Grey 34580 LRV 10.5   L* 38.77</div>	 <div>Element 34583 LRV 11.4   L* 40.24</div>	 <div>Mercury 34585 LRV 11.2   L* 39.98</div>	 <div>Mystique 34590 LRV 6.3   L* 30.12</div>
 <div>Cobble Grey 34595 LRV 12.4   L* 41.92</div>	 <div>Slate 34597 LRV 6.3   L* 30.2</div>	 <div>Green Grove 34701 LRV 8.7   L* 35.31</div>	 <div>Branch 34730 LRV 9.3   L* 36.54</div>	 <div>Char Brown 34740 LRV 5.3   L* 27.48</div>	 <div>Mocha 34750 LRV 5.1   L* 27.08</div>




Driftwood 34755  
LRV 11.6 | L\* 40.52




Taupe 34760  
LRV 8.5 | L\* 35




Bird's Eye 34761  
LRV 10.5 | L\* 38.66




Firefly 34858  
LRV 6 | L\* 28.45



In The Red 34870  
LRV 6.5 | L\* 30.64



Rose Wine 34879  
LRV 5.8 | L\* 28.94



Electric Blue 34988  
LRV 6.9 | L\* 31.57

## Additional Information

\* To learn more about the recyclability of our products and our re[TURN], please visit [shawcontract.com/sustainability](https://shawcontract.com/sustainability).

\*\*Meets or exceeds all local and national regulations in country of manufacture.

\*\*\*This carpet is manufactured to be ADA compliant, but to be fully ADA compliant, the end-user must ensure the carpet is adhered to the floor and installed as outlined in the ADA standards.

[Installation Guidelines](#)

[Maintenance Guidelines](#)

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit [shawcontract.com/testing](https://shawcontract.com/testing) for more information.



**PVC-Free**

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +61 800 556 302

© 2025 Shaw Industries Group, Inc., a Berkshire Hathaway Company  
July 1, 2025

4 of 4