


Distort Tile

| | |
|----------|---|
| 製品型 | Carpet Tile |
| コレクション | Altered |
| スタイルナンバー | 5T127 |
| 建設 | マルチレベルパターンループ |
| ファイバ | Ecosolution Q100™ Nylon |
| 染色法 | 100% 原液着色 |
| 一次バックイング | 合成 |
| 二次バックイング | Ecoworx® タイル |
| 保護治療 | SSP@shaw 土壌保護保証 |
| 推奨接着剤 | LokDots, 3000 Carpet Tile 1 Gallon, 4151 Multi-Use Carpet Tile 4 Gallon, 5000 Carpet Tile 1 Gallon, LokWorx Adhesive Tabs, 3800 Indoor Outdoor Carpet Tile 4 Gallon, 5000 Carpet Tile 4 Gallon or 3000 Carpet Tile 4 Gallon |

| | | |
|------------|---------------|----------------|
| | u.s. | metric |
| 商品のサイズ | 18 in x 36 in | 46 cm x 91 cm |
| ボックスあたりの面積 | 45 ft² | 4.18 m² |
| ボックスあたりの個数 | 10 pcs | |
| ゲージ | 1/12 in | 47.2 per 10 cm |
| ステッチ | 9.5 per in | 38.5 per 10 cm |
| 完成した杭の厚さ | 0.098 in | 2.49 mm |
| 平均密度 | 6612 oz/yd³ | 0.245 g/cm³ |
| キロテックス | | 10.98 |
| 総厚 | 0.294 in | 7.47 mm |
| 房状の重量 | 18 oz/yd² | 610.3 g/m² |



推奨インストール方法



データ + テスト

| | |
|--|---|
| 放射パネル (astm E648) | Class I |
| Nbs煙 | Less Than 450 |
| 静電気の傾向 | Less Than 3.5 kv |
| Cri Green Label Plus (glp) | USA GLP9968 China GLP1263 |
| 錠剤テスト | Pass* |
| Adaコンプライアンス | >0.6、ADA 歩行面およびアクセス可能ルート用推奨静摩擦係数の基準に合致*** |
| Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number. | |

保証

生涯商用限定保証

コーディネート商品

Carpet Tile: **Analog Tile, Glitch Tile, Manipulate Tile**

属性+認定

Certifications Below Apply Exclusively To The Carpet Tile Rug Itself And Not The Lokworx Tabs Adhesive

Health & Wellbeing

Material Ingredient Transparency

Cradle to Cradle Certified® | Silver Level (Version 4.0)
Health Product Declaration (HPD) | 1,000 ppm 開示
Living Building Challenge (LBC) | レッドリスト記載化学物質無配合
Declare | LBC 準拠
Declare | LBC 準拠
NSF 140 | ゴールド
Greenhealth Approved | Yes
CRI Green Label Plus (GLP) | GLP9968

Indoor Air Quality

Climate Impact

Environmental Product Declaration (EPD)

ISO 14044、ISO 14025 および EN15804 に基づく 第三者認証取得

Embodied Carbon (Cradle to Gate)

3.71 kg CO₂/m²

Life-Cycle Carbon Emissions

Carbon Neutral

Total Recycled Content

57% (Pre-Consumer 57% | Post-Consumer 0%)

Product Packaging

100% リサイクル可能

Global Product Assessment

Singapore Green Label | 認証取得
CE Marking (EN 14041) | 第三者認証取得
Environmental Guarantee* | Re[turn] Reclamation Program* | Through Our Environmental Guarantee, Shaw Pledges to Transport And Recycle Any Ecoworx Carpet.
Country of Origin | USA & China**

グリーンリード貢献クレジット

MRクレジット：製品の開示と最適化の構築
環境製品宣言-オプション1：環境製品宣言（EPD）

3rd Party Certified in Accordance with ISO 14044, ISO 14025 & EN15804

MRクレジット：製品の開示と最適化の構築
材料成分-オプション1：材料成分レポート

C2C Silver Level (Version 4.0) or HPD (Version 2.1)

MRクレジット：製品の開示と最適化の構築
材料成分-オプション2：材料成分の最適化

C2C Silver Level (Version 4.0)

MR Credit: Building Product Disclosure and Optimization
Sourcing of Raw Materials - Option 2: Leadership Extraction Practices

Environmental Guarantee: Re[turn] Reclamation Program* | Through Our Environmental Guarantee, Shaw Pledges to Transport And Recycle Any Ecoworx Carpet.













EQクレジット：低排出材料
オプション1：製品カテゴリの計算

Green Label Plus Certification: GLP9968

MR Credit: Interiors Life-Cycle Impact Reduction
Option 3: Design for Flexibility

Ecoworx Tile with Lokdots Installation System

Available Colorways

| | | | | | |
|--|---|---|--|---|---|
|  |  |  |  |  |  |
| Blur 26150 LRV 17.2 L* 48.54 | Snapshot 26155 LRV 20.6 L* 52.52 | Perception 26320 LRV 7.5 L* 32.87 | Digital 26401 LRV 4.4 L* 25.08 | Filter 26500 LRV 5.6 L* 28.49 | Interrupt 26505 LRV 6.7 L* 31.15 |
|  |  |  |  |  |  |
| Sight 26515 LRV 19.6 L* 51.39 | Unreal 26530 LRV 18.2 L* 49.79 | Image 26557 LRV 12.7 L* 42.27 | Scan 26595 LRV 9.6 L* 37.14 | Invert 26750 LRV 8 L* 33.94 | Expose 26761 LRV 12.7 L* 42.24 |

追加情報

* To learn more about the recyclability of our products and our re[TURN], please visit shawcontract.com/sustainability.

**Meets or exceeds all local and national regulations in country of manufacture.

***This carpet is manufactured to be ADA compliant, but to be fully ADA compliant, the end-user must ensure the carpet is adhered to the floor and installed as outlined in the ADA standards.

[Installation Guidelines](#)

[Maintenance Guidelines](#)

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit shawcontract.com/testing for more information.



Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | Latin America (Miami) +1 305 827 5912 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Santiago +562 2431 5000 x 550 | São Paulo +55 11 3071 1702 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +61 800 556 302

© 2024 Shaw Industries Group, Inc., a Berkshire Hathaway Company
November 22, 2024

3 of 3