

## Drift Tile

Tipo De Producto	<b>Alfombra Modular</b>
Colección	<b>The Park</b>
Número De Estilo	<b>5T142</b>
Construcción	<b>Patrón Con Bucle Multinivel</b>
Fibra	<b>Ecosolution Q100® Nylon</b>
Método De Teñido	<b>100% Solution Dyed</b>
Base Primaria	<b>Sintético</b>
Base Secundaria	<b>Base Ecoworx®</b>
Tratamientos	<b>SSP® Shaw Protección Para El Piso</b>
Protectores	
Adhesivo	
Recomendado	<b>LokDots, 3000 Carpet Tile 4 Gallon, 3000 Carpet Tile 1 Gallon, 4151 Multi-Use Carpet Tile 4 Gallon, 5000 Carpet Tile 1 Gallon, LokWorx Adhesive Tabs, 3800 Indoor Outdoor Carpet Tile 4 Gallon or 5000 Carpet Tile 4 Gallon</b>



	u.s.	metric
Tamaño Del Producto	<b>9 in x 36 in</b>	<b>23 cm x 91 cm</b>
Área Por Caja	<b>45 ft²</b>	<b>4.18 m²</b>
Piezas Por Caja	<b>20 pcs</b>	
Gauge	<b>1/12 in</b>	<b>47.2 per 10 cm</b>
Puntadas	<b>10.0 per in</b>	<b>40.0 per 10 cm</b>
Espesor De La Fibra Terminada	<b>0.130 in</b>	<b>3.3 mm</b>
Densidad Media	<b>6092 oz/yd³</b>	<b>0.225 g/cm³</b>
Kilotex		<b>10.81</b>
Espesor Total	<b>0.265 in</b>	<b>6.73 mm</b>
Peso De La Fibra	<b>22 oz/yd²</b>	<b>745.9 g/m²</b>


## Método De Instalación Recomendado



Ashlar



Brick



Herringbone



Monolithic

## Datos + Pruebas

Panel Radiante (Astm E648)	<b>Class I</b>
Nbs Humo	<b>Less Than 450</b>
Propensión Electrostática	<b>Less Than 3.5 kv</b>
Cri Green Label Plus (Glp)	<b>GLP9968</b>
Prueba De Pastillas (Pill)	<b>Pass*</b>
Ada Compliance	<b>≥0.6, Cumple con las recomendaciones para el coeficiente de fricción estática para superficies transitables ADA y rutas accesibles***</b>

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

## Garantías

Vitalicio Limitado A USO Comercial

Productos Que Combinan

Carpet Tile: **Renew Tile, Zone Tile**

Atributos + Certificaciones

Certifications Below Apply Exclusively To The Carpet Tile Rug Itself And Not The Lokworx Tabs Adhesive

Health & Wellbeing

Material Ingredient Transparency

Cradle to Cradle Certified® | Silver Level (Version 4.0)  
Health Product Declaration (HPD) | Divulgado 1,000 ppm  
Living Building Challenge (LBC) | Libre De Químicos Red List  
Declare | Compatible LBC  
NSF 140 | Oro  
CRI Green Label Plus (GLP) | GLP9968

Indoor Air Quality

Climate Impact

Environmental Product Declaration (EPD)

Certificado Tercerizado De Acuerdo Con La Norma ISO14044,  
ISO14025 & EN15804  
3.79 kg CO<sub>2</sub>/m<sup>2</sup>  
Carbon Neutral  
58% (Pre-Consumer 58% | Post-Consumer 0%)  
100% Recyclable

Embodied Carbon (Cradle to Gate)

Life-Cycle Carbon Emissions

Total Recycled Content

Product Packaging

Global Product Assessment

Singapore Green Label | Certificado  
CE Marking (EN 14041) | Certificado Tercerizado  
Environmental Guarantee\* | Re[turn] Reclamation Program\* | Through  
Our Environmental Guarantee, Shaw Pledges to Transport And  
Recycle Any Ecoworx Carpet.  
Country of Origin\*\* | Imported

Well V2 Contribution Credit

X08 Hazardous Material Reduction Part 1: Limit Hazardous Materials  
Optimization – 1 pt

C2C Silver Level (Version 4.0)

X10 Volatile Compound Reduction Part 1 (A): Manage Volatile Organic  
Compounds (VOCs) Optimization – 1 pt

C2C Silver Level (Version 4.0)

X11 Long Term Emissions Control Part 2: Flooring Optimization – 1 pt

Green Label Plus Certification: GLP9968

X13 Enhanced Material Precaution Part 1: Select Optimized Materials  
Optimization – max 2 pts

C2C Silver Level (Version 4.0)

X14 Material Transparency Part 1: Promote Ingredient Disclosure  
Optimization – max 2 pts

C2C Silver Level (Version 4.0)

Contribución Para Créditos Leed

Crédito MR: Divulgación y optimización de productos de construcción  
Declaraciones ambientales de productos - Opción 1: Declaración ambiental  
de productos (EPD)

3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804

Crédito MR: Divulgación y optimización de productos de construcción  
Ingredientes de materiales - Opción 1: Informe de ingredientes de los  
materiales

C2C Silver Level (Version 4.0) or HPD (Version 2.1)

Crédito MR: Divulgación y optimización de productos de construcción  
Ingredientes de materiales - Opción 2: Optimización de ingredientes de los  
materiales

C2C Silver Level (Version 4.0)

Crédito MR: Divulgación y optimización de productos de construcción  
Abastecimiento de materias primas - Opción 2: Prácticas en liderazgo de  
extracción















Environmental Guarantee: Re[turn] Reclamation Program\* | Through  
Our Environmental Guarantee, Shaw Pledges to Transport And  
Recycle Any Ecoworx® Carpet.

Crédito EQ: Materiales de baja emisión  
Opción 1: Cálculos de categoría de producto

Green Label Plus Certification: GLP9968

Corporate Headquarters: 1901 California Street, Suite 100, San Francisco, CA 94111 | Phone: +1 415 955 1920 | Fax: +1 415 955 1921 | Email: [info@shawcontract.com](mailto:info@shawcontract.com)  
Regional Offices: **Atlanta** +1 404 853 7429 | **Bengaluru** +91 80 6773 0222 | **Bombay** +91 22 6284 5050 | **Chennai** +91 44 4000 8000 | **Delhi** +91 11 22 6284 5050 | **Dubai** +971 4 360 1111 | **Guangzhou** +86 20 360 1111 | **Hong Kong** +852 2623 8122 | **London** +44 20 7906 1111 | **Los Angeles** +1 800 233 1614 | **Melbourne** +61 3 9939 8543 | **Mexico City** +52 55 5010 7600 | **Mumbai** +91 22 6284 5050 | **Nantong** +86 400 800 7429 | **New York** +1 212 953 7429 | **Paris** +33 (0) 1 81 22 44 39 | **San Francisco** +1 415 955 1920 | **Shanghai** +86 21 3338 4000 | **Singapore** +65 6733 1811 | **Sydney** +61 800 556 302

### Available Colorways

					
Soothe 38111 LRV 40.1   L* 69.56	Flourish 38284 LRV 23.1   L* 55.21	Sprout 38326 LRV 20.1   L* 52	Serene 38327 LRV 14.9   L* 45.45	Play 38436 LRV 19.4   L* 51.14	Nurture 38485 LRV 2.5   L* 17.94
					
Inspire 38505 LRV 2.4   L* 17.51	Awaken 38506 LRV 20   L* 51.88	Breeze 38515 LRV 18   L* 49.46	Recharge 38530 LRV 11.8   L* 40.95	Dwell 38535 LRV 13   L* 42.77	Coexist 38557 LRV 7.7   L* 33.34
					
Hike 38751 LRV 6.6   L* 30.95	Nest 38760 LRV 13.9   L* 44.13				

### Información Adicional

\* To learn more about the recyclability of our products and our re[TURN], please visit [shawcontract.com/sustainability](https://shawcontract.com/sustainability).

\*\*Meets or exceeds all local and national regulations in country of manufacture.

\*\*\*This carpet is manufactured to be ADA compliant, but to be fully ADA compliant, the end-user must ensure the carpet is adhered to the floor and installed as outlined in the ADA standards.

[Installation Guidelines](#)

[Maintenance Guidelines](#)

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit [shawcontract.com/testing](https://shawcontract.com/testing) for more information.



**PVC-Free**

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +61 800 556 302

© 2025 Shaw Industries Group, Inc., a Berkshire Hathaway Company  
July 27, 2025

3 of 3