


## Drift Tile

Stijlnummer	<b>5T142</b>	
Collectie	<b>The Park</b>	
Producttype	<b>Tapijttegel</b>	
Construction	Standard	Data + Performance
Type Fabricage	<b>ISO 2424</b>	<b>tufted 1/12"   47.2 per 10cm</b>
Uitzicht	<b>ISO 2424</b>	<b>Multilevel-Patroonlus</b>
Verfmethode	<b>EN 994</b>	<b>100% In Oplossing Geverfd</b>
Productformaat	<b>EN 994</b>	<b>23 cm x 91 cm   9 in x 36 in</b>
Vezel	<b>ISO 2424</b>	<b>Ecosolution Q® Polyamide 6</b>
Totale Dikte	<b>ISO 1765</b>	<b>7.0 mm</b>
Afgewerkte Pooldikte	<b>ISO 1766</b>	<b>4.1 mm</b>
Totale Massa	<b>ISO 8543</b>	<b>3000 g/m<sup>2</sup></b>
Getuft Gewicht	<b>ISO 2424</b>	<b>746 g/m<sup>2</sup></b>
Effectieve Poolmassa	<b>ISO 8543</b>	<b>466 g/m<sup>2</sup></b>
Pooldichtheid	<b>ISO 8543</b>	<b>0.114 g/cm<sup>3</sup></b>
Totaal Gerecycleerde Inhoud		<b>61% (pre-consumer 61%   post-consumer 0%)</b>



## Gegevens

Steken	<b>ISO 1763</b>	<b>189,000/m<sup>2</sup>   40 per 10cm</b>
Beschermende Behandelingen		<b>SSP® Shaw Grondbescherming</b>
Elektrostatische Weerstand	<b>ISO 6356</b>	<b>≤ 2.0 kv (Stroll Test)</b>
Gebruik Classificatie	<b>EN 1307</b>	<b>33 Commercial Heavy</b>
Luxeklasse	<b>EN 1307</b>	<b>LC2</b>
Dimensionale Stabiliteit	<b>EN 986</b>	<b>≤ 0.2%</b>
Contactgeluidsisolatie	<b>ISO 10140</b>	<b>22 Db (Predicted)</b>
Geluidsabsorptieclassificatie	<b>ISO 354/11654</b>	<b>0.15 Aw   Class E (Predicted)</b>
Warmteweerstand m <sup>2</sup> K/w	<b>ISO 8302</b>	<b>0.086 M<sup>2</sup> K/W Tog 0.86</b>
Weerstand Tegen Droog Uitglijden	<b>ISO 13893</b>	<b>Pass/No Pulled Loops</b>
Kleurvastheid Voor Licht	<b>ISO 105-B02</b>	<b>&gt;6</b>
Ontvlambaarheid	<b>EN 13501-1</b>	<b>Bfl-S1 (Adhered Testing)</b>
Stoel Met Wieltjes	<b>EN 985</b>	<b>≥2.4 Continuous Use</b>

**Levenslang Commercieel Beperkt** subject to installation in full accordance with manufacturer's instructions and a regular effective cleaning and maintenance programme.

## Aanbevolen Installatiemethode



Ashlar



Brick



Herringbone



Monolithic



22 dB

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | Latin America (Miami) +1 305 827 5912 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Santiago +562 2431 5000 x 550 | São Paulo +55 11 3071 1702 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +1 800 556 302

© 2024 Shaw Industries Group, Inc., a Berkshire Hathaway Company  
May 18, 2024

<p><b>CE</b> 16</p> <p>EU.DOP/2895/CPR/1016/1017/T OOSTERHOUT SHOWROOM, VAARTWEG 10, 4905 BL NETHERLANDS (NLD) Notified Body 2895</p>	<p><b>UK CA</b> 22</p> <p>UK.DOP/0338/CPR/1016/1017/T SHAW EUROPE LIMITED BLACKADDIE RD, SANQUHAR DG4 6DB, UNITED KINGDOM Approved Body 0338</p>
<p><b>E1</b> HCHO</p>	<p><b>Bfl-s1</b></p>
<p><b>EN14041:2004/AC:2006</b></p>	<p><b>DS</b></p>

## Coördinerende Producten

Carpet Tile: **Renew Tile, Zone Tile**

## Kenmerken + Certificeringen

Certifications Below Apply Exclusively To The Carpet Tile Rug Itself And Not The Lokworx Tabs Adhesive

Declaration of Performance

Cradle to Cradle gecertificeerd™

Health Product Declaration (HPD)

Environmental Product Declaration (EPD)

Living Building Challenge (LBC)

Verklaar

nsf 140

Building Research Establishment (BRE)

Singapore Green Label

milieugarantie

productverpakking

land van herkomst

BREEAM Contribution Credit

**EU.DOP/2895/CPR/1016/1017/T****Silver Level (Version 4.0)****1,000 ppm (Parts Per Million) Disclosure****3de Partij Gecertificeerd in Overeenstemming Met ISO14044, ISO14025 & EN15804****Vrij Van Chemische Producten Die Op De Rode Lijst Staan****Voldoet Aan LBC****Goud****A+ Health/A+ Retail 0.372/0.498 Ecopoints****Gecertificeerd****Re[turn] Reclamation Program\* | Through Our Environmental Guarantee, Shaw Pledges to Transport And Recycle Any Ecoworx Carpet.****100% Recycleerbaar****Verenigde Staten****Certificate of Approval****Schools/Offices/Health/Industrial Shed Retail**

## Well V2 Contribution Credit

X08 Hazardous Material Reduction

Part 1: Limit Hazardous Materials Optimization

X10 Volatile Compound Reduction

Part 1 (A): Manage Volatile Organic Compounds (VOCs) Optimization

X11 Long Term Emissions Control

Part 2: Flooring Optimization

X13 Enhanced Material Precaution

Part 1: Select Optimized Materials Optimization

X14 Material Transparency

Part 1: Promote Ingredient Disclosure Optimization

**C2C Silver Level (Version 4.0)****C2C Silver Level (Version 4.0)****Green Label Plus Certification: GLP9968****C2C Silver Level (Version 4.0)****C2C Silver Level (Version 4.0)**















## Groen Leed Bijdragekrediet

**"MR-krediet: openbaarmaking en optimalisering van bouwproducten Milieuproductverklaringen - Optie 1: Milieuproductverklaring (EPD)"****"MR-krediet: Openbaarmaking en optimalisering van bouwproducten Materiaalingrediënten - Optie 1: Rapportage materiaalingrediënten"****"MR-krediet: openbaarmaking en optimalisering van bouwproducten Materiaalingrediënten - Optie 2: Optimalisering van materiaalingrediënten"****MR Credit: Building Product Disclosure and Optimization****Sourcing of Raw Materials - Option 2: Leadership Extraction Practices****"EQ-krediet: materialen met lage emissie Optie 1: Berekeningen per productcategorie"****MR Credit: Interiors Life-Cycle Impact Reduction****Option 3: Design for Flexibility****3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804****C2C Silver Level (Version 4.0) or HPD (Version 2.1)****C2C Silver Level (Version 4.0)****Environmental Guarantee: Re[turn] Reclamation Program\* | Through Our Environmental Guarantee, Shaw Pledges to Transport And Recycle Any Ecoworx Carpet.****Green Label Plus Certification: GLP9968****Ecoworx Tile with Lokdots Installation System**

Memberships

WGBC Framework	WGBC Framework
UKGBC	UKGBC
Emirates Green Building Council	Emirates Green Building Council
Chemsec	Chemsec

Lichtreflectiewaarde

					
Soothe 38111 LRV 40.1	Flourish 38284 LRV 23.1	Sprout 38326 LRV 20.1	Serene 38327 LRV 14.9	Play 38436 LRV 19.4	Nurture 38485 LRV 2.5
					
Inspire 38505 LRV 2.4	Awaken 38506 LRV 20	Breeze 38515 LRV 18	Recharge 38530 LRV 11.8	Dwell 38535 LRV 13	Coexist 38557 LRV 7.7
					
Hike 38751 LRV 6.6	Nest 38760 LRV 13.9				

Aanvullende Informatie

* To learn more about the recyclability of our products and our re[TURN], please visit <a href="https://shawcontract.com/sustainability">shawcontract.com/sustainability</a> .	
**Meets or exceeds all local and national regulations in country of manufacture.	
***This carpet is manufactured to be ADA compliant, but to be fully ADA compliant, the end-user must ensure the carpet is adhered to the floor and installed as outlined in the ADA standards.	
<a href="#">Installation Guidelines</a>	Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.
<a href="#">Maintenance Guidelines</a>	This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.
<a href="#">levenslang commercieel beperkt</a>	Visit <a href="https://shawcontract.com/testing">shawcontract.com/testing</a> for more information.

