


Welcome II Tile

Coleção	Steppin Out	
Número Do Produto	5T031	
Construção	Needlebond Hobnail	
Fibra	Poliéster De Pet	
Método De Tingimento	100% Solution Dyed	
Base Primária	Polipropileno	
Base Secundária	Base Ecoworx®	
Tratamentos De Proteção	Resistência A Manchas Inerente	
Adesivo Recomendado	LokDots, 3000 Carpet Tile 1 Gallon, 4151 Multi-Use Carpet Tile 4 Gallon, 5000 Carpet Tile 1 Gallon, LokWorx Adhesive Tabs, 3800 Indoor Outdoor Carpet Tile 4 Gallon, 5000 Carpet Tile 4 Gallon or 3000 Carpet Tile 4 Gallon	
	u.s.	metric
Tamanho Do Produto	24 in x 24 in	61 cm x 61 cm
Área Por Caixa	48 ft²	4.46 m²
Peças Por Caixa	12 pcs	
Pontos	0.0 per in	0.5 per 10 cm
Espessura Da Fibra Acabada	0.157 inches	3.99 mm
Densidade Média	6477 per cu. yd.	0.24 g/cm³
Espessura Total	0.362 in	9.19 mm
Peso Da Fibra	49.0 oz/yd²	1,671.06 g/m²



Método De Instalação Recomendado



Quarter Turn

Dados + Teste

Teste De Ignição (Pill)	Pass
Painel Radiante (Astm E648)	Class I
Nbs Fumaça	Less Than 450
Propensão Eletrostática	Less Than 3.5 kv
Cri Green Label Plus (Bpl)	GLP0520
Ada Compliance	≥0.6, Atende as recomendações do coeficiente de fricção estático para as superfícies caminháveis ADA e rotas acessíveis***

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Garantias

Garantia Comercial Vitalícia Limitada

Produtos Coordenados

Carpet Tile: **Bon Jour II Tile**
Broadloom: **Welcome II**

Atributos + Certificações

Health & Wellbeing

Material Ingredient Transparency

Cradle to Cradle Certified® | Nível Bronze (Versão 3.1)
Health Product Declaration (HPD) | Divulgado 1,000 ppm
Living Building Challenge (LBC) | Livre De Químicos Do Red List
Declare | Compatível LBC
NSF 140 | Ouro
CRI Green Label Plus (GLP) | GLP0520

Indoor Air Quality

Climate Impact

Environmental Product Declaration (EPD)
Product Packaging

3rd Party Certified De Acordo Com ISO14044, ISO14025 & EN15804
100% Reciclável

Global Product Assessment

Singapore Green Label | Certificado
Environmental Guarantee* | Re[turn] Reclamation Program* | Through
Our Environmental Guarantee, Shaw Pledges to Transport And
Recycle Any Ecoworx Carpet.
Country of Origin | Imported**

Crédito De Contribuição

MR Credit: Divulgação e otimização de produtos de construção
Declarações ambientais do produto - Opção 1: Declaração ambiental do produto (EPD)

3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804

MR Credit: Divulgação e otimização de produtos de construção
Ingredientes materiais - Opção 1: Relatório de ingredientes materiais

HPD (Version 2.1) or C2C Silver Level (Version 3.1)

MR Credit: Divulgação e otimização de produtos de construção
Ingredientes do material - Opção 2: Otimização do ingrediente do material

C2C Bronze Level (Version 3.1)

MR Credit: Building Product Disclosure and Optimization
Sourcing of Raw Materials - Option 2: Leadership Extraction Practices

Environmental Guarantee: Re[turn] Reclamation Program* | Through
Our Environmental Guarantee, Shaw Pledges to Transport And
Recycle Any Ecoworx Carpet.

Crédito de EQ: Materiais de baixa emissão
Opção 1: cálculos de categoria de produto

Green Label Plus Certification: GLP0520

MR Credit: Interiors Life-Cycle Impact Reduction
Option 3: Design for Flexibility

Ecoworx Tile with Lokdots Installation System

Available Colorways

					
Tobacco 31150 LRV 5.7 L* 28.73	Blue 31400 LRV 5.3 L* 27.67	Multicolor 31481 LRV 3.3 L* 21.04	Navy 31485 LRV 2.6 L* 18.33	Ebony 31500 LRV 2.3 L* 17.07	Charcoal 31549 LRV 3.3 L* 21.18
					
Sterling 31557 LRV 5.6 L* 28.46	Walnut 31750 LRV 3.6 L* 22.31	Black Chocolate 31751 LRV 3.8 L* 22.9	Portabella 31761 LRV 11.3 L* 40.07	Red 31850 LRV 4.1 L* 24.05	

Informação Adicional

* To learn more about the recyclability of our products and our re[TURN], please visit shawcontract.com/sustainability.

**Meets or exceeds all local and national regulations in country of manufacture.

***This carpet is manufactured to be ADA compliant, but to be fully ADA compliant, the end-user must ensure the carpet is adhered to the floor and installed as outlined in the ADA standards.

Installation Guidelines

Maintenance Guidelines

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit shawcontract.com/testing for more information.