


Stijlnummer	<b>5T329</b>	
Collectie	<b>Assembly</b>	
Producttype	<b>Tapijttegel</b>	
Construction	Standard	Data + Performance
Type Fabricage	<b>ISO 2424</b>	<b>tufted 1/12"   47.2 per 10cm</b>
Uitzicht	<b>ISO 2424</b>	<b>Multilevel-Patroonlus</b>
Verfmethode	<b>EN 994</b>	<b>100% In Oplossing Geverfd</b>
Productformaat	<b>EN 994</b>	<b>25 cm x 100 cm   20 tiles (5 m²) per box</b>
Primaire Backing	<b>ISO 2424</b>	<b>Pet Nonwoven</b>
Secundaire Backing	<b>ISO 2424</b>	<b>Taskworx® Tegel   Polymeer Gemodificeerd Bitumen</b>
Vezel	<b>ISO 2424</b>	<b>Ecosolution Q® Polyamide 6</b>
Totale Dikte	<b>ISO 1765</b>	<b>6.2 mm</b>
Afgewerkte Pooldikte	<b>ISO 1766</b>	<b>2.0 mm</b>
Totale Massa	<b>ISO 8543</b>	<b>4121 g/m²</b>
Getuft Gewicht	<b>ISO 2424</b>	<b>644 g/m²</b>
Effectieve Poolmassa	<b>ISO 8543</b>	<b>254 g/m²</b>
Pooldichtheid	<b>ISO 8543</b>	<b>0.125 g/cm³</b>
Totaal Gerecycleerde Inhoud		<b>48% (pre-consumer 48%   post-consumer 0%)</b>



### Gegevens

Steken	<b>ISO 1763</b>	<b>165,000/m²   35 per 10cm</b>
Elektrostatische Weerstand	<b>ISO 6356</b>	<b>≤ 2.0 kv (Stroll Test)</b>
Gebruik Classificatie	<b>EN 1307</b>	<b>33 Commercial Heavy</b>
Luxe klasse	<b>EN 1307</b>	<b>LC1</b>
Dimensionale Stabiliteit	<b>EN 986</b>	<b>≤ 0.2%</b>
Contactgeluidsisolatie	<b>ISO 10140</b>	<b>24 Db</b>
Geluidsabsorptieclassificatie	<b>ISO 354/11654</b>	<b>0.15 Aw   Class E</b>
Warmteweerstand m² K/w	<b>ISO 8302</b>	<b>0.069 M² K/W Tog 0.69</b>
Weerstand Tegen Droog Uitglijden	<b>ISO 13893</b>	<b>Pass / No Pulled Loops</b>
Kleurvastheid Voor Licht	<b>ISO 105-B02</b>	<b>&gt;6</b>
Ontvlambaarheid	<b>EN 13501-1</b>	<b>Bfl-S1 (Adhered Testing)</b>
Stoel Met Wieltjes	<b>EN 985</b>	<b>≥2.4 Continuous Use</b>

15 Jaar Commercieel Beperkt subject to installation in full accordance with manufacturer's instructions and a regular effective cleaning and maintenance programme.

### Aanbevolen Installatiemethode



Ashlar



Brick



Herringbone



Monolithic



Stagg



24 dB

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | Latin America (Miami) +1 305 827 5912 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Santiago +562 2431 5000 x 550 | São Paulo +55 11 3071 1702 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +1 800 556 302

© 2024 Shaw Industries Group, Inc., a Berkshire Hathaway Company  
May 19, 2024

Coördinerende Producten

Carpet Tile: **Establish Comfortworx® Tile, Support Taskworx® Tile, Establish Taskworx® Tile**

Kenmerken + Certificeringen

Certifications Below Apply Exclusively To The Carpet Tile Rug Itself And Not The Lokworx Tabs Adhesive

Declaration of Performance	<b>EU.DOP/0493/CPR/0621/0422/BT</b>
Building Research Establishment (BRE)	<b>A+ Health/A+ Retail 0.301/0.399 Ecopoints</b>
land van herkomst	<b>Verenigd Koninkrijk</b>
BREEAM Contribution Credit	<b>Certificate of Approval Schools/Offices/Health/Industrial Shed Retail</b>













Air Quality

Indoor Air Comfort Gold	<b>Certified</b>
M1	<b>Certified</b>


Memberships

WGBC Framework	<b>WGBC Framework</b>
UKGBC	<b>UKGBC</b>
Emirates Green Building Council	<b>Emirates Green Building Council</b>
Chemsec	<b>Chemsec</b>

Lichtreflectiewaarde

					
Radiant System 67506 LRV 5.4	Dynamic System 67507 LRV 5	Clear System 67508 LRV 5.5	Vivid System 67509 LRV 5.3	Brilliant Syste 67510 LRV 7.1	Radiant Interac 67516 LRV 12.3
					
Dynamic Interac 67517 LRV 15.3	Clear Interacti 67518 LRV 13.7	Vivid Interacti 67519 LRV 15.5	Brilliant Inter 67520 LRV 16.3	Radiant Network 67536 LRV 11.5	Dynamic Network 67537 LRV 12.6





Aanvullende Informatie

15 jaar commercieel beperkt

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.  
This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.  
Visit [shawcontract.com/testing](http://shawcontract.com/testing) for more information.

