


Dash Tile


Numéro Du Style	5T203		
Collection	Active		
Type De Produit	Dalles De Moquette		
Construction	Standard	Data + Performance	
Type De Fabrication	ISO 2424	tufted 1/12" 47.2 per 10cm	
Construction	ISO 2424	Tufté Structuré Bouclé à Motif	
Méthode De Coloration	EN 994	100% Solution Teinte	
Dimensions Du Produit	EN 994	30 cm x 122 cm 12 in x 48 in	
Fibre	ISO 2424	Ecosolution Q® Polyamide 6	
Epaisseur Du Velours	ISO 1765	6.0 mm	
Épaisseur Du Velours Fini	ISO 1766	1.7 mm	
Poids Total	ISO 8543	3245 g/m ²	
Poids Tufté	ISO 2424	678 g/m ²	
Poids Du Velours Utile	ISO 8543	203 g/m ²	
Densité Du Velours	ISO 8543	0.118 g/cm ³	
Contenu Recyclé Total		60% (pre-consumer 60% post-consumer 0%)	

Données


Points	ISO 1763	179,000/m² 38 per 10cm
Traitements Protecteurs		SSP® Shaw Protection Du Sol
Propension Electrostatique	ISO 6356	≤ 2.0 kv (Stroll Test)
Classification d'Utilisation	EN 1307	33 Commercial Heavy
Classification Luxe	EN 1307	LC1
Stabilité Dimensionnelle	EN 986	≤ 0.2%
Isolation Acoustique	ISO 10140	22 Db (Predicted)
Classification d'Absorption Sonore	ISO 354/11654	0.15 Aw Class E (Predicted)
Résistance Thermique m² K/w	ISO 8302	0.073 M² K/W Tog 0.73
Dry Slip Resistance	ISO 13893	Pass/No Pulled Loops
Résistance De La Couleur À La Lumière	ISO 105-B02	>6
Inflammabilité	EN 13501-1	Bfl-S1 (Adhered Testing)
Chaise À Roulette	EN 985	≥2.4 Continuous USE

Durée De Vie Commerciale Limitée subject to installation in full accordance with manufacturer's instructions and a regular effective cleaning and maintenance programme.


Méthodes d'Installation Conseillées




Ashlar




Brick







Herringbone







Monolithic




Stagg



33




22 dB







17

EU.DOP/2895/CPR/1016/1017/T
OOSTERHOUT SHOWROOM, VAARTWEG 10, 4905
BL NETHERLANDS (NLD)
Notified Body 2895



22

UK.DOP/0338/CPR/1016/1017/T
SHAW EUROPE LIMITED BLACKADDIE RD,
SANQUHAR DG4 6DB, UNITED KINGDOM
Approved Body 0338



EN14041:2004/AC:2006

Coordination Des Produits

Carpet Tile: **Advance Tile, Track Tile, Turn Tile**

Attributs + Certifications

Certifications Below Apply Exclusively To The Carpet Tile Rug Itself And Not The Lokworx Tabs Adhesive

Declaration of Performance	EU.DOP/2895/CPR/1016/1017/T
Certification Cradle to Cradle™ (C2C)	Silver Level (Version 4.0)
Déclaration sanitaire de produit (HPD)	1,000 ppm (Parts Per Million) Disclosure
Déclaration environnementale de produit (EPD)	Certifié Par Un Organisme Tiers Conformément Aux Normes ISO14044, ISO 14025 & EN15804
Living Building Challenge (LBC)	Free of Red List Chemicals
Déclarer	LBC Compliant
NSF 140	or
Building Research Establishment (BRE)	A+ Health/A+ Retail 0.372/0.498 Ecopoints
Singapore Green Label	Certifié
garantie environnementale	Re[turn] Reclamation Program* Through Our Environmental Guarantee, Shaw Pledges to Transport And Recycle Any Ecoworx Carpet.
	100% Recyclable
emballage du produit	USA
pays d'origine	Certificate of Approval
BREEAM Contribution Credit	Schools/Offices/Health/Industrial Shed Retail

Well V2 Contribution Credit

X08 Hazardous Material Reduction Part 1: Limit Hazardous Materials Optimization	C2C Silver Level (Version 4.0)
X10 Volatile Compound Reduction Part 1 (A): Manage Volatile Organic Compounds (VOCs) Optimization	C2C Silver Level (Version 4.0)
X11 Long Term Emissions Control Part 2: Flooring Optimization	Green Label Plus Certification: GLP9968
X13 Enhanced Material Precaution Part 1: Select Optimized Materials Optimization	C2C Silver Level (Version 4.0)
X14 Material Transparency Part 1: Promote Ingredient Disclosure Optimization	C2C Silver Level (Version 4.0)

Contribution À La Certification Leed

MR Credit: Building Product Disclosure and Optimisation Environmental Product Declarations - Option 1: Environmental Product Declaration (EPD)	3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804
MR Credit: Building Product Disclosure and Optimisation Material Ingredients - Option 1: Material Ingredient Reporting	C2C Silver Level (Version 4.0) or HPD (Version 2.1)
MR Credit: Building Product Disclosure and Optimisation Material Ingredients - Option 2: Material Ingredient Optimization	C2C Silver Level (Version 4.0)
MR Credit: Building Product Disclosure and Optimization Sourcing of Raw Materials - Option 2: Leadership Extraction Practices	Environmental Guarantee: Re[turn] Reclamation Program* Through Our Environmental Guarantee, Shaw Pledges to Transport And Recycle Any Ecoworx Carpet.
"Crédit EQ : matériaux faibles émissions Option 1 : calculs par catégorie de produit"	Certified
MR Credit: Interiors Life-Cycle Impact Reduction Option 3: Design for Flexibility	Ecoworx Tile with Lokdots Installation System

Memberships

- WGBC Framework

UKGBC

Emirates Green Building Council















Chemsec
- WGBC Framework

UKGBC

Emirates Green Building Council

Chemsec

Indice De Réflexion Lumineuse

					
Focus 04111 LRV 24.7	Ability 04325 LRV 25.5	Meditate 04327 LRV 16.3	Motivate 04375 LRV 9.9	Accelerate 04432 LRV 5	Endurance 04505 LRV 3.4
					
Energy 04515 LRV 28.8	Coordinate 04535 LRV 17.9	Balance 04551 LRV 11.3	Strategy 04555 LRV 10	Flexible 04595 LRV 7.8	Perform 04675 LRV 24.4
					
Adapt 04761 LRV 15.1	Strenuous 04870 LRV 15.8				

Informations Supplémentaires

* To learn more about the recyclability of our products and our re[TURN], please visit shawcontract.com/sustainability.

**Meets or exceeds all local and national regulations in country of manufacture.

***This carpet is manufactured to be ADA compliant, but to be fully ADA compliant, the end-user must ensure the carpet is adhered to the floor and installed as outlined in the ADA standards.

[Installation Guidelines](#)

[Maintenance Guidelines](#)

[durée de vie commerciale limitée](#)

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit shawcontract.com/testing for more information.

