

Steken	ISO 1763	170,000/m ² 36 per 10cm
Beschermende Behandelingen		SSP® Shaw Grondbescherming
Elektrostatische Weerstand	ISO 6356	≤ 2.0 kv (Stroll Test)
Gebruik Classificatie	EN 1307	33 Commercial Heavy
Luxe Klasse	EN 1307	LC1
Dimensionale Stabiliteit	EN 986	≤ 0.2%
Contactgeluidsisolatie	ISO 10140	22 Db (Predicted)
Geluidsabsorptieclassificatie	ISO 354/11654	0.15 Aw Class E (Predicted)
Warmteweerstand m ² K/w	ISO 8302	0.079 M ² K/W Tog 0.79
Weerstand Tegen Droog Uitglijden	ISO 13893	Pass/No Pulled Loops
Kleurvastheid Voor Licht	ISO 105-B02	>6
Ontvlambaarheid	EN 13501-1	Bfl-S1 (Adhered Testing)
Stoel Met Wielties	EN 985	≥2.4 Continuous Use

Aanbevolen Installatiemethode



© 2024 Shaw Industries Group, Inc., a Berkshire Hathaway Company
May 17, 2024

For reference purposes only if printed or downloaded.

Coördinerende Producten

Carpet Tile: **Advance Tile, Dash Tile, Turn Tile**

Kenmerken + Certificeringen

Certifications Below Apply Exclusively To The Carpet Tile Rug Itself And Not The Lokworx Tabs Adhesive

Declaration of Performance

Cradle to Cradle gecertificeerd™

Health Product Declaration (HPD)

Environmental Product Declaration (EPD)

Living Building Challenge (LBC)

Verklaar

nsf 140

Building Research Establishment (BRE)

Singapore Green Label

milieugarantie

productverpakking

land van herkomst

BREEAM Contribution Credit

EU.DOP/2895/CPR/1016/1017/T**Silver Level (Version 4.0)****1,000 ppm (Parts Per Million) Disclosure****3de Partij Gecertificeerd in Overeenstemming Met ISO14044, ISO14025 & EN15804****Vrij Van Chemische Producten Die Op De Rode Lijst Staan****Voldoet Aan LBC****Goud****A+ Health/A+ Retail 0.372/0.498 Ecopoints****Gecertificeerd****Re[turn] Reclamation Program* | Through Our Environmental Guarantee, Shaw Pledges to Transport And Recycle Any Ecoworx Carpet.****100% Recycleerbaar****Verenigde Staten****Certificate of Approval****Schools/Offices/Health/Industrial Shed Retail**

Well V2 Contribution Credit

X08 Hazardous Material Reduction

Part 1: Limit Hazardous Materials Optimization

X10 Volatile Compound Reduction

Part 1 (A): Manage Volatile Organic Compounds (VOCs) Optimization

X11 Long Term Emissions Control

Part 2: Flooring Optimization

X13 Enhanced Material Precaution

Part 1: Select Optimized Materials Optimization

X14 Material Transparency

Part 1: Promote Ingredient Disclosure Optimization

C2C Silver Level (Version 4.0)**C2C Silver Level (Version 4.0)****Green Label Plus Certification: GLP9968****C2C Silver Level (Version 4.0)****C2C Silver Level (Version 4.0)**















Groen Leed Bijdragekrediet

"MR-krediet: openbaarmaking en optimalisering van bouwproducten Milieuproductverklaringen - Optie 1: Milieuproductverklaring (EPD)"**"MR-krediet: Openbaarmaking en optimalisering van bouwproducten Materiaalingrediënten - Optie 1: Rapportage materiaalingrediënten"****"MR-krediet: openbaarmaking en optimalisering van bouwproducten Materiaalingrediënten - Optie 2: Optimalisering van materiaalingrediënten"****MR Credit: Building Product Disclosure and Optimization****Sourcing of Raw Materials - Option 2: Leadership Extraction Practices****"EQ-krediet: materialen met lage emissie Optie 1: Berekeningen per productcategorie"****MR Credit: Interiors Life-Cycle Impact Reduction****Option 3: Design for Flexibility****3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804****C2C Silver Level (Version 4.0) or HPD (Version 2.1)****C2C Silver Level (Version 4.0)****Environmental Guarantee: Re[turn] Reclamation Program* | Through Our Environmental Guarantee, Shaw Pledges to Transport And Recycle Any Ecoworx Carpet.****Green Label Plus Certification: GLP9968****Ecoworx Tile with Lokdots Installation System**

Memberships

WGBC Framework	WGBC Framework
UKGBC	UKGBC
Emirates Green Building Council	Emirates Green Building Council
Chemsec	Chemsec

Lichtreflectiewaarde

 <div>Focus 04111 LRV 23.4</div>	 <div>Ability 04325 LRV 24.4</div>	 <div>Meditate 04327 LRV 14.2</div>	 <div>Motivate 04375 LRV 12.7</div>	 <div>Accelerate 04432 LRV 5.2</div>	 <div>Endurance 04505 LRV 3</div>
 <div>Energy 04515 LRV 28.5</div>	 <div>Coordinate 04535 LRV 17.3</div>	 <div>Balance 04551 LRV 16.3</div>	 <div>Strategy 04555 LRV 9.1</div>	 <div>Flexible 04595 LRV 7.7</div>	 <div>Perform 04675 LRV 25.1</div>
 <div>Adapt 04761 LRV 15.2</div>	 <div>Strenuous 04870 LRV 16</div>				

Aanvullende Informatie

* To learn more about the recyclability of our products and our re[TURN], please visit shawcontract.com/sustainability .	
**Meets or exceeds all local and national regulations in country of manufacture.	
***This carpet is manufactured to be ADA compliant, but to be fully ADA compliant, the end-user must ensure the carpet is adhered to the floor and installed as outlined in the ADA standards.	
Installation Guidelines	Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.
Maintenance Guidelines	This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.
levenslang commercieel beperkt	Visit shawcontract.com/testing for more information.

