


Together Ecoworx S® Tile

Number of Tufts	ISO 1763	136,000/m² 34.5 per 10cm
Electrostatic Propensity	ISO 6356	≤ 2.0 kv (Stroll Test)
Use Classification	EN 1307	33 Commercial Heavy
Luxury Class	EN 1307	LC1
Dimensional Stability	EN 986	≤ 0.2%
Impact Sound Insulation	ISO 10140	26 Db
Sound Absorption Classification	ISO 354/11654	0.20 αW Class E
Thermal Resistance m² K/W	ISO 8302	0.066 M² K/W Tog 0.66
Dry Slip Resistance	ISO 13893	Pass / No Pulled Loops
Colour Fastness To Light	ISO 105-B02	>6
Flammability	EN 13501-1	Bfl-S1 (Adhered Testing)
Castor Chair	EN 985	≥2.4 Intensive Use

Recommended Installation Method



Coordinating Products

Carpet Tile: **Memory Comfortworx® Tile, Dream Comfortworx® Tile, Belong Comfortworx® Tile, Together Comfortworx® Tile, Illusion Comfortworx® Tile, Belong Taskworx® Hexagon Tile, Together Hexagon Taskworx® Tile, Dream Taskworx® Tile, Belong Taskworx® Tile, Memory Taskworx® Tile, Together Taskworx® Tile, Illusion Taskworx® Tile**

Material Health & Environmental Certifications










Certifications below apply exclusively to the carpet tile rug itself and not the LokWorx Tabs adhesive

Country of Origin**	United Kingdom
BREEAM Contribution Credit	Certificate of Approval Schools/Offices/Health/Industrial Shed Retail

Memberships

WGBC Framework	WGBC Framework
UKGBC	UKGBC
Emirates Green Building Council	Emirates Green Building Council
Chemsec	Chemsec

Light Reflectance Value

					
Hearten-Golden 48211 LRV 15.3 L* 46.05	Sense-Comfort 48323 LRV 11.3 L* 40.07	Hearten-Greener 48370 LRV 13.6 L* 43.61	Sense-Serene 48486 LRV 11.2 L* 39.88	Rainstorm-Heart 48515 LRV 15.8 L* 46.71	Hearten-Greige 48516 LRV 17.2 L* 48.54
					
Sense-Rainstorm 48536 LRV 15.0 L* 45.70	Greige-Apricot 48675 LRV 19.9 L* 51.68	Greige-Rosewood 48870 LRV 18.0 L* 49.46			

Additional Information

Lifetime Commercial Limited warranty	Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice. This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited. Visit shawcontract.com/testing for more information.
--------------------------------------	--

