



Formation Taskworx® Tile

Type De Produit	Dalles De Moquette	
Collection	Floor Architecture III	
Numéro Du Style	5T584	
Construction	Tufté Structuré Bouclé à Motif	
Fibre	Ecosolution Q® Polyamide 6	
Méthode De Coloration	100% Solution Teinte	
Sous-couche Primaire	Polypropylène	
Sous-couche Secondaire	Taskworx® Tile Bitume Modifié Par Polymère	
	u.s.	metric
Dimensions Du Produit	19.69 in x 19.69 in	50 cm x 50 cm
Surface Par Carton	53.82 ft²	5 m²
Pièces Par Carton	20 pcs	
Jauge	1/12 in	47.2 per 10 cm
Points	10.5 per in	41.0 per 10 cm
Poids Tufté	19.3 oz/yd²	654.4 g/m²


Méthodes d'Installation Conseillées




Monolithic




Quarter Turn



Brick



Ashlar



Random

Données + Tests Et Essai

Nbs Smoke	Less Than 450
-----------	---------------

Garanties

Limitée Commerciale De 15 Ans

Attributs + Certifications

Certifications Below Apply Exclusively To The Carpet Tile Rug Itself And Not The Lokworx Tabs Adhesive

Certification Cradle to Cradle™ (C2C)	Bronze Level (Version 3.1)
Déclaration environnementale de produit (EPD)	Certifié Par Un Organisme Tiers Conformément Aux Normes ISO14044, ISO 14025 & EN15804
garantie environnementale	Take Back Policy Offered For All Taskworx Products
contenu recyclé total	49% (Pre-Consumer 49% Post-Consumer 0%)
ISO 9000	Certifié
pays d'origine	United Kingdom










Coordination Des Produits

Carpet Tile: **Stone Comfortworx® Tile, Fragment Comfortworx® Tile, Formation Colours Comfortworx® Tile, Fragment Colours Comfortworx® Tile, Stone Colours Comfortworx® Tile, Formation Comfortworx® Tile, Fragment Taskworx® Tile, Stone Taskworx® Tile, Formation Colours Ecoworx S Tile, Fragment Colours Ecoworx S Tile, Formation Colours Taskworx® Tile, Fragment Colours Taskworx® Tile, Fragment Ecoworx S Tile, Stone Ecoworx S Tile, Formation Ecoworx S Tile, Stone Colours Taskworx® Tile, Stone Colours Ecoworx® S Tile**

Contribution À La Certification Leed

MR Credit: Building Product Disclosure and Optimisation Environmental Product Declarations - Option 1: Environmental Product Declaration (EPD)	3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804
MR Credit: Building Product Disclosure and Optimisation Material Ingredients - Option 1: Material Ingredient Reporting	C2C Bronze Level (Version 3.1)
MR Credit: Building Product Disclosure and Optimisation Material Ingredients - Option 2: Material Ingredient Optimization	C2C Bronze Level (Version 3.1)
"Crédit EQ : matériaux faibles émissions Option 1 : calculs par catégorie de produit"	Certified

Indice De Réflexion Lumineuse

 Marble 53100 LRV 27.4	 Azurite 53485 LRV 3.3	 Granite 53500 LRV 3.4	 Mica 53518 LRV 9.4	 Mortar 53530 LRV 13	 Limestone 53535 LRV 13.1
 Anthracite 53555 LRV 6.5	 Chromite 53580 LRV 10	 Mix 53597			

Informations Supplémentaires

**Manufactured in ISO 9001 certified facility. Meets or exceeds all local and national regulations in country of manufacture.	
Installation Guidelines	Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.
Maintenance Guidelines	This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.
	Visit shawcontract.com/testing for more information.

