

Stitched

Collection	Bottlefloor	
Numéro De Style	5T456	
Méthode De Teinture	100% Teint EN Solution	
Adhésif Recommandé	4151 Multi-Use Carpet Tile 4 Gallon	
	u.s.	metric
Dimensions Du Produit	12 in x 48 in	30 cm x 122 cm
Surface Par Carton	72 ft²	6.69 m²
Pièces Par Carton	18 pcs	
Poids De La Fibre Touffetée	0.157 in	3.99 mm
Poids De La Fibre Touffetée	75 oz/yd²	2542.9 g/m²



Méthodes d'Installation Conseillées

Ashlar

Brick

Herringbone

Stagger

Manufactured with a unique needle punch process. BottleFloor may show subtle shade variation and fiber blending from tile to tile.

Spécifications Du Rendement + Tests Et Essai

Inflammabilité	Pass
Essai Au Panneau Radiant (Astm E648)	Class I
Densité Du Fumée	Less Than 450
Label Cri Green Label Plus (Glp)	GLP0082
Ada Conformité	≥0.6, conforme au coefficient de frottement statique pour les surfaces de passage et d'accessibilité simplifiée (ADA).***

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Coordination Des Produits

Carpet Tile: **Felted**

Attributs + Certifications

Health & Wellbeing

Material Ingredient Transparency

Indoor Air Quality

Cradle to Cradle Certified® | Niveau Bronze (Version 3.1)
NSF 140 | Platine
CRI Green Label Plus (GLP) | GLP0082

Climate Impact

Environmental Product Declaration (EPD)

Product Packaging

3rd Party Certified in Accordance with ISO14040, ISO14044, ISO21930, ISO14025 & EN15804
100% Recyclable

Global Product Assessment

Environmental Guarantee* | Re[turn] Reclamation Program* | Through Our Environmental Guarantee, Shaw Pledges to Transport And Recycle Any Reworx Flooring Product Within The United States And Canada At No Cost to The Customer.
Country of Origin** | Imported

Contribution Au Certificat Vert Leed

« Crédit MR : Divulgation et optimisation des produits de construction
« Crédit MR : Divulgation et optimisation des produits de construction
Crédit EQ : matériaux faibles émissions

3rd Party Certified in Accordance with ISO14040, ISO14044, ISO21930, ISO14025 & EN15804
C2C Bronze Level (Version 3.1)
Green Label Plus Certification: GLP0082

Available Colorways



Informations Supplémentaires

* To learn more about the recyclability of our products and our re[TURN], please visit shawcontract.com/sustainability.

**Meets or exceeds all local and national regulations in country of manufacture. (Manufactured in an ISO 9001 & ISO 14001 certified facility or equivalent)

***This carpet is manufactured to be ADA compliant, but to be fully ADA compliant, the end-user must ensure the carpet is adhered to the floor and installed as outlined in the ADA standards.

[Installation Guidelines](#)

[Maintenance Guidelines](#)

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit shawcontract.com/testing for more information.

