


Number of Tufts	ISO 1763	165,000/m ² 42 per 10cm
Electrostatic Propensity	ISO 6356	≤ 2.0 kv (Stroll Test)
Use Classification	EN 1307	33 Commercial Heavy
Luxury Class	EN 1307	LC1
Dimensional Stability	EN 986	≤ 0.2%
Impact Sound Insulation	ISO 10140	26 Db
Sound Absorption Classification	ISO 354/11654	0.20 αW Class E
Thermal Resistance m ² K/W	ISO 8302	0.065 M ² K/W Tog 0.65
Dry Slip Resistance	ISO 13893	Pass / No Pulled Loops
Colour Fastness To Light	ISO 105-B02	>6
Flammability	EN 13501-1	Bfl-S1 (Adhered Testing)
Castor Chair	EN 985	≥2.4 Intensive Use

Recommended Installation Method



Coordinating Products

Carpet Tile: **Interlaced Comfortworx® Tile, Interlaced Taskworx® Tile, Understated Ecoworx S® Tile**

Material Health & Environmental Certifications

Certifications below apply exclusively to the carpet tile rug itself and not the LokWorx Tabs adhesive

Cradle to Cradle Certified®

Environmental Product Declaration (EPD)

Embodied Carbon (Cradle to Gate)

Life-Cycle Carbon Emissions

Environmental Guarantee*

Country of Origin**

BREEAM Contribution Credit

Silver Level (Version 3.1)

3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804

4.11 kg CO₂/m²

Low Embodied Carbon

Take Back Policy Offered For All Ecoworx S® Products

United Kingdom

Certificate of Approval

Schools/Offices/Health/Industrial Shed

Retail

WELL V2 Contribution Credit

X08 Hazardous Material Reduction

Part 1: Limit Hazardous Materials Optimization

C2C Silver Level (Version 3.1)

X10 Volatile Compound Reduction

Part 1 (A): Manage Volatile Organic Compounds (VOCs) Optimization

C2C Silver Level (Version 3.1)

X11 Long Term Emissions Control

Part 2: Flooring Optimization

M1> Emissions Class For Building Material

X13 Enhanced Material Precaution

Part 1: Select Optimized Materials Optimization

C2C Silver Level (Version 3.1)

X14 Material Transparency

Part 1: Promote Ingredient Disclosure Optimization

C2C Silver Level (Version 3.1)

Leed v4 Contribution Credits

MR Credit: Building Product Disclosure and Optimization

Material Ingredients - Option 1: Material Ingredient Reporting

C2C Silver Level (Version 3.1)

MR Credit: Building Product Disclosure and Optimization

Material Ingredients - Option 2: Material Ingredient Optimization

C2C Silver Level (Version 3.1)

Memberships

WGBC Framework

UKGBC

Emirates Green Building Council

Chemsec

























WGBC Framework

UKGBC

Emirates Green Building Council

Chemsec

Light Reflectance Value

					
Buttermilk 46100 LRV 30.7 L* 62.25	Oyster 46101 LRV 27.3 L* 59.27	Silk 46105 LRV 29.9 L* 61.53	Oatmeal 46111 LRV 34.3 L* 65.24	Linen 46112 LRV 35.2 L* 65.89	Mineral 46327 LRV 22.2 L* 54.28
					
Sage 46375 LRV 29.4 L* 61.16	Khaki 46376 LRV 14.4 L* 44.85	Storm Cloud 46402 LRV 19.9 L* 50.54	Sky 46411 LRV 25.0 L* 57.11	Slate Blue 46447 LRV 29.1 L* 60.90	Lead 46500 LRV 8.7 L* 35.37
					
Mushroom 46514 LRV 26.7 L* 58.71	Seal 46516 LRV 26.8 L* 58.76	Stone 46518 LRV 29.2 L* 60.91	Pearl 46535 LRV 14.9 L* 45.48	Smoke 46580 LRV 16.9 L* 48.16	Shell 46601 LRV 25.3 L* 57.36
					
Medallion 46668 LRV 35.2 L* 65.88	Dusty Apricot 46675 LRV 25.2 L* 57.29	Bisque 46676 LRV 19.7 L* 51.46	Walnut 46763 LRV 12.4 L* 41.88	Powder Pink 46800 LRV 30.4 L* 61.96	Rose 46870 LRV 22.3 L* 54.32

Additional Information

**Manufactured in ISO 9001 certified facility. Meets or exceeds all local and national regulations in country of manufacture.

[Installation Guidelines](#)

[Maintenance Guidelines](#)

[lifetime commercial limited](#)

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit shawcontract.com/testing for more information.

