

## Effect

상품 유형	<b>Broadloom</b>	
수집	<b>Open Work</b>	
스타일 번호	<b>5A192</b>	
구성	<b>다중 레벨 루프식</b>	
섬유	<b>Ecosolution Q® 나일론</b>	
기본 백업	<b>합성</b>	
보조 백업	<b>Ultraloc®</b>	
보호 처리	<b>SSP® Shaw 흙먼지 보호</b>	
권장 접착제	<b>1000 Broadloom 4 Gallon or 3800 Indoor Outdoor Broadloom 4 Gallon</b>	
	u.s.	metric
제품 크기	<b>12 ft</b>	<b>3.66 m</b>
계량기	<b>1/10 in</b>	<b>39.4 per 10 cm</b>
스티치	<b>9.5 per in</b>	<b>38.5 per 10 cm</b>
완성 된 말뚝 두께	<b>0.138 in</b>	<b>3.51 mm</b>
평균 밀도	<b>5739 oz/yd<sup>3</sup></b>	<b>0.212 g/cm<sup>3</sup></b>
킬로 텍스		<b>11.95</b>
총 두께	<b>0.278 in</b>	<b>7.06 mm</b>
술을다는 무게	<b>22 oz/yd<sup>2</sup></b>	<b>745.9 g/m<sup>2</sup></b>
설치 패턴 반복	<b>14.4 in x 24 in</b>	<b>36.58 cm x 60.96 cm</b>



## 권장 설치 방법

Direct Glue, Double Glue, Stretch-In

## 데이터 + 테스트

알약 테스트	<b>Pass</b>
복사 패넬 (Astm E648)	<b>Class I</b>
Nbs 연기	<b>Less Than 450</b>
정전기 성향	<b>Less Than 3.5 kv</b>
Cri 그린 라벨 플러스 (Glp)	<b>GLP2271</b>

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

## 보증

중신 상용 제한

코디네이팅 제품

Carpet Tile: **Kasuri Tile**

Broadloom: **Inlay**

속성 + 인증

Health & Wellbeing

Material Ingredient Transparency

Cradle to Cradle Certified® | Silver 레벨(버전 3.1)  
Health Product Declaration (HPD) | 1,000ppm 노출  
NSF 140 | 골드

Indoor Air Quality

CRI Green Label Plus (GLP) | GLP2271

Climate Impact

Environmental Product Declaration (EPD)

ISO14044, ISO14025 및 EN15804에 따라 타사 인증 획득

Embodied Carbon (Cradle to Gate)

11.6 (based upon 27.41 oz face weight) kg CO<sub>2</sub>/m<sup>2</sup>

Total Recycled Content

<1% (Pre-Consumer <1% | Post-Consumer 0%)

Product Packaging

100% 재활용 가능

Global Product Assessment

CE Marking (EN 14041) | 타사 인증 획득

Environmental Guarantee\* | Re[turn] Reclamation Program\* | Pickup & Delivery Available

Country of Origin\*\* | Imported

Well V2 Contribution Credit

X08 Hazardous Material Reduction Part 1: Limit Hazardous Materials Optimization – 1 pt

C2C 실버 레벨 (버전 3.1)

X10 Volatile Compound Reduction Part 1 (A): Manage Volatile Organic Compounds (VOCs) Optimization – 1 pt

C2C 실버 레벨 (버전 3.1)

X11 Long Term Emissions Control Part 2: Flooring Optimization – 1 pt

Green Label Plus Certification GLP2271

X13 Enhanced Material Precaution Part 1: Select Optimized Materials Optimization – max 2 pts

C2C 실버 레벨 (버전 3.1)

X14 Material Transparency Part 1: Promote Ingredient Disclosure Optimization – max 2 pts

C2C 실버 레벨 (버전 3.1)

녹색의 공헌 기여 크레딧

MR 크레딧 : 제품 공개 및 최적화 구축  
환경 제품 선언-옵션 1 : 환경 제품 선언 (EPD)

3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804

MR 크레딧 : 제품 공개 및 최적화 구축  
재료 성분-옵션 1 : 재료 성분보고

C2C 실버 레벨 (버전 3.1)

MR 크레딧 : 제품 공개 및 최적화 구축  
재료 성분-옵션 2 : 재료 성분 최적화

C2C 실버 레벨 (버전 3.1)


EQ 크레딧 : 저 발광 재료  
옵션 1 : 제품 범주 계산

Green Label Plus 인증: GLP2271

## Available Colorways



Ormolu 92170



Glint 92496



Tarnish 92505



Galvanized 92515



Slaughter 92555



Cast Bronze 92601



Patina 92701



Alloy 92761

## 추가 정보

\* To learn more about the recyclability of our products and our Environmental Guarantee, please visit [shawcontract.com/sustainability](https://shawcontract.com/sustainability).

\*\*Meets or exceeds all local and national regulations in country of manufacture. (Manufactured in an ISO 9001 & ISO 14001 certified facility or equivalent)

[Installation Guidelines](#)

[Maintenance Guidelines](#)

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit [shawcontract.com/testing](https://shawcontract.com/testing) for more information.



**PVC-Free**

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +61 800 556 302

© 2025 Shaw Industries Group, Inc., a Berkshire Hathaway Company  
July 1, 2025

3 of 3