

Layer

Type De Produit	Moquette EN Lé	
Collection	Rewoven	
Numéro Du Style	5A183	
Construction	Tufté Bouclé Rasé Structuré à Motif	
Fibre	Ecosolution Q® Nylon	
Méthode De Coloration	100% Solution Teinte	
Sous-couche Primaire	Synthétique	
Sous-couche Secondaire	Ultraloc®	
Traitements Protecteurs	SSP® Shaw Protection Du Sol	
Adhésif Recommandé	H1000, H1200 or H3800	
	u.s.	metric
Dimensions Du Produit	12 ft	3.66 m
Jauge	1/10 in	39.4 per 10 cm
Points	12.5 per in	49.0 per 10 cm
Densité Moyenne	6712 oz/yd³	0.248 g/cm³
Kilotex		11.39
Epaisseur Du Velours	0.305 in	7.75 mm
Poids Tufté	22 oz/yd²	745.9 g/m²
Installation Répétition Du Motif	14.4 in w x 36 in l	36.6 cm w x 91.4 cm l



Méthodes d'Installation Conseillées

Direct Glue, Double Glue, Stretch-In

Données + Tests Et Essai

Test d'Inflammabilité	Pass
Panneau Rayonnant (Astm E648)	Class I
Nbs Smoke	Less Than 450
Propension Électrostatique	Less Than 3.5 kv
Label Cri Green Label Plus (Glp)	GLP2271
Ada Compliance	>0.6, Meets the recommended static coefficient of friction for ADA walking surfaces and accessible routes***

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Garanties

Durée De Vie Commerciale Limitée

Coordination Des Produits

Carpet Tile: **Trace Tile, Align Tile, Sculpt Tile, Sculpt Loop Tile**

Broadloom: **Dimension, Contour, Outline**

Attributs + Certifications

Certification Cradle to Cradle™ (C2C)  
Déclaration environnementale de produit (EPD)

- NSF 140
- CRI Green Label Plus (GLP)
- Label CE (EN 14041)
- garantie environnementale
- contenu recyclé total
- emballage du produit
- pays d'origine

**Silver Level (Version 3.1)**  
**Certifié Par Un Organisme Tiers Conformément Aux Normes ISO14044, ISO 14025 & EN15804**  
**or**  
**GLP2271**  
**Certifié Par Un Organisme Tiers**  
**Re[turn] Reclamation Program\* | Pickup & Delivery Available**  
**<1% (Pre-Consumer <1% | Post-Consumer 0%)**  
**100% Recyclable**  
**USA**

Contribution À La Certification Leed

MR Credit: Building Product Disclosure and Optimisation  
Environmental Product Declarations - Option 1: Environmental Product Declaration (EPD)

**3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804**

MR Credit: Building Product Disclosure and Optimisation  
Material Ingredients - Option 1: Material Ingredient Reporting

**C2C Silver Level (Version 3.1)**













MR Credit: Building Product Disclosure and Optimisation  
Material Ingredients - Option 2: Material Ingredient Optimization

**C2C Silver Level (Version 3.1)**

"Crédit EQ : matériaux faibles émissions  
Option 1 : calculs par catégorie de produit"

**Certified**

Indice De Réflexion Lumineuse

					
Bisque 83111 LRV 17.8	Cork 83170 LRV 18.8	Nuance 83314 LRV 7.1	Swept 83322 LRV 7.5	Night 83496 LRV 3	Underground 83505 LRV 3.7
					
Zinc 83515 LRV 13.8	Carbon 83585 LRV 5.8	Canyon 83750 LRV 4.7	Suede 83755 LRV 11.9	Clay 83761 LRV 10.3	Brazen 83803 LRV 3

## Informations Supplémentaires

\* To learn more about the recyclability of our products and our Environmental Guarantee, please visit [shawcontract.com/sustainability](https://shawcontract.com/sustainability).

\*\*Meets or exceeds all local and national regulations in country of manufacture. (Manufactured in an ISO 9001 & ISO 14001 certified facility or equivalent)

\*\*\*This carpet is manufactured to be ADA compliant, but to be fully ADA compliant, the end-user must ensure the carpet is adhered to the floor and installed as outlined in the ADA standards.

[Installation Guidelines](#)

[Maintenance Guidelines](#)

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit [shawcontract.com/testing](https://shawcontract.com/testing) for more information.



**PVC-Free**

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | **Atlanta** +1 404 853 7429 | **Bengaluru** +91 80 6773 0202 | **Beijing** +86 10 6568 588 | **Chicago** +1 312 467 1331 | **Dubai** +971 4 584 6956 | **Hong Kong** +852 2623 0371 | **Latin America (Miami)** +1 305 827 5912 | **London** +44 207 961 4120 | **Los Angeles** +1 800 233 1614 | **Melbourne** +61 3 9939 8543 | **Mexico City** +55 5010 7600 | **Mumbai** +91 22 6284 5050 | **Nantong** +86 400 800 7429 | **New York** +1 212 953 7429 | **Paris** +33 (0) 1 81 22 44 39 | **San Francisco** +1 415 955 1920 | **Santiago** +562 2431 5000 x 550 | **São Paulo** +55 11 3071 1702 | **Shanghai** +86 21 3338 4000 | **Singapore** +65 6733 1811 | **Sydney** +1 800 556 302