

## Terra

Nom De Style	<b>Rouleaux</b>
Collection	<b>Turn-Key</b>
Numéro De Style	<b>5A037</b>
Construction	<b>Boucle Texturée</b>
Fibre	<b>Solution Q® Nylon</b>
Méthode De Teinture	<b>100% Teint EN Solution</b>
Endos Primaire	<b>Polypropylène</b>
Endos Secondaire	<b>Classicbac®</b>
Traitements Protecteur	<b>Protection Des Sols SSP® Shaw</b>
Adhésif Recommandé	<b>1000 Broadloom 4 Gallon, Shaw 1200 or 3800 Indoor Outdoor Broadloom 4 Gallon</b>

	u.s.	metric
Dimensions Du Produit	<b>12 ft</b>	<b>3.66 m</b>
Jauge	<b>1/10 in</b>	<b>39.4 per 10 cm</b>
Compte De Mailles	<b>9.0 per in</b>	<b>35.0 per 10 cm</b>
Épaisseur Fini	<b>0.099 in</b>	<b>2.51 mm</b>
Densité	<b>8727 oz/yd³</b>	<b>0.323 g/cm³</b>
Kilotex		<b>12.55</b>
Poids De La Fibre Touffetée	<b>0.256 in</b>	<b>6.5 mm</b>
Poids De La Fibre Touffetée	<b>24 oz/yd²</b>	<b>813.7 g/m²</b>
Répéter Le Schéma d'Installation	<b>None</b>	<b>None</b>



## Méthodes d'Installation Conseillées

Direct Glue, Double Glue, Stretch-In

## Spécifications Du Rendement + Tests Et Essai

Inflamabilité	<b>Pass</b>
Essai Au Panneau Radiant (Astm E648)	<b>Class I</b>
Densité Du Fumée	<b>Less Than 450</b>
Statique	<b>Less Than 3.5 kv</b>
Label Cri Green Label Plus (Glp)	<b>GLP8472</b>
Ada Conformité	<b>≥0.6, conforme au coefficient de frottement statique pour les surfaces de passage et d'accessibilité simplifiée (ADA).***</b>

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

## Garanties

Limitée Commerciale De 10 Ans

Coordination Des Produits

Broadloom: **Fossil, Text, Blog, Essential, Prime**

Attributs + Certifications

Health & Wellbeing

Material Ingredient Transparency

Indoor Air Quality

**Cradle to Cradle Certified® | Niveau Argent (Version 3.1)**  
**NSF 140 | or**  
**CRI Green Label Plus (GLP) | GLP8472**

Climate Impact

Environmental Product Declaration (EPD)

Total Recycled Content

Product Packaging

**Certifié Par Une Tierce Partie Conformément Aux Normes ISO 14044, ISO 14025 Et EN 15804**  
**<1% (Pre-Consumer <1% | Post-Consumer 0%)**  
**100% Recyclable**

Global Product Assessment







**CE Marking (EN 14041) | Certifié Par Un Tiers**  
**Environmental Guarantee\* | Re[turn] Reclamation Program\* | Pickup & Delivery Available**  
**Country of Origin\*\* | Imported**

Contribution Au Certificat Vert Leed







« Crédit MR : Divulgation et optimisation des produits de construction  
« Crédit MR : Divulgation et optimisation des produits de construction  
« Crédit MR : Divulgation et optimisation des produits de construction  
Crédit EQ : matériaux faibles émissions

**3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804**  
**C2C Silver Level (Version 3.1)**  
**C2C Silver Level (Version 3.1)**  
**Green Label Plus Certification: GLP8472**

Available Colorways



Burl 37150   Cypress 37220   Willow 37315   Alder 37485   Black Gum 37500   Tupelo 37510



Tigerwood 37515   Hemlock 37550   Teak 37750   Cocobola 37760   Sequoia 37761   Sassafras 37855

 **Quick Ship** 2 semaines - jusqu'à 2 500 mètres carrés des États-Unis

## Informations Supplémentaires

\* To learn more about the recyclability of our products and our Environmental Guarantee, please visit [shawcontract.com/sustainability](https://shawcontract.com/sustainability).

\*\*Meets or exceeds all local and national regulations in country of manufacture. (Manufactured in an ISO 9001 & ISO 14001 certified facility or equivalent)

\*\*\*This carpet is manufactured to be ADA compliant, but to be fully ADA compliant, the end-user must ensure the carpet is adhered to the floor and installed as outlined in the ADA standards.

[Installation Guidelines](#)

[Maintenance Guidelines](#)

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit [shawcontract.com/testing](https://shawcontract.com/testing) for more information.



**PVC-Free**

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | Latin America (Miami) +1 305 827 5912 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Santiago +562 2431 5000 x 550 | São Paulo +55 11 3071 1702 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +61 800 556 302