

## Enhance Solid

Nom De Style	<b>Rouleaux</b>
Collection	<b>Living Environments</b>
Numéro De Style	<b>5A349</b>
Colorguard	<b>Yes</b>
Endos Primaire	<b>Polypropylène</b>
Endos Secondaire	<b>Classicbac®</b>
Approved Spaces	<b>Units Only</b>
Adhésif Recommandé	<b>1000 Broadloom or 3800 Indoor Outdoor Broadloom</b>

	u.s.	metric
Dimensions Du Produit	<b>12 ft</b>	<b>3.66 m</b>
Jauge	<b>3/16 in</b>	<b>21 per 10 cm</b>
Compte De Mailles	<b>7.5 per in</b>	<b>30.5 per 10 cm</b>
Épaisseur Fini	<b>0.550 in</b>	<b>13.97 mm</b>
Densité	<b>1597 oz/yd<sup>3</sup></b>	<b>0.059 g/cm<sup>3</sup></b>
Poids De La Fibre	<b>25 oz/yd<sup>2</sup></b>	<b>847.6 g/m<sup>2</sup></b>
Touffetée		
Répéter Le Schéma d'Installation	<b>None</b>	<b>None</b>



### Méthodes d'Installation Conseillées

Direct Glue, Double Glue, Stretch-In

### Spécifications Du Rendement + Tests Et Essai

Inflammabilité	<b>Pass</b>
Label Cri Green Label Plus (Glp)	<b>GLP9984</b>

### Attributs + Certifications

#### Health & Wellbeing

Material Ingredient Transparency

Indoor Air Quality

**Cradle to Cradle Certified® | Niveau Bronze (Version 3.1)**  
**NSF 140 | or**  
**CRI Green Label Plus (GLP) | GLP9984**

#### Climate Impact

Environmental Product Declaration (EPD)

Product Packaging

**in Accordance to ISO 14025, EN15804 And ISO 21930:2017**  
**100% Recyclable**

#### Global Product Assessment

**CE Marking (EN 14041) | Certifié Par Un Tiers**  
**Environmental Guarantee\* | Re[turn] Reclamation Program\* | Pickup & Delivery Available**  
**Country of Origin\*\* | Imported**

## Coordination Des Produits

COREtec: **Repose**Broadloom: **Scenery, Reimagine, Statement, Niche, Prepare, Remedy I, Remedy II, Personable, Prominent, Endeavor, Cocoon, Prolific Solid, Prolific Berber, Enhance Tonal, Upscale, Imagery, Sentiment**


## Well V2 Contribution Credit

X08 Réduction des matières dangereuses Partie 1 : Optimisation des limites des matières dangereuses – 1 pt	<b>C2C Bronze Level (Version 3.1)</b>
X10 Réduction des composés volatils Partie 1 (A) : Gérer l'optimisation des composés organiques volatils (COV) - 1 pt	<b>C2C Bronze Level (Version 3.1)</b>
X11 Contrôle des émissions à long terme Partie 2 : Optimisation des revêtements de sol – 1 pt	<b>Green Label Plus Certification glp9984</b>
X13 Enhanced Material Precaution Part 1: Select Optimized Materials Optimization - max 2 pts	<b>C2C Bronze Level (Version 3.1)</b>
X14 Transparence des matériaux Partie 1 : Promouvoir l'optimisation de la divulgation des ingrédients - max 2 pts	<b>C2C Bronze Level (Version 3.1)</b>

## Contribution Au Certificat Vert Leed

« Crédit MR : Divulcation et optimisation des produits de construction	<b>C2C Bronze Level (Version 3.1)</b>
« Crédit MR : Divulcation et optimisation des produits de construction	<b>C2C Bronze Level (Version 3.1)</b>
Crédit EQ : matériaux faibles émissions	<b>Green Label Plus Certification: GLP9984</b>

## Available Colorways



## Informations Supplémentaires

\* To learn more about the recyclability of our products and our Environmental Guarantee, please visit [shawcontract.com/sustainability](https://shawcontract.com/sustainability).

\*\*Meets or exceeds all local and national regulations in country of manufacture. (Manufactured in an ISO 9001 & ISO 14001 certified facility or equivalent)

[Installation Guidelines](#)

[Maintenance Guidelines](#)

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit [shawcontract.com/testing](https://shawcontract.com/testing) for more information.

