


Base Metal Woven

Product Type	Broadloom	
Collection	Noble Materials	
Style Number	5A219	
Aspect	Woven Pattern Cut/Loop	
Fiber	Ecosolution Q® Nylon	
Dye Method	100% Solution Dyed	
Primary Backing	Synthetic	
Protective Treatments	SSP® Shaw Soil Protection	
Recommended Adhesive	1000 Broadloom 4 Gallon or 3800 Indoor Outdoor Broadloom 4 Gallon	
	u.s.	metric
Product Size	12 ft	3.66 m
Row	7	27.56 per 10 cm
Pitch	216	850.39 per 10 cm
Finished Pile Thickness	0.181 inches	4.60 mm
Average Density	7558 per cu.yd.	0.28 g/cm³
Total Thickness	0.315 inches	8 mm
Woven Pile Weight	38 oz/yd²	1288.4 g/m²
Installation Pattern Repeat	.375 in	.95 cm



Recommended Installation Method

Direct Glue, Stretch-In

Data + Testing

Pill Test	Pass
Radiant Panel	Class I
Nbs Smoke	Less Than 450
Electrostatic Propensity	Less Than 3.5 kv
Cri Green Label Plus (Glp)	GLP6982
Ada Compliance	>0.6, Meets the recommended static coefficient of friction for ADA walking surfaces and accessible routes***

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Warranties

10 Year Commercial Limited

Coordinating Products

LVT: **Emerge**

Carpet Tile: **Slab Tile, Honed Tile, Alchemy Tile, Form Tile**

Broadloom: **Monolith Woven, Strata, Fault**

Material Health & Environmental Certifications

Health & Wellbeing	
Indoor Air Quality	CRI Green Label Plus (GLP) GLP6982
Climate Impact	
Environmental Product Declaration (EPD)	Self Reported Composition Declaration
Total Recycled Content	<1% (Pre-Consumer <1% Post-Consumer 0%)
Product Packaging	100% Recyclable
Global Product Assessment	Environmental Guarantee* Re[turn] Reclamation Program* Pickup & Delivery Available
	Country of Origin** USA










Green Leed Contribution Credit

MR Credit: Building Product Disclosure and Optimization

Environmental Product Declarations - Option 1: Environmental Product Declaration (EPD)

0

Available Colorways

					
Cararra Silver 18100	Alabaster Gold 18111	Colossal Bismut 18496	Onyx Silver 18505	Element Platinu 18506	Forge Platinum 18518
					
Talc Platinum 18535	Cornerstone Cop 18555	Slate Palladium 18595			

Additional Information

* To learn more about the recyclability of our products and our Environmental Guarantee, please visit shawcontract.com/sustainability .	
**Meets or exceeds all local and national regulations in country of manufacture. (Manufactured in an ISO 9001 & ISO 14001 certified facility or equivalent)	
***This carpet is manufactured to be ADA compliant, but to be fully ADA compliant, the end-user must ensure the carpet is adhered to the floor and installed as outlined in the ADA standards.	
Installation Guidelines	Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.
Maintenance Guidelines	This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.



PVC-Free