

Base Metal Woven

Product Type	Broadloom	
Collection	Noble Materials	
Style Number	5A219	
Aspect	Woven Pattern Cut/Loop	
Fiber	Ecosolution Q® Nylon	
Dye Method	100% Solution Dyed	
Primary Backing	Synthetic	
Protective Treatments	SSP® Shaw Soil Protection	
	u.s.	metric
Product Size	12 ft	3.66 m
Row	7	27.56 per 10 cm
Pitch	216	850.39 per 10 cm
Average Density	7558 per cu.yd.	0.28 g/cm³
Total Thickness	0.315 inches	8 mm
Woven Pile Weight	38 oz/yd²	1288.4 g/m²
Installation Pattern Repeat	.375 in	.95 cm



Recommended Installation Method

Direct Glue, Stretch-In

Data + Testing

Pill Test	Pass
Radiant Panel	Class I
Nbs Smoke	Less Than 450
Electrostatic Propensity	Less Than 3.5 kv
Cri Green Label Plus (Glp)	GLP6982
Ada Compliance	>0.6, Meets the recommended static coefficient of friction for ADA walking surfaces and accessible routes***

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Warranties

10 Year Commercial Limited



PVC-Free