

## Base Metal Woven

Tipo De Produto	Broadloom
Coleção	Noble Materials
Número Do Produto	5A219
Aspect	Pelo Cortado/Bouclé Padrao Woven
Fibra	Ecosolution Q® Nylon
Método De Tingimento	100% Solution Dyed
Base Primária	Sintético
Tratamentos De Proteção	SSP® Shaw Proteção Anti-Manchas

	u.s.	metric
Tamanho Do Produto	12 ft	3.66 m
Row	7	27.56 per 10 cm
Pitch	216	850.39 per 10 cm
Densidade Média	7558 per cu.yd.	0.28 g/cm³
Espessura Total	0.315 inches	8 mm
Woven Pile Weight	38 oz/yd²	1288.4 g/m²
Repetição Do Padrão Na Instalação	.375 in	.95 cm



## Método De Instalação Recomendado

Direct Glue, Stretch-In

## Dados + Teste

Teste De Ignição (Pill)	Pass
Painel Radiante (Astm E648)	Class I
Nbs Fumaça	Less Than 450
Propensão Eletrostática	Less Than 3.5 kv
Cri Green Label Plus (Bpl)	GLP6982
Ada Compliance	≥0.6, Atende as recomendações do coeficiente de fricção estático para as superfícies caminháveis ADA e rotas acessíveis***

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

## Garantias

10 Anos Comercial Limitada

Produtos Coordenados

LVT: **Emerge**  
Carpet Tile: **Slab Tile, Honed Tile, Alchemy Tile, Form Tile**  
Broadloom: **Monolith Woven, Strata, Fault**


Atributos + Certificações

Health & Wellbeing	
Indoor Air Quality	CRI Green Label Plus (GLP)   GLP6982
Climate Impact	
Total Recycled Content	<1% (Pre-Consumer <1%   Post-Consumer 0%)
Product Packaging	100% Reciclável
Global Product Assessment	Environmental Guarantee*   Re[turn] Reclamation Program*   Pickup & Delivery Available
	Country of Origin**   Imported

Crédito De Contribuição

MR Credit: Divulgação e otimização de produtos de construção0  
Declarações ambientais do produto - Opção 1: Declaração ambiental do produto (EPD)

Available Colorways



Informação Adicional

\* To learn more about the recyclability of our products and our Environmental Guarantee, please visit [shawcontract.com/sustainability](https://shawcontract.com/sustainability).  
\*\*Meets or exceeds all local and national regulations in country of manufacture. (Manufactured in an ISO 9001 & ISO 14001 certified facility or equivalent)  
\*\*\*This carpet is manufactured to be ADA compliant, but to be fully ADA compliant, the end-user must ensure the carpet is adhered to the floor and installed as outlined in the ADA standards.  
Installation Guidelines  
Maintenance Guidelines  
Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.  
This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.  
Visit [shawcontract.com/testing](https://shawcontract.com/testing) for more information.



PVC-Free