

Monolith Woven

| | | |
|--------------------|-----------------|------------------|
| 製品型 | Broadloom | |
| コレクション | Noble Materials | |
| スタイルナンバー | 5A218 | |
| Aspect | 織パターン カット/ループ | |
| ファイバ | エコソリューションQ®ナイロン | |
| 染色法 | 100% 原液着色 | |
| 一次バッキング | 合成 | |
| 保護治療 | SSP@shaw 土壌保護保証 | |
| | u.s. | metric |
| 商品のサイズ | 12 ft | 3.66 m |
| Row | 7.0 | 850.39 per 10 cm |
| Pitch | 216 | 27.56 per 10 cm |
| 完成した杭の厚さ | 0.185 inches | 4.70 mm |
| 平均密度 | 8173 per cu.yd. | 0.302 g/cm³ |
| 総厚 | 0.341 inches | 8.66 mm |
| Woven Pile Weight | 42 oz/yd² | 1424 g/m² |
| インストールパターン リピート | .75 in | 1.91 cm |



推奨インストール方法

Stretch-In

データ + テスト

| | |
|----------------------------|---|
| 錠剤テスト | Pass |
| 放射パネル (astm E648) | Class I |
| Nbs煙 | Less Than 450 |
| 静電気の傾向 | Less Than 3.5 kv |
| Cri Green Label Plus (glp) | GLP6982 |
| Adaコンプライアンス | >0.6、ADA 歩行面およびアクセス可能ルート用推奨静摩擦係数の基準に合致*** |

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

保証

10年間の商用限定保証

コーディネート商品

Carpet Tile: **Slab Tile, Honed Tile, Alchemy Tile, Form Tile**
Broadloom: **Base Metal Woven, Strata, Fault**


属性+認定

| | |
|---------------------------|--|
| Health & Wellbeing | |
| Indoor Air Quality | CRI Green Label Plus (GLP) GLP6982 |
| Climate Impact | |
| Total Recycled Content | <1% (Pre-Consumer <1% Post-Consumer 0%) |
| Product Packaging | 100% リサイクル可能 |
| Global Product Assessment | Environmental Guarantee* Re[turn] Reclamation Program* Pickup & Delivery Available |
| | Country of Origin** Imported |

グリーンリード貢献クレジット

MRクレジット：製品の開示と最適化の構築0
環境製品宣言-オプション1：環境製品宣言（EPD）

Available Colorways



追加情報

| | |
|--|--|
| * To learn more about the recyclability of our products and our Environmental Guarantee, please visit shawcontract.com/sustainability . | |
| **Meets or exceeds all local and national regulations in country of manufacture. (Manufactured in an ISO 9001 & ISO 14001 certified facility or equivalent) | |
| ***This carpet is manufactured to be ADA compliant, but to be fully ADA compliant, the end-user must ensure the carpet is adhered to the floor and installed as outlined in the ADA standards. | |
| Installation Guidelines | Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice. |
| Maintenance Guidelines | This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited. |
| | Visit shawcontract.com/testing for more information. |

