

## Switch

|                                  |                                       |                           |
|----------------------------------|---------------------------------------|---------------------------|
| Type De Produit                  | <b>Moquette EN Lé</b>                 |                           |
| Collection                       | <b>View</b>                           |                           |
| Numéro Du Style                  | <b>5A205</b>                          |                           |
| Construction                     | <b>Tufté Structuré Bouclé à Motif</b> |                           |
| Fibre                            | <b>Ecosolution Q® Nylon</b>           |                           |
| Méthode De Coloration            | <b>100% Solution Teinte</b>           |                           |
| Sous-couche Primaire             | <b>Synthétique</b>                    |                           |
| Sous-couche Secondaire           | <b>Classicbac®</b>                    |                           |
| Traitements Protecteurs          | <b>SSP® Shaw Protection Du Sol</b>    |                           |
| Adhésif Recommandé               | <b>H1000, H1200 or H3800</b>          |                           |
|                                  | u.s.                                  | metric                    |
| Dimensions Du Produit            | <b>12 ft</b>                          | <b>3.66 m</b>             |
| Jauge                            | <b>1/10 in</b>                        | <b>39.4 per 10 cm</b>     |
| Points                           | <b>10.5 per in</b>                    | <b>41.5 per 10 cm</b>     |
| Densité Moyenne                  | <b>5035 oz/yd³</b>                    | <b>0.186 g/cm³</b>        |
| Kilotex                          |                                       | <b>11.64</b>              |
| Epaisseur Du Velours             | <b>0.274 in</b>                       | <b>6.96 mm</b>            |
| Poids Tufté                      | <b>20 oz/yd²</b>                      | <b>678.1 g/m²</b>         |
| Installation Répétition Du Motif | <b>14.4 in x 20 in</b>                | <b>36.58 cm x 50.8 cm</b> |



## Méthodes d'Installation Conseillées

Direct Glue, Double Glue, Stretch-In

## Données + Tests Et Essai

|                                  |  |
|----------------------------------|--|
| Test d'Inflammabilité            | <b>Pass</b>  |
| Panneau Rayonnant (Astm E648)    | <b>Class I</b>   |
| Nbs Smoke                        | <b>Less Than 450</b>   |
| Propension Électrostatique       | <b>Less Than 3.5 kv</b>  |
| Label Cri Green Label Plus (Glp) | <b>GLP8472</b>   |
| Ada Compliance                   | <b>&gt;0.6, Meets the recommended static coefficient of friction for ADA walking surfaces and accessible routes***</b> |

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

## Garanties

Limitée Commerciale De 10 Ans

Coordination Des Produits

Carpet Tile: **Reverse Tile, Shape Tile, Direction Tile, Realm Tile, Field Tile, Scape Tile**  
Broadloom: **Transfer, Modify**













Attributs + Certifications

|   |  |
|---|--|
| Certification Cradle to Cradle™ (C2C)         | <b>Silver Level (Version 3.1)</b>  |
| Déclaration environnementale de produit (EPD) | <b>Certifié Par Un Organisme Tiers Conformément Aux Normes ISO14044, ISO 14025 &amp; EN15804</b> |
| NSF 140                                       | <b>or</b>  |
| CRI Green Label Plus (GLP)                    | <b>GLP8472</b>   |
| Label CE (EN 14041)                           | <b>Certifié Par Un Organisme Tiers</b>   |
| garantie environnementale                     | <b>Re[turn] Reclamation Program*   Pickup &amp; Delivery Available</b>                           |
| contenu recyclé total                         | <b>&lt;1% (Pre-Consumer &lt;1%   Post-Consumer 0%)</b>   |
| emballage du produit                          | <b>100% Recyclable</b>   |
| pays d'origine                                | <b>USA</b>   |

Contribution À La Certification Leed

|   |  |
|---|--|
| MR Credit: Building Product Disclosure and Optimisation<br>Environmental Product Declarations - Option 1: Environmental Product Declaration (EPD) | <b>3rd Party Certified in Accordance with ISO14044, ISO14025 &amp; EN15804</b> |
| MR Credit: Building Product Disclosure and Optimisation<br>Material Ingredients - Option 1: Material Ingredient Reporting                         | <b>C2C Silver Level (Version 3.1)</b>  |
| MR Credit: Building Product Disclosure and Optimisation<br>Material Ingredients - Option 2: Material Ingredient Optimization                      | <b>C2C Silver Level (Version 3.1)</b>  |
| "Crédit EQ : matériaux faibles émissions<br>Option 1 : calculs par catégorie de produit"  | <b>Certified</b>   |

Available Colorways

|  |   |   |  |   |   |
|--|---|---|--|---|---|
|  |  |  |  |  |  |
| Sight 03111  | Drift 03170   | Flip 03335  | Vista 03481  | Horizon 03496   | Space 03500   |
|  |  |  |  |  |  |
| Zone 03505   | Gaze 03530  | Outlook 03557   | Distance 03597   | Range 03755   | Area 03761  |

## Informations Supplémentaires

\* To learn more about the recyclability of our products and our Environmental Guarantee, please visit [shawcontract.com/sustainability](https://shawcontract.com/sustainability).

\*\*Meets or exceeds all local and national regulations in country of manufacture. (Manufactured in an ISO 9001 & ISO 14001 certified facility or equivalent)

\*\*\*This carpet is manufactured to be ADA compliant, but to be fully ADA compliant, the end-user must ensure the carpet is adhered to the floor and installed as outlined in the ADA standards.

[Installation Guidelines](#)

[Maintenance Guidelines](#)

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit [shawcontract.com/testing](https://shawcontract.com/testing) for more information.



## PVC-Free

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | Latin America (Miami) +1 305 827 5912 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Santiago +562 2431 5000 x 550 | São Paulo +55 11 3071 1702 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +1 800 556 302