

Modify

| | | |
|-----------------------------|---------------------------|------------------|
| Product Type | Broadloom | |
| Collection | View | |
| Style Number | 5A204 | |
| Construction | Multi-Level Pattern Loop | |
| Fiber | Ecosolution Q® Nylon | |
| Dye Method | 100% Solution Dyed | |
| Primary Backing | Synthetic | |
| Secondary Backing | Classicbac® | |
| Protective Treatments | SSP® Shaw Soil Protection | |
| Recommended Adhesive | H1000, H1200 or H3800 | |
| | metric | u.s. |
| Product Size | 3.66 m | 12 ft |
| Gauge | 39.4 per 10 cm | 1/10 in |
| Stitches | 44.5 per 10 cm | 11.0 per in |
| Average Density | 0.192 g/cm³ | 5180 oz/yd³ |
| Kilotex | 11.35 | |
| Total Thickness | 6.78 mm | 0.267 in |
| Tufted Weight | 678.1 g/m² | 20 oz/yd² |
| Installation Pattern Repeat | 2.03 cm x 3.18 cm | 0.8 in x 1.25 in |



Recommended Installation Method

Direct Glue, Double Glue, Stretch-In

Performance + Testing

| | |
|----------------------------|--|
| Pill Test | Pass |
| Radiant Panel | Class I |
| NBS Smoke | Less Than 450 |
| Electrostatic Propensity | Less Than 3.5 kv |
| CRI Green Label Plus (GLP) | GLP8472 |
| ADA Compliance | >0.6, Meets the recommended static coefficient of friction for ADA walking surfaces and accessible routes*** |

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Warranties

10 Year Commercial Limited

Coordinating Products

Carpet Tile: **Reverse Tile, Shape Tile, Direction Tile, Realm Tile, Field Tile, Scape Tile**

Broadloom: **Transfer, Switch**


Material Health & Environmental Certifications

| | |
|---|---|
| Cradle to Cradle Certified® | Silver Level (Version 3.1) |
| Environmental Product Declaration (EPD) | 3rd Party Certified in Accordance with ISO 14044, ISO 14025 & EN15804 |
| NSF 140 | Gold |
| CRI Green Label Plus (GLP) | GLP8472 |
| Environmental Guarantee* | Re[turn] Reclamation Program* Pickup & Delivery Available |
| Total Recycled Content | <1% (Pre-Consumer <1% Post-Consumer 0%) |
| Product Packaging | 100% Recyclable |
| Country of Origin** | USA |


Leed v4 Contribution Credits

| | |
|---|---|
| MR Credit: Building Product Disclosure and Optimization Environmental Product Declarations - Option 1: Environmental Product Declaration (EPD) | 3rd Party Certified in Accordance with ISO 14044, ISO 14025 & EN15804 |
| MR Credit: Building Product Disclosure and Optimization Material Ingredients - Option 1: Material Ingredient Reporting | C2C Silver Level (Version 3.1) |
| MR Credit: Building Product Disclosure and Optimization Material Ingredients - Option 2: Material Ingredient Optimization | C2C Silver Level (Version 3.1) |
| EQ Credit: Low Emitting Materials Option 1: Product Category Calculations | Certified |


Available Colorways




Sight 03111




Drift 03170




Flip 03335




Vista 03481




Horizon 03496




Space 03500




Zone 03505




Gaze 03530




Outlook 03557



Distance 03597



Range 03755



Area 03761

Additional Information

* To learn more about the recyclability of our products and our Environmental Guarantee, please visit shawcontract.com/sustainability.

**Meets or exceeds all local and national regulations in country of manufacture. (Manufactured in an ISO 9001 & ISO 14001 certified facility or equivalent)

***This carpet is manufactured to be ADA compliant, but to be fully ADA compliant, the end-user must ensure the carpet is adhered to the floor and installed as outlined in the ADA standards.

[Installation Guidelines](#)
Maintenance Guidelines

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit shawcontract.com/testing for more information.

