

## Strata

製品型	Broadloom
コレクション	Noble Materials
スタイルナンバー	5A220
建設	マルチレベルパターン/カットループ
ファイバ	エコソリューションQ®ナイロン
染色法	100% 原液着色
一次バックイング	合成
二次バックイング	Ultraloc®
保護治療	SSP@shaw 土壌保護保証
推奨接着剤	1000 Broadloom 4 Gallon or 3800 Indoor Outdoor Broadloom 4 Gallon

	u.s.	metric
商品のサイズ	12 ft	3.66 m
ゲージ	1/11 in	43.3 per 10 cm
ステッチ	11.0 per in	43.0 per 10 cm
完成した杭の厚さ	0.240 in	6.1 mm
平均密度	6000 oz/yd <sup>3</sup>	0.222 g/cm <sup>3</sup>
キロテックス		10.95
総厚	0.395 in	10.03 mm
房状の重量	40 oz/yd <sup>2</sup>	1356.2 g/m <sup>2</sup>
インストールパターン リピート	24 in x 24 in	61 cm x 61 cm



### 推奨インストール方法

Direct Glue, Double Glue, Stretch-In

### データ + テスト

錠剤テスト	Pass
放射パネル (astm E648)	Class I
Nbs煙	Less Than 450
静電気の傾向	Less Than 3.5 kv
Cri Green Label Plus (glp)	GLP2271
Adaコンプライアンス	>0.6、ADA 歩行面およびアクセス可能ルート用推奨静摩擦係数の基準に合致***

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

### 保証

生涯商用限定保証

コーディネート商品

Carpet Tile: **Slab Tile, Honed Tile, Alchemy Tile, Form Tile**  
Broadloom: **Monolith Woven, Base Metal Woven, Fault**

属性+認定

Health & Wellbeing	
Material Ingredient Transparency	Cradle to Cradle Certified®   シルバーレベル (バージョン 3.1) Health Product Declaration (HPD)   1,000 ppm 開示 NSF 140   ゴールド
Indoor Air Quality	CRI Green Label Plus (GLP)   GLP2271
Climate Impact	
Environmental Product Declaration (EPD)	ISO14044、ISO14025 および EN15804 に基づく 第三者認証取得
Embodied Carbon (Cradle to Gate)	11.6 (based upon 27.41 oz face weight) kg CO <sub>2</sub> /m <sup>2</sup>
Total Recycled Content	<1% (Pre-Consumer <1%   Post-Consumer 0%)
Product Packaging	100% リサイクル可能
Global Product Assessment	CE Marking (EN 14041)   第三者認証取得 Environmental Guarantee*   Re[turn] Reclamation Program*   Pickup & Delivery Available Country of Origin**   Imported

Well V2 Contribution Credit

X08 Hazardous Material Reduction Part 1: Limit Hazardous Materials Optimization – 1 pt	「C2C」シルバーレベル (バージョン3.1)
X10 Volatile Compound Reduction Part 1 (A): Manage Volatile Organic Compounds (VOCs) Optimization – 1 pt	「C2C」シルバーレベル (バージョン3.1)
X11 Long Term Emissions Control Part 2: Flooring Optimization – 1 pt	Green Label Plus Certification GLP2271
X13 Enhanced Material Precaution Part 1: Select Optimized Materials Optimization – max 2 pts	「C2C」シルバーレベル (バージョン3.1)
X14 Material Transparency Part 1: Promote Ingredient Disclosure Optimization – max 2 pts	「C2C」シルバーレベル (バージョン3.1)


グリーンリード貢献クレジット

MRクレジット：製品の開示と最適化の構築 環境製品宣言-オプション1：環境製品宣言 (EPD)	3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804
MRクレジット：製品の開示と最適化の構築 材料成分-オプション1：材料成分レポート	「C2C」シルバーレベル (バージョン3.1)
MRクレジット：製品の開示と最適化の構築 材料成分-オプション2：材料成分の最適化	「C2C」シルバーレベル (バージョン3.1)
EQクレジット：低排出材料 オプション1：製品カテゴリの計算	Green Label Plus Certification: GLP2271


## Available Colorways



Carrara 20100  
LRV 39.9 | L\* 69.41



Alabaster 20111  
LRV 25.1 | L\* 57.14




Colossal 20496  
LRV 3.5 | L\* 22.06




Onyx 20505  
LRV 1.8 | L\* 14.2




Element 20506  
LRV 17.5 | L\* 48.9




Forge 20518  
LRV 8.9 | L\* 35.74



Talc 20535  
LRV 13.8 | L\* 43.91



Cornerstone 20555  
LRV 7.9 | L\* 33.83



Slate 20595  
LRV 5.8 | L\* 28.78

## 追加情報

\* To learn more about the recyclability of our products and our Environmental Guarantee, please visit [shawcontract.com/sustainability](https://shawcontract.com/sustainability).

\*\*Meets or exceeds all local and national regulations in country of manufacture. (Manufactured in an ISO 9001 & ISO 14001 certified facility or equivalent)

\*\*\*This carpet is manufactured to be ADA compliant, but to be fully ADA compliant, the end-user must ensure the carpet is adhered to the floor and installed as outlined in the ADA standards.

[Installation Guidelines](#)

[Maintenance Guidelines](#)

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit [shawcontract.com/testing](https://shawcontract.com/testing) for more information.



**PVC-Free**

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +61 800 556 302

© 2025 Shaw Industries Group, Inc., a Berkshire Hathaway Company  
July 3, 2025

3 of 3