

## Inherit

Nom De Style	<b>Rouleaux</b>
Collection	<b>Modern Edit</b>
Numéro De Style	<b>5A229</b>
Construction	<b>Motif à Plusieurs Niveaux/Boucle De Coupe</b>
Fibre	<b>Ecosolution Q® Nylon</b>
Endos Primaire	<b>Synthétique</b>
Endos Secondaire	<b>Ultraloc®</b>
Traitements Protecteur	<b>Protection Des Sols SSP® Shaw</b>
Adhésif Recommandé	<b>H1000, H1200 or H3800</b>

	u.s.	metric
Dimensions Du Produit	<b>12 ft</b>	<b>3.66 m</b>
Jauge	<b>1/12 in</b>	<b>47.2 per 10 cm</b>
Compte De Mailles	<b>9.0 per in</b>	<b>36.0 per 10 cm</b>
Densité	<b>6583 oz/yd<sup>3</sup></b>	<b>0.244 g/cm<sup>3</sup></b>
Kilotex		<b>18.87</b>
Poids De La Fibre Touffetée	<b>0.348 in</b>	<b>8.84 mm</b>
Poids De La Fibre Touffetée	<b>32 oz/yd<sup>2</sup></b>	<b>1085 g/m<sup>2</sup></b>
Répéter Le Schéma d'Installation	<b>72 in x 72 in</b>	<b>1.83 m x 1.83 m</b>



## Méthodes d'Installation Conseillées

Direct Glue, Double Glue, Stretch-In

## Spécifications Du Rendement + Tests Et Essai

Inflammabilité	<b>Pass</b>
Essai Au Panneau Radiant (Astm E648)	<b>Class I</b>
Densité Du Fumée	<b>Less Than 450</b>
Statique	<b>Less Than 3.5 kv</b>
Label Cri Green Label Plus (Glp)	<b>GLP2271</b>
Ada Conformité	<b>≥0.6, conforme au coefficient de frottement statique pour les surfaces de passage et d'accessibilité simplifiée (ADA).***</b>

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

## Garanties

Commerciale Limitée

Coordination Des Produits

LVT: **Intricate**  
Carpet Tile: **Rethread Tile, Ornate Tile**  
Broadloom: **Edition**

Attributs + Certifications

Health & Wellbeing

- Material Ingredient Transparency
- Indoor Air Quality

Cradle to Cradle Certified® | Niveau Argent (Version 3.1)  
NSF 140 | or  
CRI Green Label Plus (GLP) | GLP2271

Climate Impact

- Environmental Product Declaration (EPD)
- Total Recycled Content
- Product Packaging

Certifié Par Une Tierce Partie Conformément Aux Normes ISO 14044,  
ISO 14025 Et EN 15804  
<1% (Pre-Consumer <1% | Post-Consumer 0%)  
100% Recyclable

Global Product Assessment













CE Marking (EN 14041) | Certifié Par Un Tiers  
Environmental Guarantee\* | Re[turn] Reclamation Program\* | Pickup &  
Delivery Available  
Country of Origin\*\* | Imported

Contribution Au Certificat Vert Leed

- « Crédit MR : Divulgation et optimisation des produits de construction
- « Crédit MR : Divulgation et optimisation des produits de construction
- « Crédit MR : Divulgation et optimisation des produits de construction
- Crédit EQ : matériaux faibles émissions

3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804  
C2C Silver Level (Version 3.1)  
C2C Silver Level (Version 3.1)  
Green Label Plus Certification: GLP2271

Available Colorways

					
Ivory 64144 LRV 26.5	Ochre 64155 LRV 14.7	Heritage Blue 64481 LRV 12.6	Indigo 64496 LRV 3.4	Antique 64504 LRV 18	Eternal 64505 LRV 2.9
					
Glass 64515 LRV 26	Grey Slate 64535 LRV 12.1	Vintage Grey 64595 LRV 9.7	Hearth 64760 LRV 4.6	Umber 64855	Brocade 64911 LRV 5.4

## Informations Supplémentaires

\* To learn more about the recyclability of our products and our Environmental Guarantee, please visit [shawcontract.com/sustainability](https://shawcontract.com/sustainability).

\*\*Meets or exceeds all local and national regulations in country of manufacture. (Manufactured in an ISO 9001 & ISO 14001 certified facility or equivalent)

\*\*\*This carpet is manufactured to be ADA compliant, but to be fully ADA compliant, the end-user must ensure the carpet is adhered to the floor and installed as outlined in the ADA standards.

[Installation Guidelines](#)

[Maintenance Guidelines](#)

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit [shawcontract.com/testing](https://shawcontract.com/testing) for more information.



**PVC-Free**

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | **Atlanta** +1 404 853 7429 | **Bengaluru** +91 80 6773 0202 | **Beijing** +86 10 6568 588 | **Chicago** +1 312 467 1331 | **Dubai** +971 4 584 6956 | **Hong Kong** +852 2623 0371 | **Latin America (Miami)** +1 305 827 5912 | **London** +44 207 961 4120 | **Los Angeles** +1 800 233 1614 | **Melbourne** +61 3 9939 8543 | **Mexico City** +55 5010 7600 | **Mumbai** +91 22 6284 5050 | **Nantong** +86 400 800 7429 | **New York** +1 212 953 7429 | **Paris** +33 (0) 1 81 22 44 39 | **San Francisco** +1 415 955 1920 | **Santiago** +562 2431 5000 x 550 | **São Paulo** +55 11 3071 1702 | **Shanghai** +86 21 3338 4000 | **Singapore** +65 6733 1811 | **Sydney** +1 800 556 302