

Edition

|                             |  |                 |
|-----------------------------|--|-----------------|
| Product Type                | Broadloom  |                 |
| Collection                  | Modern Edit  |                 |
| Style Number                | 5A228  |                 |
| Construction                | Multi-Level Pattern/Cut Loop   |                 |
| Fibre                       | Ecosolution Q® Nylon   |                 |
| Primary Backing             | Synthetic  |                 |
| Secondary Backing           | Ultraloc®  |                 |
| Protective Treatments       | SSP® Shaw Soil Protection  |                 |
| Recommended Adhesive        | 1000 Broadloom 4 Gallon, Shaw 1200 or 3800 Indoor Outdoor Broadloom 4 Gallon |                 |
|                             | u.s.   | metric          |
| Product Size                | 12 ft  | 3.66 m          |
| Gauge                       | 1/12 in  | 47.2 per 10 cm  |
| Stitches                    | 9.0 per in   | 36.0 per 10 cm  |
| Finished Pile Thickness     | 0.179 in   | 4.55 mm         |
| Average Density             | 6838 oz/yd³  | 0.253 g/cm³     |
| Kilotex                     |  | 19.41           |
| Total Thickness             | 0.250 in   | 6.35 mm         |
| Tufted Weight               | 34 oz/yd²  | 1152.8 g/m²     |
| Installation Pattern Repeat | 72 in x 48 in  | 1.83 m x 1.22 m |



Recommended Installation Method

Direct Glue, Double Glue, Stretch-In

Data + Testing

|                            |  |
|----------------------------|--|
| Pill Test                  | Pass   |
| Radiant Panel (Astm E648)  | Class I  |
| Nbs Smoke                  | Less Than 450  |
| Electrostatic Propensity   | Less Than 3.5 kv   |
| Cri Green Label Plus (Glp) | GLP2271  |
| Ada Compliance             | >0.6, Meets the recommended static coefficient of friction for ADA walking surfaces and accessible routes*** |

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Warranties

Lifetime Commercial Limited

Coordinating Products

Carpet Tile: **Rethread Tile, Ornate Tile**  
Broadloom: **Inherit**

Attributes + Certifications

Health & Wellbeing

Material Ingredient Transparency

**Cradle to Cradle Certified® | Silver Level (Version 3.1)**  
**NSF 140 | Gold**  
**CRI Green Label Plus (GLP) | GLP2271**

Indoor Air Quality

Climate Impact

Environmental Product Declaration (EPD)

**3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804**  
**<1% (Pre-Consumer <1% | Post-Consumer 0%)**  
**100% Recyclable**

Total Recycled Content

Product Packaging

Global Product Assessment

**CE Marking (EN 14041) | 3rd Party Certified**  
**Environmental Guarantee\* | Re[turn] Reclamation Program\* | Pickup & Delivery Available**  
**Country of Origin\*\* | USA**

Green Leed Contribution Credit

MR Credit: Building Product Disclosure and Optimization  
Environmental Product Declarations - Option 1: Environmental Product Declaration (EPD)

**3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804**

MR Credit: Building Product Disclosure and Optimization  
Material Ingredients - Option 1: Material Ingredient Reporting

**C2C Silver Level (Version 3.1)**













MR Credit: Building Product Disclosure and Optimization  
Material Ingredients - Option 2: Material Ingredient Optimization

**C2C Silver Level (Version 3.1)**

EQ Credit: Low Emitting Materials  
Option 1: Product Category Calculations

**Green Label Plus Certification: GLP2271**

Available Colorways

|  |   |   |  |   |   |
|--|---|---|--|---|---|
|  |  |  |  |  |  |
| Ivory 64144<br>LRV 20.1   L* 51.92   | Ochre 64155<br>LRV 13   L* 42.73  | Heritage Blue 64481<br>LRV 4.5   L* 25.29   | Indigo 64496<br>LRV 2.6   L* 18.36   | Antique 64504<br>LRV 10.3   L* 38.3   | Eternal 64505<br>LRV 2.2   L* 16.3  |
|  |  |  |  |  |  |
| Glass 64515<br>LRV 20.1   L* 51.91   | Grey Slate 64535<br>LRV 13.9   L* 44.15   | Vintage Grey 64595<br>LRV 4.2   L* 24.46  | Hearth 64760<br>LRV 5.1   L* 26.98   | Umber 64855<br>LRV 3.7   L* 22.52   | Brocade 64911<br>LRV 3.2   L* 20.95   |

Additional Information

\* To learn more about the recyclability of our products and our Environmental Guarantee, please visit [shawcontract.com/sustainability](http://shawcontract.com/sustainability).

\*\*Meets or exceeds all local and national regulations in country of manufacture. (Manufactured in an ISO 9001 & ISO 14001 certified facility or equivalent)

\*\*\*This carpet is manufactured to be ADA compliant, but to be fully ADA compliant, the end-user must ensure the carpet is adhered to the floor and installed as outlined in the ADA standards.

[Installation Guidelines](#)

Maintenance Guidelines

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit [shawcontract.com/testing](http://shawcontract.com/testing) for more information.

