ShawContract®

Inhabit Sheet


Collection	**Abide & Inhabit**	
Style Number	**4106V**	
Welding Rod Style Number	**353VS**	
Construction	**Commercial Heterogeneous Sheet with Fiberglass**	
Class / ASTM F1303	**Type I, Grade 1, Class B**	
Finish	**ExoGuard+®**	
	U.S.	Metric
Wear Layer Thickness	**20 mil (0.02 in)**	**0.51 mm**
Overall Thickness	**0.087 in**	**2.2 mm**
Installation Type	**Dry Back**	
Installation	**Direct Glue**	
Recommended Adhesive	**2200, 4200 1 Gallon, 4200 4 Gallon or S150-95**	



Packaging

Actual Roll Size	**6.56 ft w x 68.58 ft l**	**2.00 m w x 20.90 m l**
Area per Roll	**50 sy/roll**	**41.81 sq m/roll**
Weight per Roll	**337.7 lbs**	**153.18 kg**

Recommended Installation Method



Reverse

Coordinating Products

LVT: Abide

Performance + Testing

Static Load (ASTM F970)	**Passes (Modified), *1500 lbs**
Residual Indentation (ASTM F1914)	**Passes**
Flexibility (ASTM F137)	**Passes**
Resistance to Heat (ASTM F1514)	**Passes**
Resistance to Light (ASTM F1515)	**Passes**
Resistance to Chemicals (ASTM F925)	**Passes**
Radiant Panel (ASTM E648)	**Passes, Class I**
Coefficient of Friction (ASTM D2047, Slip Resistance)	**≥0.5, meets the recommended static coefficient of friction for ADA walking surfaces**

*This test is intended to compare relative properties of different styles and constructions. Results are based on a laboratory test and used for comparative purposes - real life load limit may vary.

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +61 800 556 302

© 2026 Shaw Industries Group, Inc., a Berkshire Hathaway Company

November 24, 2026

For reference purposes only if printed or downloaded.

Warranties

15 Year Commercial Limited Warranty

Commercial Limited Underbed Bond Warranty

Diversity & Inclusion

We promote supplier participation that is reflective of Shaw Industries' diverse customer base and local community. We believe having a strong Supplier Diversity Program is strategic for bringing more innovation to our businesses and opening new markets for growth.

Material Health & Environmental Certifications

Health & Wellbeing	
Material & Ingredient Transparency	Health Product Declaration (HPD) | 1000 ppm Disclosure
Indoor Air Quality	FloorScore® | Certified
Climate Impact	
Environmental Product Declaration (EPD)	3rd Party Certified in Accordance with ISO 14025, EN 15804, & ISO 21930:2017
Embodied Carbon (Cradle to Gate)	9.4 Kg Co_2/M^2
Total Recycled Content	0% (Pre-Consumer 0% | Post-Consumer 0%)
Global Product Assessment	GSA | Approved
	CE Marking (EN 14041) | 3rd Party Certified
	Country of Origin | South Korea

WELL V2 Contribution Credit

X01 Material Restrictions Restrict Asbestos	**Absence of Asbestos**
X05 Enhanced Material Restrictions Part 2: Select Compliant Architectural and Interior Products	**Absence of Heavy Metals**
X06 VOC Restrictions Part 2: Restrict VOC Emissions from Furniture, Architectural and Interior Products	**Absence of Halogenated Flame Retardants**
X07 Materials Transparency Part 2: Select Products with Enhanced Ingredient Disclosure	**Ortho-Phthalates**
X07 Materials Transparency Part 3: Select Products with Third-Party Verified Ingredients	**FloorScore Certified**
X08 Materials Optimization Part 2: Select Optimized Products	**Health Product Declaration (HPD) | 1000 Ppm Disclosure**

© 2026 Shaw Industries Group, Inc., a Berkshire Hathaway Company

For reference purposes only if printed or downloaded.

Leed v4 Contribution Credits

MR Credit: Building Product Disclosure and Optimization
Material Ingredients - Option 1: Material Ingredient Reporting

MR Credit: Building Product Disclosure and Optimization
Environmental Product Declarations - Option 1: Environmental Product Declaration (EPD)

EQ Credit: Low Emitting Materials
Option 1: Product Category Calculations

Installation Guidelines

Maintenance Guidelines

Health Product Declaration (HPD) | 1000 Ppm Disclosure

3rd Party Certified in Accordance with ISO 14025, EN 15804, & ISO 21930:2017

FloorScore Certified

Please visit www.shawcontract.com for the most current warranty information. Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit shawcontract.com/testing for more information.

Available Colorways



Oyster Shell Oak 06140
LRV 31.2 | L* 62.64
V3 - Moderate Variation
Weldrod 06140



Antique Oak 06150
LRV 23.2 | L* 55.27
V3 - Moderate Variation
Weldrod 12761



Grain Wenge 06210
LRV 33.9 | L* 64.87
V2 - Slight Variation
Weldrod 09633



Barley Oak 06220
LRV 31.4 | L* 62.88
V3 - Moderate Variation
Weldrod 06220



Sesame Oak 06240
LRV 28.8 | L* 60.62
V3 - Moderate Variation
Weldrod 07325



Honey Wenge 06250
LRV 22.7 | L* 54.79
V2 - Slight Variation
Weldrod 09634



Palladium Oak 06515
LRV 26.2 | L* 58.26
V3 - Moderate Variation
Weldrod 02020



Liquorice Oak 06570
LRV 11.6 | L* 40.65
V4 - Substantial Variation
Weldrod 02026



Ginger Oak 06630
V4 - Substantial Variation
Weldrod 05257



Buckskin Oak 06660
LRV 22.8 | L* 54.88
V3 - Moderate Variation
Weldrod 02025



Nubuck Oak 06700
LRV 19.2 | L* 50.98
V4 - Substantial Variation
Weldrod 05211



Clove Walnut 06710
LRV 14.1 | L* 44.32
V3 - Moderate Variation
Weldrod 05211



Cumin Oak 06720
LRV 24.0 | L* 56.07
V3 - Moderate Variation
Weldrod 02025



Cameroon Wenge 06730
LRV 11.4 | L* 40.17
V2 - Slight Variation
Weldrod 09561



Cocoa Walnut 06760
LRV 9.6 | L* 37.04
V3 - Moderate Variation
Weldrod 01823



Sable Oak 06780
LRV 8.4 | L* 34.80
V3 - Moderate Variation
Weldrod 07322

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +61 800 556 302

© 2026 Shaw Industries Group, Inc., a Berkshire Hathaway Company

For reference purposes only if printed or downloaded.

Color and Visual Variation Index

Shade and texture variation is inherent in all resilient products and can vary significantly from piece to piece. Samples should be used to assess color.

V1 
Uniform Appearance

V2 
Slight Variation

V3 
Moderate Variation

V4 
Substantial Variation

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +61 800 556 302

© 2026 Shaw Industries Group, Inc., a Berkshire Hathaway Company

November 24, 2026

For reference purposes only if printed or downloaded.