

Terrain II Rigid Core

Collection	Terrain II	
Numéro De Style	4125V	
classe	Class III, Type B	
Finition	ExoGuard+®	
	Impérial	Métrique
Dimensions Nominales	7 in w x 48 in l	18 cm w x 122 cm l
Dimensions Réelles	7.00 in w x 48.00 in l	17.78 cm w x 121.92 cm l
Épaisseur De La Couche d'Usure	20 mil (0.02 in)	0.51 mm
Épaisseur Générale Du Produit	0.157 in	4 mm
Profil Du Bord	Micro-Biseau	
Installation Type	InLine Level Edge	
Installation	Direct Glue	
Adhésif Recommandé	4200 Resilient Tile 4 Gallon, 4200 Resilient Sheet 4 Gallon, 2200 Resilient Tile 4 Gallon or 4151 Multi-Use Premium 4 Gallon	

Emballage

Surface Par Carton	27.96 sq ft	2.6 sq m
Poids Par Carton	42.24 lbs	19.16 kg



Méthodes d'Installation Conseillées



Coordination Des Produits

LVT: Terrain II 12 Mil, Terrain II 20 Mil, Terrain II 30 Mil, Terrain II 20 Mil 5 Mm

Performance + Tests Et Essai

Poinçonnement Rémanent (Astm F1914)	Passes
Souplesse (Astm F137)	Passes
Résistance À La Chaleur (Astm F1514)	Passes
Résistance À La Lumière (Astm F1515)	Passes
Résistance Chimique (Astm F925)	Passes
Coefficient De Frottement (Astm D2407, Résistance Au Glissement)	>0.6, meets the recommended static coefficient of friction for ADA walking surfaces and accessible routes
Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.	

Garanties

- Limitée Commerciale De 15 Ans
- Commercial 15 Year Underbed Bond Warranty

Attributs + Certifications

Health & Wellbeing	
Material Ingredient Transparency	Health Product Declaration (HPD) 1000 ppm Disclosure
Climate Impact	
Environmental Product Declaration (EPD)	Certifié Par Une Tierce Partie Conformément Aux Normes ISO 14025, EN 15804 Et ISO 21930:2017
Total Recycled Content	20% (Pre-Consumer 20% Post-Consumer 0%)
Global Product Assessment	Environmental Guarantee* Through Our Environmental Guarantee, Shaw Pledges to Transport And Recycle Any Shaw Manufactured Resilient Within The United States And Canada At No Cost to The Customer. FloorScore® Agréé CE Marking (EN 14041) Certifié Par Un Tiers Country of Origin United States

Contribution Au Certificat Vert Leed


« Crédit MR : Divulgarion et optimisation des produits de construction	Health Product Declaration (HPD) 100 Ppm Disclosure
« Crédit MR : Divulgarion et optimisation des produits de construction	3rd Party Certified in Accordance with ISO 14025, EN 15804, & ISO 21930:2017
Crédit EQ : matériaux faibles émissions	FloorScore Certified

Informations Supplémentaires

* To learn more about the recyclability of our products and our Environmental Guarantee, please visit shawcontract.com/sustainability .	
Installation Guidelines	Please visit www.shawcontract.com for the most current warranty information.
Maintenance Guidelines	Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.
	This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.
	*****Allowable spend is domestic (US) spend in categories in which we have diverse suppliers from which to choose. Compared to non-allowable spend which includes categories in which we do not have domestic, small or diverse suppliers available to meet our needs.
	Visit shawcontract.com/testing for more information.

Available Colorways

 Willow 00170 V3 - Moderate Variation	 Thatch 00173 V2 - Slight Variation	 Ash 00174 V3 - Moderate Variation	 Saffron 00230 V2 - Slight Variation	 Trail 00256	 Olive 00350 V2 - Slight Variation
 Spruce 00360 V2 - Slight Variation	 Aqua 00370 V2 - Slight Variation	 Azure 00400 V2 - Slight Variation	 Ink 00450 V2 - Slight Variation	 Slate 00540 V2 - Slight Variation	 Shade 00564 V2 - Slight Variation
 Root 00568 V4 - Substantial Variation	 Timber 00572 V2 - Slight Variation	 Graphite 00580 V2 - Slight Variation	 Terra 00600 V2 - Slight Variation	 Redwood 00650 V2 - Slight Variation	 Pirch 00684 V2 - Slight Variation
 Natural 00710 V2 - Slight Variation	 Lodge 00740	 Grove 00769	 Nest 00774 V2 - Slight Variation	 Echo 00775 V2 - Slight Variation	 Cherry 00850 V2 - Slight Variation
 Violet 00965	 Summit 05012 V3 - Moderate Variation	 Orchard 05013 V2 - Slight Variation	 Lark 05016 V3 - Moderate Variation	 Aspen 05019 V4 - Substantial Variation	 Sequoia 07003 V2 - Slight Variation



Color and Visual Variation Index

Shade and texture variation is inherent in all resilient products and can vary significantly from piece to piece. Samples should be used to assess color.

