

Stratum Nordic


系列	Stratum	
款型编号	4073V	
结构	附软木垫层的多层WPC	
类型	Class III, Type B	
附加垫层	软木	
表面处理	ExoGuard®	
	美国	尺寸标准
公称尺寸	7 in w x 48 in l	18 cm w x 122 cm l
实际尺寸	7.17 in w x 48.03 in l	18.21 cm w x 122.00 cm l
耐磨层厚度	20 mil (0.02 in)	0.51 mm
产品整体厚度	0.315 in	8 mm
边缘轮廓	微斜角	
Installation Type	Click	
安装方式	Floating Or Direct Glue	
胶粘剂建议	2200 1 Gallon or 2200 4 Gallon	

包装

每盒件数	12 pcs	
每箱面积	28.68 ft²	2.66 m²
每箱重量	48.59 lbs	22.04 kg
Area per Pallet	1147.2 ft²	106.58 m²
Boxes per Pallet	40 boxes	



铺装建议



搭配产品

COREtec: Stratum 500, Stratum 700, Stratum XI, Defined, Stratum Eiris

性能 + 测试

残余压痕 (ASTM F1914)
 耐热性 (ASTM F1514)
 耐光性 (ASTM F1515)
 耐化学性 (ASTM F925)
 辐射板 (ASTM E648)
 摩擦系数 (ASTM D2407, 防滑性)

Passes
Passes
Passes
Passes
Passes, Class I
>0.6, meets the recommended static coefficient of friction for ADA walking surfaces and accessible routes

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

属性+认证

Health & Wellbeing

Material Ingredient Transparency
Indoor Air Quality

Health Product Declaration (HPD) | 1000 ppm Disclosure
Greenguard Gold | 认证

Climate Impact

总回收量

0% (消费前 0% | 消费后 0%)

Global Product Assessment

来源国家 | 中国

Works With Well | Well V2 Contribution Credit

X01 Fundamental Material Precautions Part 1: (C): Restrict Asbestos Precondition

Absence of Asbestos

X08 Hazardous Material Reduction Part 1: Limit Hazardous Materials Optimization – 1 pt

Absence of Heavy Metals

X10 Volatile Compound Reduction Part 1 (A): Manage Volatile Organic Compounds (VOCs) Optimization – 1 pt

Absence of Halogenated Flame Retardants

Part 2: Manage Semi-Volatile Organic Compounds (SVOCs) Optimization – 1 pt

Ortho-Phthalates

X11 Long Term Emissions Control Part 2: Flooring Optimization – 1 pt

Greenguard Gold Certified

绿色leed贡献信用

MR Credit : 建立产品披露和优化
环境产品声明-选项1 : 环境产品声明 (EPD)

3rd Party Certified in Accordance with ISO 14025, EN 15804, & ISO 21930:2017

EQ信用 : 低排放材料
选项1 : 产品类别计算

Greenguard Gold Certified

[安装指南](#)

[维护指南](#)

请访问 www.shawcontract.com 获取最新的保修信息。规格受名义制造差异的影响。材料供应和/或制造过程可能需要更改，恕不另行通知。

本产品为独家设计，不得以任何方式复制。也严禁将此设计用于创建其他产品设计。

访问 Shawcontract.com/testing 了解更多信息。

Available Colorway





Balance 73755
V2 - Slight Variation



Golden 73756
V3 - Moderate Variation

Color and Visual Variation Index

Shade and texture variation is inherent in all resilient products and can vary significantly from piece to piece. Samples should be used to assess color.

V1



Uniform Appearance

V2



Slight Variation

V3



Moderate Variation

V4



Substantial Variation

