

Stratum Nordic


수집	Stratum	
스타일 번호	4073V	
구성	코르크제 바닥밀갈개가 부착된 다층 통계적 공정관리(WPC)	
수업	Class III, Type B	
첨부 된 밀 갈개	코르크	
끝	ExoGuard®	
	미국	미터법
공칭 치수	7 in w x 48 in l	18 cm w x 122 cm l
실제 치수	7.17 in w x 48.03 in l	18.21 cm w x 122.00 cm l
마모 층 두께	20 mil (0.02 in)	0.51 mm
전체 제품 두께	0.315 in	8 mm
가장자리 프로파일	마이크로 베벨	
Installation Type	Click	
설치	Floating Or Direct Glue	
권장 접착제	2200 Resilient Tile 4 Gallon	

포장

상자 당 조각	12 pcs	
상자 당 면적	28.68 sq ft	2.66 sq m
상자 당 무게	48.59 lbs	22.04 kg



권장 설치 방법



코디네이팅 제품

COREtec: Stratum 500, Stratum 700, Stratum XI, Stratum Eiris, Stratum Linear, Defined

공연 + 테스트

잔차 들어 쓰기 (Astm F1914)	Passes
내열성 (Astm F1514)	Passes
내광성 (Astm F1515)	Passes
화학 물질에 대한 내성 (Astm F925)	Passes
마찰 계수(astm D2407, 미끄러짐 저항)	>0.6, meets the recommended static coefficient of friction for ADA walking surfaces and accessible routes

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

보증

15년 상용 제한

속성 + 인증

Climate Impact	
Total Recycled Content	0% (Pre-Consumer 0% Post-Consumer 0%)
Global Product Assessment	Greenguard (Certification, Gold, Private Label) 인증
	Country of Origin Imported

녹색의 공헌 기여 크레딧

MR 크레딧 : 제품 공개 및 최적화 구축 환경 제품 선언-옵션 1 : 환경 제품 선언 (EPD)	3rd Party Certified in Accordance with ISO 14025, EN 15804, & ISO 21930:2017
EQ 크레딧 : 저 발광 재료 옵션 1 : 제품 범주 계산	Greenguard Gold Certified
Installation Guidelines	Please visit www.shawcontract.com for the most current warranty information.
Maintenance Guidelines	Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.
	This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.
	*****Allowable spend is domestic (US) spend in categories in which we have diverse suppliers from which to choose. Compared to non-allowable spend which includes categories in which we do not have domestic, small or diverse suppliers available to meet our needs.
	Visit shawcontract.com/testing for more information.

Available Colorways

					
Aspen 73100 V2 - Slight Variation	Natural 73101 V2 - Slight Variation	Honey 73103 V2 - Slight Variation	Alder 73104 V3 - Moderate Variation	Calm 73111 V2 - Slight Variation	Blonde 73112 V2 - Slight Variation
					
Driftwood 73120 V3 - Moderate Variation	Birch 73140 V2 - Slight Variation	Fir 73155 V2 - Slight Variation	Radiant 73710 V2 - Slight Variation	Redwood 73720 V2 - Slight Variation	Elm 73721 V2 - Slight Variation



Color and Visual Variation Index

Shade and texture variation is inherent in all resilient products and can vary significantly from piece to piece. Samples should be used to assess color.

