# ShawContract®

Low Embodied Carbon + Carbon Neutral

## Innate Linen Sheet

*PVC-Free*

| | |
|---|---|
| Collection | **Innate + In Tandem** |
| Style Number | **4366V** |
| Welding Rod Style Number | **270VS** |
| Construction | **Comm Bio-Based Polyurethane Het Sheet w/Fiberglass** |
| Class / ASTM F3403 | **Meets** |
| Finish | **ExoGuard+®** |


| | U.S. | Metric |
|---|---|---|
| Overall Thickness | **0.098 in** | **2.5 mm** |
| Installation Type | **Dry Back** | |
| Installation | **Direct Glue** | |
| Recommended Adhesive | **4151 or 4200 4 Gallon** | |



### Packaging

| | | |
|---|---|---|
| Actual Roll Size | **6.59 ft w x 65.62 ft l** | **2.01 m w x 20.00 m l** |
| Area per Roll | **48.08 sy/roll** | **40.2 sq m/roll** |
| Weight per Roll | **321.88 lbs** | **146 kg** |

### Recommended Installation Method



Non-Reverse

### Coordinating Products

PVC-Free: Innate, In Tandem Sheet, In Tandem, Innate Sheet, Innate Stria Tile

### Performance + Testing

| | |
|---|---|
| Static Load (ASTM F970) | **Passes (Modified), *1500 lbs** |
| Residual Indentation (ASTM F1914) | **Passes** |
| Flexibility (ASTM F137) | **Passes** |
| Resistance to Heat (ASTM F1514) | **Passes** |
| Resistance to Light (ASTM F1515) | **Passes** |
| Resistance to Chemicals (ASTM F925) | **Passes** |
| Radiant Panel (ASTM E648) | **Passes, Class I** |
| Coefficient of Friction (ASTM D2047, Slip Resistance) | **≥0.5, meets the recommended static coefficient of friction for ADA walking surfaces** |

*This test is intended to compare relative properties of different styles and constructions. Results are based on a laboratory test and used for comparative purposes - real life load limit may vary.

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +61 800 556 302

© 2026 Shaw Industries Group, Inc., a Berkshire Hathaway Company



November 24, 2026

For reference purposes only if printed or downloaded.

## Warranties

15 Year Commercial Limited Warranty

Commercial Limited Underbed Bond Warranty

## Diversity & Inclusion

We promote supplier participation that is reflective of Shaw Industries' diverse customer base and local community. We believe having a strong Supplier Diversity Program is strategic for bringing more innovation to our businesses and opening new markets for growth.

## Material Health & Environmental Certifications

| | |
|---|---|
| **Health & Wellbeing** | |
| Material & Ingredient Transparency | Greenhealth Approved \| Yes<br>Cradle to Cradle Certified™ \| Bronze Level (Version 4.1)<br>Health Product Declaration (HPD) \| 1000 ppm Disclosure<br>Declare \| LBC Compliant |
| Indoor Air Quality | FloorScore® \| Certified<br>Greenguard Gold \| Certified |
| **Climate Impact** | |
| Environmental Product Declaration (EPD) | 3rd Party Certified in Accordance with EN 15804, ISO 14025 |
| Embodied Carbon (Cradle to Gate) | 2.76 Kg $Co_2/M^2$ |
| Life-Cycle Carbon Emissions | Carbon Neutral |
| Total Recycled Content | 0% (Pre-Consumer 0% \| Post-Consumer 0%) |
| Global Product Assessment | GSA \| Approved<br>CE Marking (EN 14041) \| 3rd Party Certified<br>Country of Origin \| Germany |

## WELL V2 Contribution Credit

| | |
|---|---|
| X01 Material Restrictions<br>Restrict Asbestos | **C2C Bronze Level (Version 4.1)** |
| X05 Enhanced Material Restrictions<br>Part 2: Select Compliant Architectural and Interior Products | **C2C Bronze Level (Version 4.1)** |
| X06 VOC Restrictions<br>Part 2: Restrict VOC Emissions from Furniture, Architectural and Interior Products | **C2C Bronze Level (Version 4.1)** |
| X07 Materials Transparency<br>Part 2: Select Products with Enhanced Ingredient Disclosure | **C2C Bronze Level (Version 4.1)** |
| X07 Materials Transparency<br>Part 3: Select Products with Third-Party Verified Ingredients | **FloorScore & Greenguard Gold Certified** |
| X08 Materials Optimization<br>Part 1: Select Materials with Enhanced Chemical Restrictions | **C2C Bronze Level (Version 4.1)** |
| X08 Materials Optimization<br>Part 2: Select Optimized Products | **Health Product Declaration (HPD) \| 1000 Ppm Disclosure** |



© 2026 Shaw Industries Group, Inc., a Berkshire Hathaway Company



For reference purposes only if printed or downloaded.

# ShawContract®

## Innate Linen Sheet

### Leed v4 Contribution Credits

MR Credit: Building Product Disclosure and Optimization
Material Ingredients - Option 1: Material Ingredient Reporting

MR Credit: Building Product Disclosure and Optimization
Material Ingredients - Option 2: Material Ingredient Optimization

MR Credit: Building Product Disclosure and Optimization
Environmental Product Declarations - Option 1: Environmental Product Declaration (EPD)

MR Credit: Building Product Disclosure and Optimization
Sourcing of Raw Materials - Option 2: Leadership Extraction Practices

EQ Credit: Low Emitting Materials
Option 1: Product Category Calculations

Installation Guidelines

Maintenance Guidelines

**Health Product Declaration (HPD) | 1000 Ppm Disclosure**

**C2C Bronze Level (Version 4.1)**

**3rd Party Certified in Accordance with EN 15804, ISO 14025**

**Bio-Based Materials - Meets Astm D6866 And ISO 16620-2**

**FloorScore & Greenguard Gold Certified**

Please visit www.shawcontract.com for the most current warranty information. Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.


This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit shawcontract.com/testing for more information.

### Available Colorways




Air 66104
Weldrod 00100




Sand 66105
Weldrod 00101




Bare 66111
Weldrod 00111




Earth 66130
Weldrod 00126




Shore 66405
Weldrod 00405




Sea 66416
Weldrod 00416




Loam 66504
Weldrod 00504



Fog 66515
Weldrod 00506



Native 66516
Weldrod 00516



Serene 66518
Weldrod 00518

PVC-Free

Addresses priority chemicals of concern

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +61 800 556 302

© 2026 Shaw Industries Group, Inc., a Berkshire Hathaway Company



November 24, 2026

For reference purposes only if printed or downloaded.