

Pathway


| | | |
|-------------------|--|--------------------------------|
| 수집 | Pathway & Promenade | |
| 스타일 번호 | 4281V | |
| 구성 | Heavy Commercial Luxury Vinyl Tile | |
| 수업 | Class III, Type B | |
| 끝 | ExoGuard® | |
| | 미국 | 미터법 |
| 공칭 치수 | 36 in w x 36 in l | 91 cm w x 91 cm l |
| 실제 치수 | 36.00 in w x 36.00 in l | 91.44 cm w x 91.44 cm l |
| 마모 층 두께 | 20 mil (0.02 in) | 0.51 mm |
| 전체 제품 두께 | 0.197 in | 5 mm |
| 가장자리 프로파일 | 마이크로 베벨 | |
| Installation Type | Loose Lay | |
| 설치 | Direct Glue, Floating Or Perimeter Gl | |



포장

| | | |
|---------|--------------------|------------------|
| 상자 당 조각 | 4 pcs | |
| 상자 당 면적 | 35.99 sq ft | 3.34 sq m |
| 상자 당 무게 | 71.34 lbs | 32.36 kg |

권장 설치 방법



코디네이팅 제품

LVT: Promenade

공연 + 테스트

| | |
|-----------------------------|--|
| 내열성 (Astm F1514) | Passes |
| 내광성 (Astm F1515) | Passes |
| 화학 물질에 대한 내성 (Astm F925) | Passes |
| 마찰 계수 (astm D2407, 미끄러짐 저항) | ≥0.5, meets the recommended static coefficient of friction for ADA walking surfaces |

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

보증

[15년 상용 제한](#)

Diversity, Equity & Inclusion

We believe all humans are equal. Individually and collectively, we need to proactively create and promote opportunities that give everybody an equal footing in life. We nurture an environment where every voice and perspective can be heard, and proactively promote accessibility and inclusivity inside our network and beyond. One proof point is our ability to meet the criteria of the Social Fairness pillar of the Cradle to Cradle Product Standard. At Shaw Industries, we promote supplier participation that is reflective of Shaw's diverse customer base and local community. More than 42% of our spend***** is with small and diverse businesses. We believe having a strong Supplier Diversity Program is strategic for bringing more innovation to our businesses and opening new markets for growth.

속성 + 인증

Health & Wellbeing

Material Ingredient Transparency

Health Product Declaration (HPD) | 1000 ppm Disclosure

Climate Impact

Environmental Product Declaration (EPD)

ISO 14025, EN 15804 및 ISO 21930:2017에 따라 타사 인증 획득

Embodied Carbon (Cradle to Gate)

6.05 Kg Co₂/M²

Total Recycled Content

0% (Pre-Consumer 0% | Post-Consumer 0%)

Global Product Assessment

FloorScore® | 인증

Country of Origin | Imported

녹색의 공헌 기여 크레딧

MR 크레딧 : 제품 공개 및 최적화 구축
 재료 성분-옵션 1 : 재료 성분보고

Health Product Declaration (HPD) | 100 Ppm Disclosure

MR 크레딧 : 제품 공개 및 최적화 구축
 환경 제품 선언-옵션 1 : 환경 제품 선언 (EPD)

3rd Party Certified in Accordance with ISO 14025, EN 15804, & ISO 21930:2017

EQ 크레딧 : 저 발광 재료
 옵션 1 : 제품 범주 계산

FloorScore Certified

[Installation Guidelines](#)

Please visit www.shawcontract.com for the most current warranty information.

[Maintenance Guidelines](#)

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

*****Allowable spend is domestic (US) spend in categories in which we have diverse suppliers from which to choose. Compared to non-allowable spend which includes categories in which we do not have domestic, small or diverse suppliers available to meet our needs.

Visit shawcontract.com/testing for more information.

Available Colorways



Radiance 01041
V3 - Moderate Variation



Attraction 05081
V3 - Moderate Variation



Oneness 05082
V3 - Moderate Variation



Union 05085
V3 - Moderate Variation

Color and Visual Variation Index

Shade and texture variation is inherent in all resilient products and can vary significantly from piece to piece. Samples should be used to assess color.

