

## Promenade


系列	<b>Pathway &amp; Promenade</b>	
款型编号	<b>4280V</b>	
结构	<b>Heavy Commercial Luxury Vinyl Tile</b>	
类型	<b>Class III, Type B</b>	
表面处理	<b>ExoGuard®</b>	
	美国	尺寸标准
公称尺寸	<b>9 in w x 63 in l</b>	<b>23 cm w x 160 cm l</b>
实际尺寸	<b>8.97 in w x 62.99 in l</b>	<b>22.78 cm w x 159.99 cm l</b>
耐磨层厚度	<b>20 mil (0.02 in)</b>	<b>0.51 mm</b>
产品整体厚度	<b>0.197 in</b>	<b>5 mm</b>
边缘轮廓	微斜角	
Installation Type	<b>Loose Lay</b>	
安装方式	<b>Direct Glue, Perimeter Glue Or Loose Lay</b>	
胶粘剂建议	<b>2200 1 Gallon or 2200 4 Gallon</b>	



### 包装

每盒件数	<b>6 pcs</b>	
每箱面积	<b>23.62 ft<sup>2</sup></b>	<b>2.19 m<sup>2</sup></b>
每箱重量	<b>46.83 lbs</b>	<b>21.24 kg</b>
Area per Pallet	<b>1322.72 ft<sup>2</sup></b>	<b>122.88 m<sup>2</sup></b>
Boxes per Pallet	<b>56 boxes</b>	

### 铺装建议



### 搭配产品

LVT: Pathway

### 质保

[15年商用有限质保](#)

### Diversity & Inclusion

We promote supplier participation that is reflective of Shaw Industries' diverse customer base and local community. We believe having a strong Supplier Diversity Program is strategic for bringing more innovation to our businesses and opening new markets for growth.

## 属性+认证

### Health & Wellbeing

Material Ingredient Transparency  
Indoor Air Quality

Health Product Declaration (HPD) | 1000 ppm Disclosure  
FloorScore® | 认证

### Climate Impact

环保产品声明书 (EPD)  
Embodied Carbon (Cradle to Gate)  
总回收量

通过ISO 14025、EN 15804和ISO 21930 : 2017等第三方认证  
13.3 Kg CO<sub>2</sub>/M<sup>2</sup>  
0% (消费前 0% | 消费后 0%)

### Global Product Assessment

来源国家 | 中国

## Works With Well | Well V2 Contribution Credit

X01 Fundamental Material Precautions Part 1: (C): Restrict Asbestos Precondition

**Absence of Asbestos**

X08 Hazardous Material Reduction Part 1: Limit Hazardous Materials Optimization – 1 pt

**Absence of Heavy Metals**

X10 Volatile Compound Reduction Part 1 (A): Manage Volatile Organic Compounds (VOCs) Optimization – 1 pt

**Absence of Halogenated Flame Retardants**

Part 2: Manage Semi-Volatile Organic Compounds (SVOCs) Optimization – 1 pt

**Ortho-Phthalates**

X11 Long Term Emissions Control Part 2: Flooring Optimization – 1 pt

**FloorScore® Certified**

X14 Material Transparency Part 1: Promote Ingredient Disclosure Optimization – max 2 pts

**Health Product Declaration (HPD) | 1000 Ppm Disclosure**

## 绿色leed贡献信用

MR Credit : 建立产品披露与优化  
材料成分-选项1 : 材料成分报告

**Health Product Declaration (HPD) | 100 Ppm Disclosure**

MR Credit : 建立产品披露和优化  
环境产品声明-选项1 : 环境产品声明 (EPD)

**3rd Party Certified in Accordance with ISO 14025, EN 15804, & ISO 21930:2017**

EQ信用 : 低排放材料  
选项1 : 产品类别计算

**FloorScore® Certified**

## 附加信息

\*\*达到或超过所有原产地当地的法律法规。

[安装指南](#)  
[维护指南](#)

请访问 [www.shawcontract.com](http://www.shawcontract.com) 获取最新的保修信息。规格受名义制造差异的影响。  
材料供应和/或制造过程可能需要更改，恕不另行通知。

本产品为独家设计，不得以任何方式复制。也严禁将此设计用于创建其他产品设计。

访问 [Shawcontract.com/testing](http://Shawcontract.com/testing) 了解更多信息。

## Available Colorway



### Color and Visual Variation Index

Shade and texture variation is inherent in all resilient products and can vary significantly from piece to piece. Samples should be used to assess color.

