

Promenade

系列	Pathway & Promenade	
款型编号	4280V	
结构	Heavy Commercial Luxury Vinyl Tile	
类型	Class III, Type B	
表面处理	ExoGuard®	
	美国	尺寸标准
公称尺寸	9 in w x 63 in l	23 cm w x 160 cm l
实际尺寸	8.97 in w x 62.99 in l	22.78 cm w x 159.99 cm l
耐磨层厚度	20 mil (0.02 in)	0.51 mm
产品整体厚度	0.197 in	5 mm
边缘轮廓	微斜角	
Installation Type	Loose Lay	
安装方式	Direct Glue, Floating Or Perimeter Gl	
胶粘剂建议	2200 Resilient Tile 4 Gallon	

包装

每盒件数	6 pcs	
每箱面积	23.62 sq ft	2.19 sq m
每箱重量	46.83 lbs	21.24 kg



铺装建议



搭配产品

LVT: Pathway

性能 + 测试

耐热性 (astm F1514)	Passes
耐光性 (astm F1515)	Passes
耐化学性 (astm F925)	Passes
摩擦系数 (Astm D2407, 防滑性)	≥0.5, meets the recommended static coefficient of friction for ADA walking surfaces
Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.	

质保

15年商用有限质保

Diversity, Equity & Inclusion

We believe all humans are equal. Individually and collectively, we need to proactively create and promote opportunities that give everybody an equal footing in life. We nurture an environment where every voice and perspective can be heard, and proactively promote accessibility and inclusivity inside our network and beyond. One proof point is our ability to meet the criteria of the Social Fairness pillar of the Cradle to Cradle Product Standard. At Shaw Industries, we promote supplier participation that is reflective of Shaw's diverse customer base and local community. More than 42% of our spend***** is with small and diverse businesses. We believe having a strong Supplier Diversity Program is strategic for bringing more innovation to our businesses and openingnew markets for growth.

属性+认证

Health & Wellbeing	
Material Ingredient Transparency	Health Product Declaration (HPD) 1000 ppm Disclosure
Climate Impact	
Environmental Product Declaration (EPD)	通过ISO 14025、EN 15804和ISO 21930：2017等第三方认证
Total Recycled Content	0% (Pre-Consumer 0% Post-Consumer 0%)
Global Product Assessment	FloorScore® 认证
	Country of Origin 中国

绿色leed贡献信用

MR Credit：建立产品披露与优化 材料成分-选项1：材料成分报告	Health Product Declaration (HPD) 100 Ppm Disclosure
MR Credit：建立产品披露和优化 环境产品声明-选项1：环境产品声明（EPD）	3rd Party Certified in Accordance with ISO 14025, EN 15804, & ISO 21930:2017
EQ信用：低排放材料 选项1：产品类别计算	FloorScore Certified
Installation Guidelines	Please visit www.shawcontract.com for the most current warranty information. Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice. This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited. *****Allowable spend is domestic (US) spend in categories in which we have diverse suppliers from which to choose. Compared to non-allowable spend which includes categories in which we do not have domestic, small or diverse suppliers available to meet our needs. Visit shawcontract.com/testing for more information.
Maintenance Guidelines	

Available Colorways



Canyon 01070
V3 - Moderate Variation



Weathered Bark 01071
V3 - Moderate Variation



Burnished Timbe 01072
V3 - Moderate Variation



Pebble 01073
V3 - Moderate Variation



River Rock 01076
V3 - Moderate Variation



Honeycomb 01077
V3 - Moderate Variation



Pyrite 01078
V3 - Moderate Variation



Igneous 05104
V3 - Moderate Variation



Graphite Steel 05107
V3 - Moderate Variation



Bronze 07205
V3 - Moderate Variation

Color and Visual Variation Index

Shade and texture variation is inherent in all resilient products and can vary significantly from piece to piece. Samples should be used to assess color.

V1



Uniform Appearance

V2



Slight Variation

V3



Moderate Variation

V4



Substantial Variation