

# ShawContract®

## Flow 5.0 Lt

Numéro Du Style	<b>4419V</b>	
Type De Produit	<b>Dalle De Vinyle De Luxe Commercial</b>	
Collection	<b>Function + Flow</b>	
Construction	Standard	Données + Performance
Type of Floorcovering	<b>EN 1307</b>	<b>Vinyl Tile</b>
Classification	<b>ISO 10874</b>	<b>class 33 heavy commercial use</b>
Poids Total	<b>EN ISO 23997</b>	<b>8.92 kg/m<sup>2</sup></b>
Epaisseur Du Velours	<b>EN ISO 24346</b>	<b>5.0 mm</b>
Dimensions	<b>EN 994</b>	<b>91.44 cm x 91.44 cm   4 tiles (3.34 sq m) per box</b>
Poids Par Carton		<b>32.36 kg</b>



### Performance

Inflamabilité	<b>EN 13501-1</b>	<b>Bfl-S1</b>
Résistance Thermique m <sup>2</sup> K/w	<b>ISO 8302</b>	<b>0.018 m<sup>2</sup> K/W</b>
Propension Électrostatique	<b>EN 1815</b>	<b>≤ 2.0 kV (stroll test)</b>
Capacités Antidérapantes	<b>BS 7976-2</b> <b>DIN 51130</b>	<b>PTV Dry 68   PTV Wet 24 (pendulum)</b> <b>R10</b>
Stabilité Dimensionnelle	<b>EN ISO 23999</b>	<b>≤0.15%</b>
Chaise À Roulette	<b>EN 425, ISO 4918</b>	<b>no damage</b>
Impact Sound Reduction	<b>BS EN ISO 10140</b>	<b>ΔLw 4dB/21dB with 2mm underlay</b>
Absorption Acoustique	<b>ISO 354</b>	<b>0.018 m<sup>2</sup> K/W</b>
Résistance De La Couleur À La Lumière	<b>BS EN ISO 105-BO2</b>	<b>7/8</b>
Émissions	<b>ISO 16000</b>	<b>Yes</b>

**Limitée Commerciale De 15 Ans** subject to installation in full accordance with the manufacturer's instructions and a regular effective cleaning and maintenance programme. Second location warranties are available with the use of non-adhesive IOBAC Magtabs and Tabit accessories.

### Méthodes d'Installation Conseillées

Quarter Turn

Random

Monolithic

Brick


Ashlar

colour and visual variation index

V1 uniform appearance  
V2 slight variation  
V3 moderate variation  
V4 substantial variation

### Coordination Des Produits

LVT: Flow 2.5, Function 2.5



ΔLw 4dB/21dB with 2mm underlay

22

EU.DOP/1658/CPR/1222/1222/LVT  
SHAW EUROPE LIMITED VAARTWEG 10, 4905 BL  
NETHERLANDS (NLD)  
Notified Body 1658

22

UK.DOP/0321/CPR/1222/1222/LVT  
SHAW EUROPE LIMITED BLACKADDIE RD,  
SANQUHAR DG4 6DB, UNITED KINGDOM  
Approved Body 1658

E1  
HCHO

Bfl-s1

For use as an indoor floor covering as specified by the manufacturer

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +61 800 556 302

© 2025 Shaw Industries Group, Inc., a Berkshire Hathaway Company  
April 12, 2025

1 of 3

Transparence du produit

Shaw Contract is dedicated to providing clients with a building chemistry that's safe and dependable. Working together, we will help you meet your goals as they pertain to material health. Luxury Vinyl Tile products are UL Certified with an Industry-Wide EPD and are assessed for impacts on human health and the environment.

Attributs + Certifications

Déclaration environnementale de produit (EPD)

FloorScore®

Total Recycled Content

pays d'origine

**Certifié Par Un Organisme Tiers Conformément Aux Normes ISO 14025, EN15804 & ISO 21930:2017**  
**Certifié**  
**0% (Pre-Consumer 0% | Post-Consumer 0%)**  
**Chine**

WELL V2 Contribution Credit

X01 Fundamental Material Precautions Part 1: (C): Restrict Asbestos Precondition  
X08 Réduction des matières dangereuses Partie 1 : Optimiser la limitation des matières dangereuses – 1 pt  
X10 Réduction des composés volatils Partie 1 (A) : Optimisation de la gestion des composés organiques volatils (COV) – 1 pt  
Part 2 : Optimisation de la gestion des composés organiques semi-volatils (COSV) – 1 pt  
X11 Contrôle des émissions à long terme Partie 2 : Optimisation des revêtements de sol – 1 pt

**Absence of Asbestos**  
**Absence of Heavy Metals**  
**Absence of Halogenated Flame Retardants**  
**Ortho-Phthalates**  
**FloorScore Certificate**

Contribution À La Certification Leed


MR Credit: Building Product Disclosure and Optimisation  
Environmental Product Declarations - Option 1: Environmental Product Declaration (EPD)  
"Crédit EQ : matériaux faibles émissions  
Option 1 : calculs par catégorie de produit"

**3rd Party Certified in Accordance with ISO 14025, EN 15804, & ISO 21930:2017**  
**FloorScore Certified**


[Installation Guidelines](#)  
[Maintenance Guidelines](#)

Please visit [www.shawcontract.com](http://www.shawcontract.com) for the most current warranty information.  
Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.  
This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.  
Visit [shawcontract.com/testing](http://shawcontract.com/testing) for more information.


Indice De Réflexion Lumineuse




Smooth 85114  
LRV 37.7 | L\* 67.77  
V3 - Moderate Variation



Sandstone 85120  
LRV 34.1 | L\* 65.08  
V3 - Moderate Variation



Streamline 85520  
LRV 28.6 | L\* 60.4  
V3 - Moderate Variation




Molten 85585  
LRV 13.7 | L\* 43.86  
V3 - Moderate Variation


 **Quick Ship** In Stock - UK

**Color and Visual Variation Index**


Shade and texture variation is inherent in all resilient products and can vary significantly from piece to piece. Samples should be used to assess color.

V1


Uniform Appearance

V2

Slight Variation

V3

Moderate Variation

V4

Substantial Variation

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +61 800 556 302

© 2025 Shaw Industries Group, Inc., a Berkshire Hathaway Company  
April 12, 2025

2 of 3

For reference purposes only if printed or downloaded.

