ShawContract®

Low Embodied Carbon + Carbon Neutral

Pivot

PVC-Free

Collection	**Art + Science**	
Style Number	**4499V**	
Construction	**Heavy Commercial PVC-Free EcoWorx Resilient**	
Finish	**ExoGuard+®**	
	U.S.	Metric
Nominal Dimensions	**8 in w x 51 in l**	**21 cm w x 129 cm l**
Actual Dimensions	**8.27 in w x 50.79 in l**	**21.01 cm w x 129.01 cm l**
Overall Thickness	**0.098 in**	**2.5 mm**
Edge Profile	**Micro-Bevel**	
Installation Type	**Dry Back**	
Installation	**Direct Glue**	
Recommended Adhesive	**4200 1 Gallon or 4200 4 Gallon**	



Packaging

Pieces per Carton	**16 pcs**	
Area per Carton	**46.65 ft²**	**4.33 m²**
Weight per Carton	**36.431 lbs**	**16.52 kg**
Area per Pallet	**2239.2 ft²**	**208.03 m²**
Boxes per Pallet	**48 boxes**	

Recommended Installation Method



Coordinating Products

PVC-Free: Observe, Experiment, Pivot 5.7mm

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +61 800 556 302

© 2026 Shaw Industries Group, Inc., a Berkshire Hathaway Company

November 25, 2026

For reference purposes only if printed or downloaded.

Performance + Testing

Static Load (ASTM F970)	**Passes (Modified), *2500 lbs**
Resistance to Heat (ASTM F1514)	**Passes**
Resistance to Light (ASTM F1515)	**Passes**
Resistance to Chemicals (ASTM F925)	**Passes**
Radiant Panel (ASTM E648)	**Passes, Class I**
Coefficient of Friction (ASTM D2047, Slip Resistance)	**≥0.5, meets the recommended static coefficient of friction for ADA walking surfaces**
Static Electrical Propensity (EN 1815)	**<2kV**

*This test is intended to compare relative properties of different styles and constructions. Results are based on a laboratory test and used for comparative purposes - real life load limit may vary.

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Warranties

1 Year Commercial Limited When Not Installed With 4200 Adhesive

25 Year Commercial Limited When Installed With 4200 Adhesive

Diversity & Inclusion

We promote supplier participation that is reflective of Shaw Industries' diverse customer base and local community. We believe having a strong Supplier Diversity Program is strategic for bringing more innovation to our businesses and opening new markets for growth.

Material Health & Environmental Certifications

Health & Wellbeing	
Material & Ingredient Transparency	Greenhealth Approved | Yes Cradle to Cradle Certified™ | Silver Level (Version 4.0) Health Product Declaration (HPD) | 1000 ppm Disclosure Declare | LBC Compliant
Indoor Air Quality	Greenguard Gold | Certified
Climate Impact	
Environmental Product Declaration (EPD)	3rd Party Certified in Accordance with ISO 21930, UL Part A, & ISO 14025
Embodied Carbon (Cradle to Gate)	5.87 Kg Co_2/M^2
Life-Cycle Carbon Emissions	Carbon Neutral
Total Recycled Content	25% (Pre-Consumer 0% | Post-Consumer 25%)
Global Product Assessment	* | Through Our Environmental Guarantee, Shaw Pledges to Transport And Recycle Any Ecoworx Resilient Within The United States And Canada At No Cost to The Customer. GSA | Approved Country of Origin | Germany

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +61 800 556 302

© 2026 Shaw Industries Group, Inc., a Berkshire Hathaway Company

For reference purposes only if printed or downloaded.

Works With WELL | WELL V2 Contribution Credit

X01 Material Restrictions Restrict Asbestos	**C2C Silver Level (Version 4.0)**
X05 Enhanced Material Restrictions Part 2: Select Compliant Architectural and Interior Products	**C2C Silver Level (Version 4.0)**
X06 VOC Restrictions Part 2: Restrict VOC Emissions from Furniture, Architectural and Interior Products	**Greenguard Gold Certified**
X07 Materials Transparency Part 1: Select Products with Disclosed Ingredients	**C2C Silver Level (Version 4.0)**
X07 Materials Transparency Part 2: Select Products with Enhanced Ingredient Disclosure	**Declare Label**
X07 Materials Transparency Part 3: Select Products with Third-Party Verified Ingredients	**C2C Silver Level (Version 4.0)**
X08 Materials Optimization Part 1: Select Materials with Enhanced Chemical Restrictions	**C2C Silver Level (Version 4.0)**
X08 Materials Optimization Part 2: Select Optimized Products	**C2C Silver Level (Version 4.0)**
X13 Fair Labor in Building Products Part 2: Select Products with Certified Raw Materials	**C2C Silver Level (Version 4.0)**

Leed v4 Contribution Credits

MR Credit: Building Product Disclosure and Optimization Material Ingredients - Option 1: Material Ingredient Reporting	**Health Product Declaration (HPD) | 1000 Ppm Disclosure**
MR Credit: Building Product Disclosure and Optimization Material Ingredients - Option 2: Material Ingredient Optimization	**C2C Silver Level (Version 4.0)**
MR Credit: Building Product Disclosure and Optimization Environmental Product Declarations - Option 1: Environmental Product Declaration (EPD)	**3rd Party Certified in Accordance with ISO 21930, UI Part A, & ISO 14025**
EQ Credit: Low Emitting Materials Option 1: Product Category Calculations	**Greenguard Gold Certified**

Additional Information

* To learn more about the recyclability of our products and our Environmental Guarantee, please visit shawcontract.com/sustainability.

**Meets or exceeds all local and national regulations in country of manufacture.

Installation Guidelines

Maintenance Guidelines

Please visit www.shawcontract.com for the most current warranty information. Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.
*****Allowable spend is domestic (US) spend in categories in which we have diverse suppliers from which to choose. Compared to non-allowable spend which includes categories in which we do not have domestic, small or diverse suppliers available to meet our needs.

Visit shawcontract.com/testing for more information.

© 2026 Shaw Industries Group, Inc., a Berkshire Hathaway Company

For reference purposes only if printed or downloaded.

Available Colorways



Reform 00111
LRV 33.0 | L* 64.13
V3 - Moderate Variation



Mindset 00115
LRV 41.4 | L* 70.46
V2 - Slight Variation



Reclaim 00121
LRV 29.5 | L* 61.24
V2 - Slight Variation



Climate 00125
LRV 25.4 | L* 57.42
V2 - Slight Variation



Reuse 00140
LRV 38.5 | L* 68.38
V2 - Slight Variation



Value 00144
LRV 41.8 | L* 70.76
V3 - Moderate Variation



Renew 00155
LRV 23.6 | L* 55.70
V3 - Moderate Variation



New Growth 00240
LRV 27.1 | L* 59.07
V2 - Slight Variation



Change 00504
LRV 43.7 | L* 72.03
V4 - Substantial Variation



Resilience 00570
LRV 13.1 | L* 42.95
V3 - Moderate Variation



Process 00575
LRV 16.4 | L* 47.45
V2 - Slight Variation



Native 00720
LRV 21.8 | L* 53.81
V2 - Slight Variation



Ecology 00730
LRV 20.2 | L* 52.05
V2 - Slight Variation



Earthen 00740
LRV 14.1 | L* 44.39
V3 - Moderate Variation



Future 00750
LRV 15.3 | L* 45.98
V2 - Slight Variation

Color and Visual Variation Index

Shade and texture variation is inherent in all resilient products and can vary significantly from piece to piece. Samples should be used to assess color.



Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +61 800 556 302

© 2026 Shaw Industries Group, Inc., a Berkshire Hathaway Company

November 25, 2026

For reference purposes only if printed or downloaded.