

Pivot


Coleção	Art + Science	
Número Do Produto	4499V	
classe		
Acabamento	ExoGuard+®	
	U.s.	Metric
Dimensões Nominais	8 in w x 51 in l	21 cm w x 129 cm l
Dimensões Reais	8.27 in w x 50.79 in l	21.01 cm w x 129.01 cm l
Espessura Total Do Produto	0.098 in	2.5 mm
Perfil De Borda	Micro-Chanfrado	
Installation Type	Dry Back	
Adesivo Recomendado	4200 Resilient Adhesive (1 gal) or 4200 Resilient Adhesive (4 gal)	

Empacotamento

Peças Por Caixa	16 pcs	
Área Por Caixa	46.65 sq ft	4.33 sq m
Peso Por Caixa	36.431 lbs	16.52 kg



Método De Instalação Recomendado



Produtos Coordenados

PVC-Free: Observe

Desempenho + Teste

Resistência Ao Calor (Astm F1514)	Passes
Resistência À Luz (Astm F1515)	Passes
Resistência A Produtos Químicos (Astm F925)	Passes
Painel Radiante (Astm E648)	Passes, Class I
Coefficiente De Atrito (Astm D2407, Resistência Ao Deslizamento)	>0.6, meets the recommended static coefficient of friction for ADA walking surfaces and accessible routes

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Garantias

- [1 Year Commercial Limited Warranty](#)
- [25 Year Commercial System Warranty](#)

Atributos + Certificações

Health & Wellbeing	
Material Ingredient Transparency	Greenhealth Approved   Yes Health Product Declaration (HPD)   1000 ppm Disclosure Declare   Compativel LBC
Climate Impact	
Embodied Carbon (Cradle to Gate)	5.2 Kg Co <sub>2</sub> /M <sup>2</sup>
Life-Cycle Carbon Emissions	Carbon Neutral
Total Recycled Content	25% (Pre-Consumer 0%   Post-Consumer 25%)
Global Product Assessment	Environmental Guarantee*   Through Our Environmental Guarantee, Shaw Pledges to Transport And Recycle Any Ecoworx Resilient Within The United States And Canada At No Cost to The Customer. Country of Origin   Imported

Crédito De Contribuição

MR Credit: Divulgação e otimização de produtos de construção	Health Product Declaration (HPD)   1000 Ppm Disclosure
Ingredientes materiais - Opção 1: Relatório de ingredientes materiais	

Informação Adicional

* To learn more about the recyclability of our products and our Environmental Guarantee, please visit <a href="#">shawcontract.com/sustainability</a> .	
<a href="#">Installation Guidelines</a>	Please visit <a href="#">www.shawcontract.com</a> for the most current warranty information.
<a href="#">Maintenance</a>	Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.
	This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.
	Visit <a href="#">shawcontract.com/testing</a> for more information.

Available Colorways

					
Reform 00111 V3 - Moderate Variation	Mindset 00115 V2 - Slight Variation	Reclaim 00121 V2 - Slight Variation	Climate 00125 V2 - Slight Variation	Reuse 00140 V2 - Slight Variation	Value 00144 V3 - Moderate Variation



Color and Visual Variation Index

Shade and texture variation is inherent in all resilient products and can vary significantly from piece to piece. Samples should be used to assess color.

