

Prosper Classicbac®

Type De Produit	Moquette EN Lé	
Collection	Abundant Life II	
Numéro Du Style	60730	
Construction	Tufté Structuré Bouclé à Motif	
Fibre	Ecosolution Q® Nylon	
Méthode De Coloration	100% Solution Teinte	
Sous-couche Primaire	Synthétique	
Sous-couche Secondaire	Classicbac®	
Traitements Protecteurs	SSP® Shaw Protection Du Sol	
Adhésif Recommandé	H1000, H1200 or H3800	
	u.s.	metric
Dimensions Du Produit	12 ft	3.66 m
Jauge	1/10 in	39.4 per 10 cm
Points	10.5 per in	42.5 per 10 cm
Densité Moyenne	5169 oz/yd³	0.191 g/cm³
Kilotex		12.91
Epaisseur Du Velours	0.332 in	8.43 mm
Poids Tufté	28 oz/yd²	949.4 g/m²
Installation Répétition Du Motif	.63 in x .44 in	1.58 cm x 1.11cm



Méthodes d'Installation Conseillées

Direct Glue, Double Glue, Stretch-In

Product should be installed in residents rooms only applications. No more than two drops in width, and room lengths no greater than 25 feet is required.

When installing all carpeting, Stretch-In over pad is recommended. For hybrid locations with carpet and resilient, direct glue with LokSeam is recommended.

Données + Tests Et Essai

Test d'Inflammabilité	Pass
Panneau Rayonnant (Astm E648)	Class I
Nbs Smoke	Less Than 450
Label Cri Green Label Plus (Glp)	GLP8472
Ada Compliance	>0.6, Meets the recommended static coefficient of friction for ADA walking surfaces and accessible routes***

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Coordination Des Produits

Broadloom: **Accomplish Classicbac®, Aspire Classicbac®**

Attributs + Certifications

Certification Cradle to Cradle™ (C2C)

Déclaration environnementale de produit (EPD)

NSF 140

CRI Green Label Plus (GLP)

Label CE (EN 14041)

garantie environnementale

contenu recyclé total

emballage du produit

pays d'origine

Silver Level (Version 3.1)**Certifié Par Un Organisme Tiers Conformément Aux Normes ISO 14044, ISO 14025 & EN15804**


or

GLP8472**Certifié Par Un Organisme Tiers****Re[turn] Reclamation Program* | Pickup & Delivery Available****<1% (Pre-Consumer <1% | Post-Consumer 0%)****100% Recyclable****USA**

Contribution À La Certification Leed

MR Credit: Building Product Disclosure and Optimisation
Environmental Product Declarations - Option 1: Environmental Product Declaration (EPD)MR Credit: Building Product Disclosure and Optimisation
Material Ingredients - Option 1: Material Ingredient ReportingMR Credit: Building Product Disclosure and Optimisation
Material Ingredients - Option 2: Material Ingredient Optimization"Crédit EQ : matériaux faibles émissions
Option 1 : calculs par catégorie de produit"**3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804****C2C Silver Level (Version 3.1)****C2C Silver Level (Version 3.1)****Certified**


Available Colorways



Emerge 26106




Elevate 26150



Surpass 26151



Grow 26251



Climb 26350



Arrive 26715

Informations Supplémentaires

* To learn more about the recyclability of our products and our Environmental Guarantee, please visit shawcontract.com/sustainability.

**Meets or exceeds all local and national regulations in country of manufacture. (Manufactured in an ISO 9001 & ISO 14001 certified facility or equivalent)

***This carpet is manufactured to be ADA compliant, but to be fully ADA compliant, the end-user must ensure the carpet is adhered to the floor and installed as outlined in the ADA standards.

[Installation Guidelines](#)[Maintenance Guidelines](#)

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit shawcontract.com/testing for more information.

