

ShawContract®

Bon Jour II

Collection	Steppin Out	
Style Number	60746	
Construction	Needlebond Rib	
Fibre	Pet Polyester	
Dye Method	100% Solution Dyed	
Primary Backing	Polypropylene	
Secondary Backing	Performance Rubber Backing	
Protective Treatments	Inherent Stain Resistance	
Recommended Adhesive	H3800	
	u.s.	metric
Product Size	12 ft	3.66 m
Stitches	0.0 per in	0.5 per 10 cm
Average Density	5379 per cu.yd.	0.199 g/cm³
Total Thickness	0.458 in	11.63 mm
Tufted Weight	51.0 oz/yd²	1,729.19 gms/sqm
Installation Pattern Repeat	9/32" w	7.14 mm w



Recommended Installation Method

Direct Glue

Data + Testing

Antimicrobial Assessment	Passes (AATCC-174) (When installed using Shaw 3800 adhesive)
Pill Test	Pass
Radiant Panel (Astm E648)	Class I
Nbs Smoke	Less Than 450
Electrostatic Propensity	Less Than 3.5 kv
Cri Green Label Plus (Glp)	GLP9168
Ada Compliance	>0.6, Meets the recommended static coefficient of friction for ADA walking surfaces and accessible routes***

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Warranties

10 Year Commercial Limited

Coordinating Products

Carpet Tile: **Welcome II Tile, Bon Jour II Tile, Entrée Tile**

Broadloom: **Welcome II**

Attributes + Certifications

Health & Wellbeing

Indoor Air Quality

CRI Green Label Plus (GLP) | GLP9168

Climate Impact

Product Packaging

100% Recyclable

Global Product Assessment

Environmental Guarantee* | Re[turn] Reclamation Program* | Pickup & Delivery Available

Country of Origin | USA**

Green Leed Contribution Credit

MR Credit: Building Product Disclosure and Optimization

0

Environmental Product Declarations - Option 1: Environmental Product Declaration (EPD)

Available Colorways



Additional Information

* To learn more about the recyclability of our products and our Environmental Guarantee, please visit shawcontract.com/sustainability.

**Meets or exceeds all local and national regulations in country of manufacture. (Manufactured in an ISO 9001 & ISO 14001 certified facility or equivalent)

***This carpet is manufactured to be ADA compliant, but to be fully ADA compliant, the end-user must ensure the carpet is adhered to the floor and installed as outlined in the ADA standards.

[Installation Guidelines](#)

[Maintenance Guidelines](#)

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit shawcontract.com/testing for more information.



PVC-Free

Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | Latin America (Miami) +1 305 827 5912 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Santiago +562 2431 5000 x550 | São Paulo +55 11 3071 1702 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +1 800 556 302

© 2024 Shaw Industries Group, Inc., a Berkshire Hathaway Company
April 28, 2024