

Sentiment

Tipo De Produto	Broadloom	
Coleção	Living Environments	
Número Do Produto	60775	
Construção	Pelo Cortado	
Fibra	Nylon	
Base Primária	Polipropileno	
Base Secundária	Classicbac®	
Tratamentos De Proteção	Sistema De Resistência A Manchas R2x®	
Adesivo Recomendado	1000 Broadloom 4 Gallon, Shaw 1200 or 3800 Indoor Outdoor Broadloom 4 Gallon	
	u.s.	metric
Tamanho Do Produto	12 ft	3.66 m
Calibre	1/8 in	31.5 per 10 cm
Pontos	11.0 per in	43.5 per 10 cm
Espessura Da Fibra Acabada	0.340 in	8.64 mm
Densidade Média	2647 oz/yd³	0.098 g/cm³
Kilotex		6.74
Espessura Total	0.342 in	8.69 mm
Peso Da Fibra	25 oz/yd²	847.6 g/m²
Repetição Do Padrão Na Instalação	1 in w x 1 in l	2.54 cm w x 2.54 cm l



Método De Instalação Recomendado

Direct Glue, Double Glue, Stretch-In

Product should be installed in rooms only applications.

When installing in hybrid locations with carpet and resilient, direct glue with LokSeam is recommended.

Dados + Teste

Teste De Ignição (Pill)	Pass
Cri Green Label Plus (Bpl)	GLP8878

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Produtos Coordenados

COREtec: **Repose**  
Sheet: **Adventure Sheet**  
Broadloom: **Scenery, Reimagine, Statement, Upscale, Imagery**

Atributos + Certificações

Health & Wellbeing

Material Ingredient Transparency

Cradle to Cradle Certified® | Nível Prata (Versão 3.1)  
NSF 140 | Ouro

Indoor Air Quality

CRI Green Label Plus (GLP) | GLP8878

Climate Impact

Environmental Product Declaration (EPD)

3rd Party Certified De acordo Com ISO14044, ISO14025 & EN15804

Total Recycled Content

<1% (Pre-Consumer <1% | Post-Consumer 0%)

Product Packaging

100% Reciclável

Global Product Assessment

CE Marking (EN 14041) | Certificado 3rd Party  
Environmental Guarantee\* | Re[turn] Reclamation Program\* | Pickup & Delivery Available  
Country of Origin\*\* | Imported

Crédito De Contribuição

MR Credit: Divulgação e otimização de produtos de construção  
Declarações ambientais do produto - Opção 1: Declaração ambiental do produto (EPD)

3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804

MR Credit: Divulgação e otimização de produtos de construção  
Ingredientes materiais - Opção 1: Relatório de ingredientes materiais

C2C Silver Level (Version 3.1)


MR Credit: Divulgação e otimização de produtos de construção  
Ingredientes do material - Opção 2: Otimização do ingrediente do material

C2C Silver Level (Version 3.1)


Crédito de EQ: Materiais de baixa emissão  
Opção 1: cálculos de categoria de produto

Green Label Plus Certification: GLP8878


Available Colorways




Peaceful 00102




Gentle 00103




Still 00510




Harmony 00512




Assured 00523




Likable 00539




Gracious 00541




Engaging 00544



Friendship 00703



Nostalgia 00713



Emotion 00753

Informação Adicional

\* To learn more about the recyclability of our products and our Environmental Guarantee, please visit [shawcontract.com/sustainability](http://shawcontract.com/sustainability).

\*\*Meets or exceeds all local and national regulations in country of manufacture. (Manufactured in an ISO 9001 & ISO 14001 certified facility or equivalent)

[Installation Guidelines](#)

Maintenance Guidelines

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit [shawcontract.com/testing](http://shawcontract.com/testing) for more information.

