

Sentiment

Tipo De Produto	Broadloom	
Coleção	Living Environments	
Número Do Produto	60775	
Construção	Pelo Cortado	
Fibra	Nylon	
Base Primária	Polipropileno	
Base Secundária	Classicbac®	
Tratamentos De Proteção	Sistema De Resistência A Manchas R2x®	
Adesivo Recomendado	H1000, H1200 or H3800	
	u.s.	metric
Tamanho Do Produto	12 ft	3.66 m
Calibre	1/8 in	31.5 per 10 cm
Pontos	11.0 per in	43.5 per 10 cm
Densidade Média	2647 oz/yd³	0.098 g/cm³
Kilotex		6.74
Espessura Total	0.342 in	8.69 mm
Peso Da Fibra	25 oz/yd²	847.6 g/m²
Repetição Do Padrão Na Instalação	1 in x 1 in	2.54 cm x 2.54 cm



Método De Instalação Recomendado

Direct Glue, Double Glue, Stretch-In

Product should be installed in rooms only applications.

When installing in hybrid locations with carpet and resilient, direct glue with LokSeam is recommended.

Dados + Teste

Teste De Ignição (Pill)	Pass
Cri Green Label Plus (Bpl)	GLP8878

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Produtos Coordenados

COREtec: **Repose**
Sheet: **Adventure Sheet**
Broadloom: **Scenery, Reimagine, Statement, Upscale, Imagery**












Atributos + Certificações

Health & Wellbeing	
Material Ingredient Transparency	Cradle to Cradle Certified® Nível Prata (Versão 3.1) NSF 140 Ouro
Indoor Air Quality	CRI Green Label Plus (GLP) GLP8878
Climate Impact	
Environmental Product Declaration (EPD)	3rd Party Certified De Acordo Com ISO14044, ISO14025 & EN15804
Total Recycled Content	<1% (Pre-Consumer <1% Post-Consumer 0%)
Product Packaging	100% Reciclável
Global Product Assessment	CE Marking (EN 14041) Certificado 3rd Party Environmental Guarantee* Re[turn] Reclamation Program* Pickup & Delivery Available Country of Origin** Imported

Crédito De Contribuição

MR Credit: Divulgação e otimização de produtos de construção Declarações ambientais do produto - Opção 1: Declaração ambiental do produto (EPD)	3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804
MR Credit: Divulgação e otimização de produtos de construção Ingredientes materiais - Opção 1: Relatório de ingredientes materiais	C2C Silver Level (Version 3.1)
MR Credit: Divulgação e otimização de produtos de construção Ingredientes do material - Opção 2: Otimização do ingrediente do material	C2C Silver Level (Version 3.1)
Crédito de EQ: Materiais de baixa emissão Opção 1: cálculos de categoria de produto	Green Label Plus Certification: GLP8878

Available Colorways

					
Peaceful 00102	Gentle 00103	Still 00510	Harmony 00512	Assured 00523	Likable 00539
					
Gracious 00541	Engaging 00544	Friendship 00703	Nostalgia 00713	Emotion 00753	

Informação Adicional

* To learn more about the recyclability of our products and our Environmental Guarantee, please visit shawcontract.com/sustainability.

**Meets or exceeds all local and national regulations in country of manufacture. (Manufactured in an ISO 9001 & ISO 14001 certified facility or equivalent)

[Installation Guidelines](#)
Maintenance Guidelines

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit shawcontract.com/testing for more information.

